

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Brown County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	145	48	65	4.8	9.6
Ba	Bartle silt loam, 0 to 3 percent slopes	140	47	63	4.6	9.2
BbhA	Bartle silt loam, 0 to 2 percent slopes	145	49	58	4.8	9.6
BbiB	Bartle-Pekin silt loams, 2 to 6 percent slopes	143	49	58	4.8	9.5
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	110	39	15	0.0	0.0
Be	Beanblossom channery silt loam, occasionally flooded	100	35	14	0.0	0.0
BeG	Berks channery silt loam, 25 to 75 percent slopes	0	0	0	0.0	0.0
BgF	Berks-Trevlac-Wellston complex, 20 to 70 percent slopes	---	---	---	0.2	0.3
BlgC2	Blocher-Cincinnati silt loams, 6 to 12 percent slopes, eroded	129	45	56	4.4	8.8
BlhD2	Blocher-Bonnell silt loams, 12 to 25 percent slopes, eroded	69	24	39	3.3	6.5
BnD2	Bonnell silt loam, 12 to 20 percent slopes, eroded	100	35	40	3.3	6.6
BpD3	Bonnell clay loam, 12 to 20 percent slopes, gullied	0	0	0	0.0	0.0
CdD2	Chetwynd loam, 12 to 20 percent slopes, eroded	105	37	42	3.5	7.0
CdF	Chetwynd loam, 20 to 50 percent slopes	0	0	0	0.0	0.0
CnC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	107	37	47	3.5	7.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Brown County, Indiana

CwB	Crosby silt loam, 1 to 5 percent slopes	155	51	70	5.1	10.2
FdbA	Fincastle silt loam, 0 to 2 percent slopes	165	54	74	5.4	10.8
FdqB	Fincastle-Xenia silt loams, 2 to 4 percent slopes	161	54	73	5.4	10.7
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	0	0	0	0.0	0.0
GgfD2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	84	29	32	2.6	5.3
GnF	Gilpin silt loam, 25 to 55 percent slopes	0	0	0	0.0	0.0
GpD	Gilpin-Wellston silt loams, 10 to 25 percent slopes	83	29	30	2.4	4.8
Hc	Haymond silt loam, frequently flooded	120	42	0	0.0	0.0
HeoF	Hickory silt loam, 25 to 50 percent slopes	0	0	0	0.0	0.0
HkD2	Hickory silt loam, 12 to 20 percent slopes, eroded	115	40	46	3.8	7.6
HkF	Hickory silt loam, 20 to 70 percent slopes	0	0	0	0.0	0.0
KugG	Kurtz-Gnawbone silt loams, 20 to 60 percent slopes	0	0	0	0.0	0.0
MnC2	Miami loam, 6 to 15 percent slopes, eroded	130	46	59	4.3	8.6
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2
PeB	Pekin silt loam, 2 to 6 percent slopes	131	46	58	4.3	8.6
PeC2	Pekin silt loam, 6 to 12 percent slopes, eroded	116	41	52	3.8	7.6
RoB2	Nabb silt loam, 2 to 6 percent slopes, eroded	117	41	50	3.6	7.3

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Brown County, Indiana

Sf	Steff silt loam, frequently flooded	110	39	0	0.0	0.0
SifG	Senachwine loam, 25 to 70 percent slopes	0	0	0	0.0	0.0
SoaB	Spickert silt loam, 2 to 6 percent slopes	125	44	50	4.1	8.2
SoeC2	Spickert-Wrays silt loams, 6 to 18 percent slopes, eroded	106	37	44	3.6	7.1
St	Stendal silt loam, frequently flooded	125	40	0	0.0	0.0
StmB	Stonehead silt loam, 2 to 6 percent slopes	145	51	58	4.8	9.6
SulC2	Stonehead-Wellrock silt loams, 6 to 15 percent slopes, eroded	122	43	51	4.2	8.4
Sv	Stendal silt loam, frequently flooded, very long duration	50	14	0	0.0	0.0
SwC2	Stonehead silt loam, 6 to 10 percent slopes, eroded	130	46	52	4.3	8.6
SwD3	Stonehead silt loam, 10 to 20 percent slopes, gullied	0	0	0	0.0	0.0
SxD2	Stonehead-Trevlac silt loams, 10 to 20 percent slopes, eroded	95	33	41	3.4	6.7
TIB	Tilsit silt loam, 2 to 6 percent slopes	125	44	56	4.1	8.2
Ud	Udorthents, loamy	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
WacAW	Wakeland-Birds silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration	145	43	20	0.0	0.0
WaD	Wellston-Berks-Trevlac complex, 6 to 20 percent slopes	74	26	36	3.0	6.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Brown County, Indiana

WbiAW	Wilbur-Wakeland silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration	142	47	20	0.0	0.0
WeC2	Wellston-Gilpin silt loams, 6 to 20 percent slopes, eroded	101	35	45	3.7	7.4
WeD2	Wellston silt loam, 12 to 18 percent slopes, eroded	95	33	38	3.1	6.2
Wt	Wilbur silt loam, frequently flooded	125	44	0	0.0	0.0
XfuB2	Miami-Rainsville silt loams, 2 to 6 percent slopes, eroded	139	49	63	4.6	9.2
XrbC2	Miami-Rainsville loams, 6 to 12 percent slopes, eroded	134	47	59	4.3	8.7
XrkD2	Miami-Kendallville loams, 12 to 18 percent slopes, eroded	119	42	50	3.8	7.7