

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AsB2—Alvin fine sandy loam, 2 to 8 percent slopes, eroded					
Alvin	100	Somewhat limited		Somewhat limited	
		Seepage	0.52	Seepage	0.52
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
At—Armiesburg silty clay loam, occasionally flooded					
Armiesburg	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ba—Beaucoup silty clay loam, rarely flooded					
Beaucoup	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Bb—Beaucoup silt loam, frequently flooded					
Beaucoup	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
CaA—Camden silt loam, 0 to 1 percent slopes					
Camden	90	Somewhat limited		Somewhat limited	
		Seepage	0.22	Seepage	0.22
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CaB2—Camden silt loam, 2 to 6 percent slopes, eroded					
Camden	90	Somewhat limited		Somewhat limited	
		Seepage	0.22	Seepage	0.22
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CeG—Casco-Hennepin loams, 30 to 70 percent slopes					
Casco	50	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.74	Unstable excavation walls	0.74
		Dusty	0.02	Dusty	0.02
Hennepin	50	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Cg—Ceresco fine sandy loam, occasionally flooded					
Ceresco	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.27	Water gathering surface	0.27
		Dusty	0.02	Dusty	0.02
Ck—Ceresco variant fine sandy loam, occasionally flooded					
Ceresco variant	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Dusty	0.02	Dusty	0.02
Cn—Cohoctah loam, occasionally flooded					
Cohoctah	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.33	Water gathering surface	0.33
Cp—Cohoctah loam, gravelly substratum, occasionally flooded					
Cohoctah	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Cr—Cohoctah variant very fine sandy loam, frequently flooded					
Cohoctah variant	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.33	Water gathering surface	0.33
CtB—Coloma loamy sand, 2 to 10 percent slopes					
Coloma	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
CvA—Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes					
Crosby	93	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CwB—Crosby-Fincastle silt loams, 1 to 3 percent slopes					
Crosby	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Fincastle	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CyB—Crosier-Whitaker, till substratum, complex, 1 to 3 percent slopes					
Crosier	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Whitaker	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Cz—Cyclone silty clay loam					
Cyclone	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FaA—Fincastle-Starks silt loams, 0 to 1 percent slopes					
Fincastle	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Starks	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FbB—Fincastle-Starks silt loams, 1 to 3 percent slopes					
Fincastle	65	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Starks	25	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FsA—Fox sandy loam, 0 to 2 percent slopes					
Fox	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FsB2—Fox sandy loam, 2 to 6 percent slopes, eroded					
Fox	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FtC3—Fox gravelly clay loam, 6 to 15 percent slopes, severely eroded					
Fox, severely eroded	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.63	Dusty	0.04
		Dusty	0.04	Slope	0.04
		Unstable excavation walls	0.02	Unstable excavation walls	0.02

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HkG—Hennepin loam, 30 to 70 percent slopes					
Hennepin	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HnG—Hennepin-Rock outcrop complex, 30 to 90 percent slopes					
Hennepin	70	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rock outcrop	30	Not rated		Not rated	
Hw—Houghton muck, drained					
Houghton, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
Jr—Jules silt loam, frequently flooded					
Jules	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Js—Jules-Stonelick complex, frequently flooded					
Jules	60	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Stonelick	30	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
KcA—Kalamazoo loam, 0 to 2 percent slopes					
Kalamazoo	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
KcB2—Kalamazoo loam, 2 to 6 percent slopes, eroded					
Kalamazoo	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
KfA—Kendall silt loam, 0 to 1 percent slopes					
Kendall	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KgA—Kendall-Fincastle silt loams, 0 to 1 percent slopes					
Kendall	65	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Fincastle	25	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ld—Landes fine sandy loam, rarely flooded					
Landes	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Lo—Landes loam, moderately wet, occasionally flooded					
Landes	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ls--Landes-Moundhaven complex, occasionally flooded					
Landes	55	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Moundhaven	35	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.93	Unstable excavation walls	0.93
		Sand content	0.08	Sand content	0.08
Ma--Mahalasville silty clay loam, gravelly substratum					
Mahalasville	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
Mb--Mahalasville silty clay loam, till substratum					
Mahalasville	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mc--Mahalasville-Treaty silt loams					
Mahalasville	50	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
Treaty	50	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MdB2--Martinsville, till substratum-Miami loams, 2 to 6 percent slopes, eroded					
Martinsville	55	Somewhat limited		Somewhat limited	
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Miami	35	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MfC3--Martinsville, till substratum-Miami clay loams, 6 to 12 percent slopes, severely eroded					
Martinsville, severely eroded	55	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Miami, severely eroded	35	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MhD3—Miami clay loam, 15 to 20 percent slopes, severely eroded					
Miami, severely eroded	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MkB2—Miami-Crosier complex, 2 to 6 percent slopes, eroded					
Miami	50	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Crosier	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mm—Milford silty clay loam					
Milford	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mo—Milford silt loam, pothole					
Milford	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mp—Milford silty clay loam, occasionally flooded					
Milford	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mt—Millsdale loam					
Millsdale	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
MuB—Milton variant, channery silt loam, 1 to 4 percent slopes, flaggy					
Milton variant	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Large stones	0.83	Large stones	0.83
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mv—Moundhaven-Landes variant complex, frequently flooded					
Moundhaven	50	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.93	Unstable excavation walls	0.93
		Sand content	0.08	Sand content	0.08
Landes variant	40	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MwB—Mudlavia gravelly sandy loam, 1 to 3 percent slopes					
Mudlavia	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Large stones	0.04	Large stones	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MxA—Mudlavia variant gravelly loam, 0 to 2 percent slopes					
Mudlavia variant	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OdA—Ockley silt loam, 0 to 2 percent slopes					
Ockley	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OdB2—Ockley silt loam, 2 to 6 percent slopes, eroded					
Ockley, eroded	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OfB2—Ockley loam, till substratum, 2 to 6 percent slopes, eroded					
Ockley	90	Somewhat limited		Somewhat limited	
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OgA—Ockley-Rush silt loams, till substrata, 0 to 2 percent slopes					
Ockley	45	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rush	45	Somewhat limited		Somewhat limited	
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OhC3—Ockley, till substratum-Kendallville clay loams, 6 to 12 percent slopes, severely eroded					
Ockley, severely eroded	65	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Kendallville, severely eroded	35	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Omz—Orthents, earthen dam					
Orthents	100	Not rated		Not rated	
OrA—Ormas loamy sand, 0 to 2 percent slopes					
Ormas	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.03	Unstable excavation walls	0.03
OrB—Ormas loamy sand, 2 to 6 percent slopes					
Ormas	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pb—Palms muck, drained					
Palms, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pd—Palms muck, cobbly substratum, drained					
Palms, drained	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.08	Dusty	0.08
Pe—Palms variant muck, drained					
Palms variant, drained	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
Pg—Patton silty clay loam					
Patton	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pk—Pella silty clay loam					
Pella	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PnB—Piankeshaw variant gravelly sandy loam, rarely flooded, 2 to 8 percent slopes					
Piankeshaw variant	90	Somewhat limited		Somewhat limited	
		Seepage	0.52	Seepage	0.52
		Flooding	0.40	Flooding	0.40
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pp—Pits, gravel					
Pits, gravel	100	Not rated		Not rated	
Pr—Pits, quarry					
Pits, quarries, limestone	95	Not rated		Not rated	
RmB2—Riddles-Miami loams, 2 to 6 percent slopes, eroded					
Riddles	55	Somewhat limited		Somewhat limited	
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Miami	35	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RmD2—Riddles-Miami loams, 12 to 18 percent slopes, eroded					
Riddles	50	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Miami	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RnC3—Riddles-Miami complex, 6 to 12 percent slopes, severely eroded					
Riddles, severely eroded	45	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Miami, severely eroded	40	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RoA—Rockfield silt loam, 0 to 2 percent slopes					
Rockfield	90	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RrB2—Rockfield-Williamstown complex, 1 to 6 percent slopes, eroded					
Rockfield	60	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Williamstown	30	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rt—Ross fine sandy loam, protected					
Ross	90	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Seepage	0.22	Seepage	0.22
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ru—Ross loam, rarely flooded					
Ross	90	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RwA—Rush silt loam, 0 to 2 percent slopes					
Rush	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Sn—Sloan silt loam, rarely flooded					
Sloan	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
So—Sloan silt loam, occasionally flooded					
Sloan	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ss—Sloan silt loam, bedrock substratum, occasionally flooded					
Sloan	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
StA—Starks silt loam, 0 to 1 percent slopes					
Starks	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ud—Udorthents, loamy					
Udorthents, loamy	100	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Wd--Walkkill silt loam					
Walkkill, drained	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
We--Warners variant silt loam, 2 to 8 percent slopes, undrained					
Warners variant, undrained	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wk--Washtenaw silt loam					
Washtenaw	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WoA--Waynetown silt loam, 0 to 2 percent slopes					
Waynetown	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Carroll County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WpA--Waynetown-Sleeth silt loams, till substrata, 0 to 1 percent slopes					
Waynetown	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sleeth	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wr--Westland loam					
Westland	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
Ws--Westland loam, shale substratum					
Westland	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Seepage	0.22	Seepage	0.22
WvB2--Williamstown silt loam, 2 to 6 percent slopes, eroded					
Williamstown	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Carroll County, Indiana
Survey Area Data: Version 19, Sep 8, 2014