

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AddA—Avonburg silt loam, 0 to 2 percent slopes					
Avonburg	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AddB2—Avonburg silt loam, 2 to 4 percent slopes, eroded					
Avonburg	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BbhA—Bartle silt loam, 0 to 2 percent slopes					
Bartle	83	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BcrAQ—Beanblossom silt loam, 1 to 3 percent slopes, rarely flooded					
Beanblossom	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
BcrAW—Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration					
Beanblossom	89	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.06	Dusty	0.06
BdoA—Bedford silt loam, 0 to 2 percent slopes					
Bedford	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BdoB—Bedford silt loam, 2 to 6 percent slopes					
Bedford	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BfbC2--Blocher, soft bedrock substratum-Weddel silt loams, 6 to 12 percent slopes, eroded					
Blocher, soft bedrock substratum	46	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Weddel	30	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BfcC3--Blocher, soft bedrock substratum-Weddel complex, 6 to 12 percent slopes, severely eroded					
Blocher, soft bedrock substratum, severely eroded	49	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Weddel, severely eroded	32	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BnyD3--Bonnell clay loam, 12 to 22 percent slopes, severely eroded					
Bonnell, severely eroded	74	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BobE5--Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied					
Bonnell, very severely eroded	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hickory, very severely eroded	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BodAW--Bonnie silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration					
Bonnie	83	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BvoG—Brownstown-Gilwood silt loams, 25 to 75 percent slopes					
Brownstown	39	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.18	Large stones	0.18
		Dusty	0.07	Dusty	0.07
Gilwood	38	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CcaG—Caneyville-Rock outcrop complex, 25 to 60 percent slopes					
Caneyville	53	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Unstable excavation walls	0.31	Unstable excavation walls	0.31
		Dusty	0.06	Dusty	0.06
Rock outcrop	15	Not rated		Not rated	
CkkB2—Cincinnati silt loam, 2 to 6 percent slopes, eroded					
Cincinnati	80	Somewhat limited		Somewhat limited	
		Wetness	0.96	Wetness	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CldC2—Cincinnati-Blocher silt loams, 6 to 12 percent slopes, eroded					
Cincinnati	42	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Blocher	34	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CldC3—Cincinnati-Blocher silt loams, 6 to 12 percent slopes, severely eroded					
Cincinnati, severely eroded	42	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Blocher, severely eroded	34	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
C1fA—Cobbsfork silt loam, 0 to 1 percent slopes					
Cobbsfork	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ComC—Coolville silt loam, 6 to 12 percent slopes					
Coolville	71	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ConC3—Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded					
Coolville, severely eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rarden, severely eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ConD--Coolville-Rarden complex, 12 to 18 percent slopes					
Coolville	51	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rarden	30	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CspA--Crider silt loam, 0 to 2 percent slopes					
Crider	85	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CspB2--Crider silt loam, 2 to 6 percent slopes, eroded					
Crider	85	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.05	Unstable excavation walls	0.05
CtrB2--Crider silt loam, karst, undulating, eroded					
Crider	78	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.04	Unstable excavation walls	0.04

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CtwB—Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes					
Crider	39	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.12	Unstable excavation walls	0.12
		Dusty	0.06	Dusty	0.06
Bedford	29	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Navilleton	28	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.06	Unstable excavation walls	0.06
		Dusty	0.06	Dusty	0.06
CwaAQ—Cuba silt loam, 0 to 2 percent slopes, rarely flooded					
Cuba	92	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CxgC3—Crider-Haggatt complex, 6 to 12 percent slopes, severely eroded					
Crider, severely eroded	46	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.12
		Unstable excavation walls	0.12	Dusty	0.06
		Dusty	0.06	Slope	0.04
Haggatt, severely eroded	46	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CxhC2—Crider-Haggatt silt loams, 6 to 12 percent slopes, eroded					
Crider	56	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.05
		Unstable excavation walls	0.05	Slope	0.04
Haggatt	37	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.28
		Unstable excavation walls	0.28	Dusty	0.06
		Dusty	0.06	Slope	0.04
CxmC2—Crider-Haggatt silt loams, karst, rolling, eroded					
Crider	52	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Haggatt	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.28
		Unstable excavation walls	0.28	Dusty	0.06
		Dusty	0.06	Slope	0.04
CxnC3—Crider-Haggatt complex, karst, rolling, severely eroded					
Crider, severely eroded	44	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.10
		Unstable excavation walls	0.10	Dusty	0.06
		Dusty	0.06	Slope	0.04
Haggatt, severely eroded	44	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DbrG—Deam silty clay loam, 20 to 55 percent slopes					
Deam	94	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DdsAW—Dearborn silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Dearborn	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Large stones	0.89	Large stones	0.89
		Seepage	0.52	Seepage	0.52
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DfnA—Dubois silt loam, 0 to 2 percent slopes					
Dubois	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DtvC2—Deputy-Trappist silt loams, 6 to 12 percent slopes, eroded					
Deputy	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Trappist	27	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EbpD2—Eden silty clay loam, 12 to 25 percent slopes, eroded					
Eden	82	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Too stony	0.59	Too stony	0.59
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Large stones	0.49	Large stones	0.49
EesA—Elkinsville-Millstone silt loams, 0 to 2 percent slopes					
Elkinsville	52	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Millstone	43	Somewhat limited		Somewhat limited	
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EesB—Elkinsville-Millstone silt loams, 2 to 6 percent slopes					
Elkinsville	52	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Millstone	43	Somewhat limited		Somewhat limited	
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EesC2—Elkinsville-Millstone silt loams, 6 to 12 percent slopes, eroded					
Elkinsville	44	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Millstone	43	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EesD2—Elkinsville-Millstone silt loams, 12 to 18 percent slopes, eroded					
Elkinsville	44	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Millstone	44	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EesFQ—Elkinsville-Millstone silt loams, 18 to 40 percent slopes, rarely flooded					
Elkinsville	48	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Millstone	47	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EsaG—Eden silty clay loam, 25 to 60 percent slopes, very rocky					
Eden	74	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Large stones	0.78	Large stones	0.78
		Rock outcrop	0.70	Rock outcrop	0.70
		Too stony	0.59	Too stony	0.59

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GgbG—Gilwood-Brownstown silt loams, 25 to 75 percent slopes					
Gilwood	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Brownstown	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.18	Large stones	0.18
		Dusty	0.06	Dusty	0.06
GgfD—Gilwood-Wrays silt loams, 6 to 18 percent slopes					
Gilwood	39	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays	38	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GgfE2—Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded					
Gilwood	42	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays	36	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GmaG—Gnawbone-Kurtz silt loams, 20 to 60 percent slopes					
Gnawbone	55	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Kurtz	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GyaD2—Grayford silt loam, 12 to 25 percent slopes, eroded					
Grayford	73	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GyaD3—Grayford silt loam, 12 to 25 percent slopes, severely eroded					
Grayford, severely eroded	78	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GyaD5—Grayford silt loam, 12 to 25 percent slopes, gullied					
Grayford, very severely eroded	65	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.05	Unstable excavation walls	0.05
GyKD2—Grayford silt loam, karst, hilly, eroded					
Grayford	69	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GyKD3—Grayford silt loam, karst, hilly, severely eroded					
Grayford, severely eroded	74	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcaA—Hatfield silt loam, 0 to 2 percent slopes					
Hatfield	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HccB2—Haubstadt silt loam, 2 to 6 percent slopes, eroded					
Haubstadt	84	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcdC2—Haubstadt-Shircliff silt loams, 6 to 15 percent slopes, eroded					
Haubstadt	55	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Shircliff	23	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.96	Slope	0.37
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HceC3—Haubstadt-Shircliff complex, 6 to 15 percent slopes, severely eroded					
Haubstadt, severely eroded	55	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Shircliff, severely eroded	23	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.96	Slope	0.37
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.02	Unstable excavation walls	0.02

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HcgAH—Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Haymond	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcgAV—Haymond silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration					
Haymond	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcgAW—Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Haymond	82	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HerE—Hickory-Bonnell complex, 12 to 25 percent slopes					
Hickory	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Bonnell	38	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HtwD2--Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded					
Haggatt	51	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.06	Dusty	0.06
Caneyville	31	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
HtzD3--Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded					
Haggatt, severely eroded	51	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Caneyville, severely eroded	41	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
HufAK--Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Huntington	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HuhD2—Haggatt-Caneyville silt loams, karst, hilly, eroded					
Haggatt	46	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Water gathering surface	0.13	Water gathering surface	0.13
		Dusty	0.06	Dusty	0.06
Caneyville	31	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Water gathering surface	0.13	Water gathering surface	0.13
		Dusty	0.06	Dusty	0.06
HujD3—Haggatt-Caneyville complex, karst, hilly, severely eroded					
Haggatt, severely eroded	46	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Water gathering surface	0.13	Water gathering surface	0.13
		Dusty	0.06	Dusty	0.06
Caneyville, severely eroded	39	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Water gathering surface	0.13	Water gathering surface	0.13
		Dusty	0.06	Dusty	0.06
JaeB2—Jennings silt loam, 2 to 6 percent slopes, eroded					
Jennings	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
JafC2—Jennings-Blocher, hard bedrock substratum, silt loams, 6 to 12 percent slopes, eroded					
Jennings	45	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Blocher, hard bedrock substratum	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
JafC3—Jennings-Blocher, hard bedrock substratum, silt loams, 6 to 12 percent slopes, severely eroded					
Jennings, severely eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Blocher, hard bedrock substratum, severely eroded	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxkC2—Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded					
Knobcreek	37	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.35
		Unstable excavation walls	0.35	Dusty	0.07
		Dusty	0.07	Slope	0.04
Navilleton	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.04	Unstable excavation walls	0.04
KxlC3—Knobcreek-Haggatt-Caneyville complex, 6 to 12 percent slopes, severely eroded					
Knobcreek, severely eroded	33	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.48
		Unstable excavation walls	0.48	Dusty	0.06
		Dusty	0.06	Slope	0.04
Haggatt, severely eroded	26	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04
Caneyville, severely eroded	24	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxlE3—Knobcreek-Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded					
Knobcreek, severely eroded	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.48	Unstable excavation walls	0.48
		Dusty	0.06	Dusty	0.06
Haggatt, severely eroded	22	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Caneyville, severely eroded	21	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
KxmE2—Knobcreek-Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded					
Knobcreek	33	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.35	Unstable excavation walls	0.35
		Dusty	0.06	Dusty	0.06
Haggatt	22	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.06	Dusty	0.06
Caneyville	20	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxoC2--Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded					
Knobcreek, karst	29	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.35
		Unstable excavation walls	0.35	Dusty	0.06
		Dusty	0.06	Slope	0.04
Navilleton, karst	28	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.18	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.04
		Unstable excavation walls	0.04		
Haggatt, karst	27	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.28
		Unstable excavation walls	0.28	Dusty	0.06
		Dusty	0.06	Slope	0.04
KxpD2--Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded					
Knobcreek	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.35	Unstable excavation walls	0.35
		Water gathering surface	0.13	Water gathering surface	0.13
		Dusty	0.07	Dusty	0.07
Haggatt	31	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Water gathering surface	0.13	Water gathering surface	0.13
		Dusty	0.07	Dusty	0.07
Caneyville	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Water gathering surface	0.13	Water gathering surface	0.13
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LpoAK—Lindside silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Lindside	82	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
McgC2—Markland silt loam, 6 to 12 percent slopes, eroded					
Markland	74	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
McnGQ—Markland silt loam, 18 to 50 percent slopes, rarely flooded					
Markland, rarely flooded	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Unstable excavation walls	0.10	Unstable excavation walls	0.10
		Dusty	0.06	Dusty	0.06
McpC3—Markland silty clay loam, 6 to 12 percent slopes, severely eroded					
Markland, severely eroded	61	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
McuDQ—Markland silty clay loam, 12 to 25 percent slopes, severely eroded, rarely flooded					
Markland, severely eroded	70	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MdqDQ—Markland silt loam, 12 to 25 percent slopes, eroded, rarely flooded					
Markland	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MhuA—McGary silt loam, 0 to 2 percent slopes					
Mcgary	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.18	Unstable excavation walls	0.18
		Dusty	0.06	Dusty	0.06
MhyA—Medora silt loam, 0 to 2 percent slopes					
Medora	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MhyB2—Medora silt loam, 2 to 6 percent slopes, eroded					
Medora	88	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MhyC2—Medora silt loam, 6 to 12 percent slopes, eroded					
Medora	73	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MhyC3—Medora silt loam, 6 to 12 percent slopes, severely eroded					
Medora, severely eroded	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MsvA—Montgomery silty clay loam, 0 to 1 percent slopes					
Montgomery	82	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.08	Unstable excavation walls	0.08
		Dusty	0.07	Dusty	0.07
NaaA—Nabb silt loam, 0 to 2 percent slopes					
Nabb	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NaaB2—Nabb silt loam, 2 to 6 percent slopes, eroded					
Nabb	78	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NbhAK—Newark silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Newark	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OfbAW—Oldenburg loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Oldenburg	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.09	Seepage	0.09
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PcrB2—Pekin silt loam, 2 to 6 percent slopes, eroded					
Pekin	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PcrC2—Pekin silt loam, 6 to 12 percent slopes, eroded					
Pekin, eroded	72	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PcrC3—Pekin silt loam, 6 to 12 percent slopes, severely eroded					
Pekin, severely eroded	71	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PhaA—Peoga silt loam, 0 to 1 percent slopes					
Peoga	83	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pml—Pits, quarry					
Pits, quarry	85	Not rated		Not rated	
Ppu—Pits, sand and gravel					
Pits, sand and gravel	80	Not rated		Not rated	
RbID3—Rarden silty clay loam, 12 to 18 percent slopes, severely eroded					
Rarden, severely eroded	78	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RbmD5—Rarden silty clay, 6 to 18 percent slopes, gullied					
Rarden, very severely eroded	74	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Water gathering surface	0.13	Water gathering surface	0.13
		Dusty	0.07	Dusty	0.07
RptG—Rohan-Jessietown complex, 25 to 60 percent slopes, rocky					
Rohan	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	0.30	Rock outcrop	0.30
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Jessietown	36	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	0.30	Rock outcrop	0.30
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RtcA—Ryker silt loam, 0 to 2 percent slopes					
Ryker	95	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RtcB2—Ryker silt loam, 2 to 6 percent slopes, eroded					
Ryker	92	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RzrB2—Ryker silt loam, karst, undulating, eroded					
Ryker	82	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RztC2—Ryker-Grayford silt loams, 6 to 12 percent slopes, eroded					
Ryker	43	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Grayford	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RztC3—Ryker-Grayford silt loams, 6 to 12 percent slopes, severely eroded					
Ryker, severely eroded	44	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Grayford, severely eroded	28	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RzvC2—Ryker-Grayford silt loams, karst, rolling, eroded					
Ryker	41	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.16	Water gathering surface	0.13
		Water gathering surface	0.13	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
Grayford	26	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Water gathering surface	0.13
		Water gathering surface	0.13	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RzvC3--Ryker-Grayford silt loams, karst, rolling, severely eroded					
Ryker, severely eroded	41	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.16	Water gathering surface	0.13
		Water gathering surface	0.13	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
Grayford, severely eroded	26	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Water gathering surface	0.13
		Water gathering surface	0.13	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SceB2--Scottsburg silt loam, 2 to 4 percent slopes, eroded					
Scottsburg	96	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SfyB--Shircliff silt loam, 2 to 6 percent slopes					
Shircliff	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SoaB--Spickert silt loam, 2 to 6 percent slopes					
Spickert	95	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SodB—Spickert silt loam, terrace, 1 to 4 percent slopes					
Spickert	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SoIC2—Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded					
Spickert	44	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays	32	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
StaAQ—Steff silt loam, 0 to 2 percent slopes, rarely flooded					
Steff	86	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
StdAQ—Stendal silt loam, 0 to 2 percent slopes, rarely flooded					
Stendal	88	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
StdAW—Stendal silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Stendal	87	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ThaC2—Trappist silt loam, 6 to 12 percent slopes, eroded					
Trappist	84	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ThbC3—Trappist silty clay loam, 6 to 12 percent slopes, severely eroded					
Trappist, severely eroded	75	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ThbD5—Trappist silty clay loam, 6 to 18 percent slopes, gullied					
Trappist, very severely eroded	73	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ThcD3--Trappist-Rohan complex, 12 to 25 percent slopes, severely eroded					
Trappist, severely eroded	44	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rohan, severely eroded	29	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ThdD--Trappist-Rohan silt loams, 12 to 25 percent slopes					
Trappist	49	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rohan	33	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
TsaC3--Trappist-Deputy complex, 6 to 12 percent slopes, severely eroded					
Trappist, severely eroded	46	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Deputy, severely eroded	23	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Uaa--Udorthents, cut and filled					
Udorthents, cut and filled	83	Not rated		Not rated	
UaoAK--Udifluvents, cut and filled-Urban land complex, 0 to 2 percent slopes, occasionally flooded, brief duration					
Udifluvents, cut and filled	65	Not rated		Not rated	
Urban land	25	Not rated		Not rated	
UedA--Urban land-Aquents, clayey substratum, complex, lake plain, 0 to 3 percent slopes					
Urban land	60	Not rated		Not rated	
Aquents, clayey substratum	25	Not rated		Not rated	
UndAY--Urban land-Udifluvents complex, leveed, 0 to 2 percent slopes					
Urban land	65	Not rated		Not rated	
Udifluvents	25	Not rated		Not rated	
UngB--Urban land-Udarents, fragipan substratum, complex, till plain, 0 to 12 percent slopes					
Urban land	45	Not rated		Not rated	
Udarents, fragipan substratum	30	Not rated		Not rated	

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UnkB—Urban land-Udarents, silty substratum, complex, terrace, 0 to 6 percent slopes					
Urban land	45	Not rated		Not rated	
Udarents, silty substratum	30	Not rated		Not rated	
UnpA—Urban land-Udarents, loamy substratum, complex, terrace, 0 to 3 percent slopes					
Urban land	45	Not rated		Not rated	
Udarents, loamy substratum	30	Not rated		Not rated	
UnsB—Urban land-Udarents, clayey substratum, complex, hills, 2 to 10 percent slopes					
Urban land	41	Not rated		Not rated	
Udarents, clayey substratum	31	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	
WaaAV—Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration					
Wakeland	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WaaAW—Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wakeland	82	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WedB2--Weddel silt loam, 2 to 6 percent slopes, eroded					
Weddel	95	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhcD--Wellrock-Gnawbone silt loams, 6 to 20 percent slopes					
Wellrock	50	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gnawbone	41	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WnmA--Whitcomb silt loam, 0 to 2 percent slopes					
Whitcomb	87	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WokAV--Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration					
Wilbur	78	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Clark County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WokAW--Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wilbur	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WprAW--Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wirt	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

### Data Source Information

Soil Survey Area: Clark County, Indiana  
 Survey Area Data: Version 17, Sep 8, 2014