

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AddA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
CkkB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
ClfA	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	85	155	47	62	5.1	10.2
AddB2	Avonburg silt loam, 2 to 4 percent slopes, eroded	Avonburg	75	140	47	63	4.6	9.2
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	83	145	49	58	4.8	9.6
BcrAQ	Beanblossom silt loam, 1 to 3 percent slopes, rarely flooded	Beanblossom	90	145	51	58	4.8	9.6
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	89	105	37	15	3.5	7.0
BdoA	Bedford silt loam, 0 to 2 percent slopes	Bedford	90	130	46	59	4.3	8.6
BdoB	Bedford silt loam, 2 to 6 percent slopes	Bedford	90	130	46	59	4.3	8.6
BfbC2	Blocher, soft bedrock substratum-Weddel silt loams, 6 to 12 percent slopes, eroded	Blocher, soft bedrock substratum	46	135	47	54	4.5	9.0
		Weddel	30	125	44	50	4.1	8.2
BfcC3	Blocher, soft bedrock substratum-Weddel complex, 6 to 12 percent slopes, severely eroded	Blocher, soft bedrock substratum, severely eroded	49	120	42	48	4.0	8.0
		Weddel, severely eroded	32	105	37	42	3.5	7.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BnyD3	Bonnell clay loam, 12 to 22 percent slopes, severely eroded	Bonnell, severely eroded	74	90	32	36	3.0	6.0
BobE5	Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied	Bonnell, very severely eroded	45	0	0	0	0.0	0.0
		Hickory, very severely eroded	30	0	0	0	0.0	0.0
BodAW	Bonnie silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	Bonnie	83	140	39	20	4.6	9.2
BvoG	Brownstown-Gilwood silt loams, 25 to 75 percent slopes	Brownstown	39	---	---	---	0.0	0.0
		Gilwood	38	---	---	---	0.0	0.0
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	Caneyville	53	0	0	0	0.0	0.0
		Rock outcrop	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CldC2	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, eroded	Cincinnati	42	120	42	54	4.0	8.0
		Blocher	34	125	44	50	4.1	8.2
CldC3	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	42	110	39	50	3.6	7.2
		Blocher, severely eroded	34	120	42	48	4.0	8.0
ComC	Coolville silt loam, 6 to 12 percent slopes	Coolville	71	110	39	44	3.6	7.2
ConC3	Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded	Coolville, severely eroded	45	85	30	34	2.8	5.6
		Rarden, severely eroded	45	65	23	26	2.1	4.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ConD	Coolville-Rarden complex, 12 to 18 percent slopes	Coolville	51	85	30	34	2.8	5.6
		Rarden	30	65	23	26	2.1	4.2
CspA	Crider silt loam, 0 to 2 percent slopes	Crider	85	150	53	60	5.0	10.0
CspB2	Crider silt loam, 2 to 6 percent slopes, eroded	Crider	85	145	51	58	4.8	9.6
CtrB2	Crider silt loam, karst, undulating, eroded	Crider	78	145	51	58	4.8	9.6
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	Crider	39	150	53	60	5.0	10.0
		Bedford	29	130	46	59	4.3	8.6
		Navilleton	28	150	53	60	5.0	10.0
CwaAQ	Cuba silt loam, 0 to 2 percent slopes, rarely flooded	Cuba	92	140	49	56	4.6	9.2
CxgC3	Crider-Haggatt complex, 6 to 12 percent slopes, severely eroded	Crider, severely eroded	46	130	46	52	4.3	8.6
		Haggatt, severely eroded	46	80	28	36	2.6	5.2
CxhC2	Crider-Haggatt silt loams, 6 to 12 percent slopes, eroded	Crider	56	135	47	54	4.5	9.0
		Haggatt	37	90	32	41	3.0	6.0
CxmC2	Crider-Haggatt silt loams, karst, rolling, eroded	Crider	52	140	49	56	4.6	9.2
		Haggatt	35	90	32	41	3.0	6.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CxnC3	Crider-Haggatt complex, karst, rolling, severely eroded	Crider, severely eroded	44	130	46	52	4.3	8.6
		Haggatt, severely eroded	44	80	28	36	2.6	5.2
DbrG	Deam silty clay loam, 20 to 55 percent slopes	Deam	94	---	---	---	0.0	0.0
DdsAW	Dearborn silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Dearborn	80	125	44	18	4.1	8.2
DfnA	Dubois silt loam, 0 to 2 percent slopes	Dubois	85	135	46	61	4.5	9.0
DtvC2	Deputy-Trappist silt loams, 6 to 12 percent slopes, eroded	Deputy	50	110	39	44	3.6	7.2
		Trappist	27	75	26	30	2.5	5.0
EbpD2	Eden silty clay loam, 12 to 25 percent slopes, eroded	Eden	82	45	16	20	1.5	3.0
EesA	Elkinsville-Millstone silt loams, 0 to 2 percent slopes	Elkinsville	52	150	53	60	5.0	10.0
		Millstone	43	135	47	54	4.5	9.0
EesB	Elkinsville-Millstone silt loams, 2 to 6 percent slopes	Elkinsville	52	150	53	60	5.0	10.0
		Millstone	43	135	47	54	4.5	9.0
EesC2	Elkinsville-Millstone silt loams, 6 to 12 percent slopes, eroded	Elkinsville	44	135	47	54	4.5	9.0
		Millstone	43	120	42	48	4.0	8.0
EesD2	Elkinsville-Millstone silt loams, 12 to 18 percent slopes, eroded	Elkinsville	44	120	42	48	4.0	8.0
		Millstone	44	105	37	42	3.5	7.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EesFQ	Elkinsville-Millstone silt loams, 18 to 40 percent slopes, rarely flooded	Elkinsville	48	---	---	---	0.0	0.0
		Millstone	47	---	---	---	0.0	0.0
EsaG	Eden silty clay loam, 25 to 60 percent slopes, very rocky	Eden	74	---	---	---	0.0	0.0
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	Gilwood	45	---	---	---	0.0	0.0
		Brownstown	35	---	---	---	0.0	0.0
GgfD	Gilwood-Wrays silt loams, 6 to 18 percent slopes	Gilwood	39	80	28	32	2.6	5.2
		Wrays	38	110	39	44	3.6	7.2
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	Gilwood	42	---	---	---	2.0	4.0
		Wrays	36	105	37	42	3.5	7.0
GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes	Gnawbone	55	---	---	---	0.0	0.0
		Kurtz	35	---	---	---	0.0	0.0
GyaD2	Grayford silt loam, 12 to 25 percent slopes, eroded	Grayford	73	100	35	40	3.3	6.6
GyaD3	Grayford silt loam, 12 to 25 percent slopes, severely eroded	Grayford, severely eroded	78	95	33	38	3.1	6.2
GyaD5	Grayford silt loam, 12 to 25 percent slopes, gullied	Grayford, very severely eroded	65	0	0	0	0.0	0.0
GykD2	Grayford silt loam, karst, hilly, eroded	Grayford	69	100	35	40	3.3	6.6
GykD3	Grayford silt loam, karst, hilly, severely eroded	Grayford, severely eroded	74	95	33	38	3.1	6.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HcaA	Hatfield silt loam, 0 to 2 percent slopes	Hatfield	90	145	49	58	4.8	9.6
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	Haubstadt, eroded	84	115	40	52	3.8	7.6
HcdC2	Haubstadt-Shircliff silt loams, 6 to 15 percent slopes, eroded	Haubstadt	55	120	42	54	4.0	8.0
		Shircliff	23	105	37	42	3.5	7.0
HceC3	Haubstadt-Shircliff complex, 6 to 15 percent slopes, severely eroded	Haubstadt, severely eroded	55	115	40	52	3.8	7.6
		Shircliff, severely eroded	23	95	33	43	3.1	6.2
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	85	120	42	0	0.0	0.0
HcgAV	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Haymond	85	130	46	18	4.3	8.6
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Haymond	82	135	47	19	4.5	9.0
HerE	Hickory-Bonnell complex, 12 to 25 percent slopes	Hickory	45	---	---	---	3.5	7.0
		Bonnell	38	100	35	40	3.3	6.6
HtwD2	Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	Haggatt	51	75	26	34	2.5	5.0
		Caneyville	31	---	---	---	1.3	2.6
HtzD3	Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded	Haggatt, severely eroded	51	65	23	29	2.1	4.2
		Caneyville, severely eroded	41	---	---	---	1.0	2.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HufAK	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Huntington	90	135	47	19	4.5	9.0
HuhD2	Haggatt-Caneyville silt loams, karst, hilly, eroded	Haggatt	46	75	26	34	2.5	5.0
		Caneyville	31	---	---	---	1.3	2.6
HujD3	Haggatt-Caneyville complex, karst, hilly, severely eroded	Haggatt, severely eroded	46	65	23	29	2.1	4.2
		Caneyville, severely eroded	39	---	---	---	1.0	2.0
JaeB2	Jennings silt loam, 2 to 6 percent slopes, eroded	Jennings	80	120	42	54	4.0	8.0
JafC2	Jennings-Blocher, hard bedrock substratum, silt loams, 6 to 12 percent slopes, eroded	Jennings	45	110	39	50	3.6	7.2
		Blocher, hard bedrock substratum	30	135	47	54	4.5	9.0
JafC3	Jennings-Blocher, hard bedrock substratum, silt loams, 6 to 12 percent slopes, severely eroded	Jennings, severely eroded	45	105	37	47	3.5	7.0
		Blocher, hard bedrock substratum, severely eroded	30	120	42	48	4.0	8.0
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	Knobcreek	37	125	44	50	4.1	8.2
		Navilleton	35	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
KxlC3	Knobcreek-Haggatt-Caneyville complex, 6 to 12 percent slopes, severely eroded	Knobcreek, severely eroded	33	120	42	48	4.0	8.0
		Haggatt, severely eroded	26	80	28	36	2.6	5.2
		Caneyville, severely eroded	24	60	21	24	2.0	4.0
KxlE3	Knobcreek-Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded	Knobcreek, severely eroded	35	105	37	42	3.5	7.0
		Haggatt, severely eroded	22	65	23	29	2.1	4.2
		Caneyville, severely eroded	21	45	16	18	1.5	3.0
KxmE2	Knobcreek-Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	Knobcreek	33	110	39	44	3.6	7.2
		Haggatt	22	75	26	34	2.5	5.0
		Caneyville	20	55	19	25	1.8	3.6
KxoC2	Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded	Knobcreek, karst	29	125	44	50	4.1	8.2
		Navilleton, karst	28	135	47	54	4.5	9.0
		Haggatt, karst	27	90	32	41	3.0	6.0
KxpD2	Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded	Knobcreek	35	110	39	44	3.6	7.2
		Haggatt	31	75	26	34	2.5	5.0
		Caneyville	30	55	19	25	1.8	3.6
LpoAK	Lindside silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Lindside	82	125	44	18	4.1	8.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
McgC2	Markland silt loam, 6 to 12 percent slopes, eroded	Markland	74	115	40	46	3.8	7.6
McnGQ	Markland silt loam, 18 to 50 percent slopes, rarely flooded	Markland, rarely flooded	90	---	---	---	0.0	0.0
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	Markland, severely eroded	61	105	37	42	3.5	7.0
McuDQ	Markland silty clay loam, 12 to 25 percent slopes, severely eroded, rarely flooded	Markland, severely eroded	70	90	32	36	3.0	6.0
MdqDQ	Markland silt loam, 12 to 25 percent slopes, eroded, rarely flooded	Markland	85	100	35	40	3.3	6.6
MhuA	McGary silt loam, 0 to 2 percent slopes	McGary	90	140	46	56	4.6	9.2
MhyA	Medora silt loam, 0 to 2 percent slopes	Medora	85	130	46	59	4.3	8.6
MhyB2	Medora silt loam, 2 to 6 percent slopes, eroded	Medora	88	120	42	54	4.0	8.0
MhyC2	Medora silt loam, 6 to 12 percent slopes, eroded	Medora	73	115	40	52	3.8	7.6
MhyC3	Medora silt loam, 6 to 12 percent slopes, severely eroded	Medora, severely eroded	75	95	33	43	3.1	6.2
MsvA	Montgomery silty clay loam, 0 to 1 percent slopes	Montgomery	82	160	46	64	5.3	10.6
NaaA	Nabb silt loam, 0 to 2 percent slopes	Nabb	85	130	46	59	4.3	8.6
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
NbhAK	Newark silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Newark	80	135	44	19	4.5	9.0
OfbAW	Oldenburg loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Oldenburg	85	125	44	18	4.1	8.2
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	85	135	47	54	4.5	9.0
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin, eroded	72	125	44	50	4.1	8.2
PcrC3	Pekin silt loam, 6 to 12 percent slopes, severely eroded	Pekin, severely eroded	71	120	42	48	4.0	8.0
PhaA	Peoga silt loam, 0 to 1 percent slopes	Peoga	83	150	46	60	5.0	10.0
Pml	Pits, quarry	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ppu	Pits, sand and gravel	Pits, sand and gravel	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RblD3	Rarden silty clay loam, 12 to 18 percent slopes, severely eroded	Rarden, severely eroded	78	50	18	20	1.7	3.4
RbmD5	Rarden silty clay, 6 to 18 percent slopes, gullied	Rarden, very severely eroded	74	0	0	0	0.0	0.0
RptG	Rohan-Jessietown complex, 25 to 60 percent slopes, rocky	Rohan	45	---	---	---	0.0	0.0
		Jessietown	36	---	---	---	0.0	0.0
RtcA	Ryker silt loam, 0 to 2 percent slopes	Ryker	95	150	53	60	5.0	10.0
RtcB2	Ryker silt loam, 2 to 6 percent slopes, eroded	Ryker	92	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RzrB2	Ryker silt loam, karst, undulating, eroded	Ryker	82	145	51	58	4.8	9.6
RztC2	Ryker-Grayford silt loams, 6 to 12 percent slopes, eroded	Ryker	43	135	47	54	4.5	9.0
		Grayford	25	115	40	46	3.8	7.6
RztC3	Ryker-Grayford silt loams, 6 to 12 percent slopes, severely eroded	Ryker, severely eroded	44	130	46	52	4.3	8.6
		Grayford, severely eroded	28	110	39	44	3.6	7.2
RzvC2	Ryker-Grayford silt loams, karst, rolling, eroded	Ryker	41	135	47	54	4.5	9.0
		Grayford	26	115	40	46	3.8	7.6
RzvC3	Ryker-Grayford silt loams, karst, rolling, severely eroded	Ryker, severely eroded	41	130	46	52	4.3	8.6
		Grayford, severely eroded	26	110	39	44	3.6	7.2
SceB2	Scottsburg silt loam, 2 to 4 percent slopes, eroded	Scottsburg	96	135	47	54	4.5	9.0
SfyB	Shircliff silt loam, 2 to 6 percent slopes	Shircliff	75	130	46	52	4.3	8.6
SoaB	Spickert silt loam, 2 to 6 percent slopes	Spickert	95	125	44	56	4.1	8.2
SodB	Spickert silt loam, terrace, 1 to 4 percent slopes	Spickert	90	125	44	56	4.1	8.2
SolC2	Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded	Spickert	44	110	39	50	3.6	7.2
		Wrays	32	120	42	48	4.0	8.0
StaAQ	Steff silt loam, 0 to 2 percent slopes, rarely flooded	Steff	86	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded	Stendal	88	150	49	60	5.0	10.0
StdAW	Stendal silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Stendal	87	140	46	20	4.6	9.2
ThaC2	Trappist silt loam, 6 to 12 percent slopes, eroded	Trappist	84	75	26	30	2.5	5.0
ThbC3	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded	Trappist, severely eroded	75	65	23	26	2.1	4.2
ThbD5	Trappist silty clay loam, 6 to 18 percent slopes, gullied	Trappist, very severely eroded	73	0	0	0	0.0	0.0
ThcD3	Trappist-Rohan complex, 12 to 25 percent slopes, severely eroded	Trappist, severely eroded	44	50	18	20	1.7	3.4
		Rohan, severely eroded	29	---	---	---	0.7	1.4
ThdD	Trappist-Rohan silt loams, 12 to 25 percent slopes	Trappist	49	65	23	26	2.1	4.2
		Rohan	33	---	---	---	1.2	2.4
TsaC3	Trappist-Deputy complex, 6 to 12 percent slopes, severely eroded	Trappist, severely eroded	46	65	23	26	2.1	4.2
		Deputy, severely eroded	23	115	40	46	3.8	7.6
Uaa	Udorthents, cut and filled	Udorthents, cut and filled	83	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UaoAK	Udifluvents, cut and filled-Urban land complex, 0 to 2 percent slopes, occasionally flooded, brief duration	Udifluvents, cut and filled	65	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Urban land	25	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UedA	Urban land-Aquents, clayey substratum, complex, lake plain, 0 to 3 percent slopes	Urban land	60	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Aquents, clayey substratum	25	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UndAY	Urban land-Udifluvents complex, leveed, 0 to 2 percent slopes	Urban land	65	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udifluvents	25	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UngB	Urban land-Udarents, fragipan substratum, complex, till plain, 0 to 12 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, fragipan substratum	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UnkB	Urban land-Udarents, silty substratum, complex, terrace, 0 to 6 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, silty substratum	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UnpA	Urban land-Udarents, loamy substratum, complex, terrace, 0 to 3 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, loamy substratum	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UnsB	Urban land-Udarents, clayey substratum, complex, hills, 2 to 10 percent slopes	Urban land	41	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, clayey substratum	31	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Clark County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WaaAV	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Wakeland	83	140	42	20	4.6	9.2
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wakeland	82	145	44	20	4.8	9.6
WedB2	Weddel silt loam, 2 to 6 percent slopes, eroded	Weddel	95	135	47	54	4.5	9.0
WhcD	Wellrock-Gnawbone silt loams, 6 to 20 percent slopes	Wellrock	50	110	39	44	3.6	7.2
		Gnawbone	41	80	28	32	2.6	5.2
WnmA	Whitcomb silt loam, 0 to 2 percent slopes	Whitcomb	87	150	49	60	5.0	10.0
WokAV	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Wilbur	78	135	47	19	4.5	9.0
WokAW	Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wilbur	83	140	49	20	4.6	9.2
WprAW	Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wirt	83	120	42	17	4.0	8.0

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.