

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clark County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay Tons	Pasture
		Bu	Bu	Bu/Ac		AUM
AddA	Avonburg silt loam, 0 to 2 percent slopes	145	48	65	4.8	9.6
AddB2	Avonburg silt loam, 2 to 4 percent slopes, eroded	140	47	60	4.4	8.8
BbhA	Bartle silt loam, 0 to 2 percent slopes	145	49	59	4.8	9.6
BcrAQ	Beanblossom silt loam, 1 to 3 percent slopes, rarely flooded	145	51	58	4.8	9.6
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	106	37	15	0.0	0.0
BdoA	Bedford silt loam, 0 to 2 percent slopes	130	46	59	4.3	8.6
BdoB	Bedford silt loam, 2 to 6 percent slopes	130	46	59	4.3	8.6
BfbC2	Blocher, soft bedrock substratum-Weddel silt loams, 6 to 12 percent slopes, eroded	131	46	53	4.4	8.8
BfcC3	Blocher, soft bedrock substratum-Weddel complex, 6 to 12 percent slopes, severely eroded	114	40	47	3.9	7.8
BnyD3	Bonnell clay loam, 12 to 22 percent slopes, severely eroded	90	32	36	3.0	6.0
BobE5	Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied	0	0	0	0.0	0.0
BodAW	Bonnie silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	140	39	20	0.0	0.0
BvoG	Brownstown-Gilwood silt loams, 25 to 75 percent slopes	0	0	0	0.0	0.0
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clark County, Indiana

CkkB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	116	41	51	3.8	7.6
CldC2	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, eroded	122	43	52	4.0	8.0
CldC3	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, severely eroded	114	40	48	3.7	7.4
ClfA	Cobbsfork silt loam, 0 to 1 percent slopes	139	43	61	5.0	10.1
ComC	Coolville silt loam, 6 to 12 percent slopes	110	39	44	3.6	7.2
ConC3	Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded	75	26	32	2.7	5.3
ConD	Coolville-Rarden complex, 12 to 18 percent slopes	78	27	33	2.7	5.5
CspA	Crider silt loam, 0 to 2 percent slopes	150	53	60	5.0	10.0
CspB2	Crider silt loam, 2 to 6 percent slopes, eroded	145	51	58	4.8	9.6
CtrB2	Crider silt loam, karst, undulating, eroded	145	51	58	4.8	9.6
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	143	50	60	4.8	9.7
CwaAQ	Cuba silt loam, 0 to 2 percent slopes, rarely flooded	140	49	55	4.5	8.9
CxgC3	Crider-Haggatt complex, 6 to 12 percent slopes, severely eroded	105	37	50	3.9	7.8
CxhC2	Crider-Haggatt silt loams, 6 to 12 percent slopes, eroded	117	41	53	4.3	8.5
CxmC2	Crider-Haggatt silt loams, karst, rolling, eroded	120	42	55	4.4	8.7
CxnC3	Crider-Haggatt complex, karst, rolling, severely eroded	105	37	50	3.9	7.8
DbrG	Deam silty clay loam, 20 to 55 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clark County, Indiana

DdsAW	Dearborn silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	125	44	18	0.0	0.0
DfnA	Dubois silt loam, 0 to 2 percent slopes	137	46	60	4.5	9.0
DtvC2	Deputy-Trappist silt loams, 6 to 12 percent slopes, eroded	98	34	42	3.5	6.9
EbpD2	Eden silty clay loam, 12 to 25 percent slopes, eroded	45	16	20	1.5	3.0
EesA	Elkinsville-Millstone silt loams, 0 to 2 percent slopes	143	50	59	4.9	9.7
EesB	Elkinsville-Millstone silt loams, 2 to 6 percent slopes	143	50	59	4.9	9.7
EesC2	Elkinsville-Millstone silt loams, 6 to 12 percent slopes, eroded	128	45	53	4.4	8.7
EesD2	Elkinsville-Millstone silt loams, 12 to 18 percent slopes, eroded	113	39	47	3.9	7.7
EesFQ	Elkinsville-Millstone silt loams, 18 to 40 percent slopes, rarely flooded	0	0	0	0.0	0.0
EsaG	Eden silty clay loam, 25 to 60 percent slopes, very rocky	0	0	0	0.0	0.0
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	0	0	0	0.0	0.0
GgfD	Gilwood-Wrays silt loams, 6 to 18 percent slopes	95	33	35	2.8	5.7
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	48	17	9	0.7	1.5
GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes	---	---	---	0.0	0.0
GyaD2	Grayford silt loam, 12 to 25 percent slopes, eroded	100	35	40	3.3	6.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clark County, Indiana

GyaD3	Grayford silt loam, 12 to 25 percent slopes, severely eroded	95	33	38	3.1	6.2
GyaD5	Grayford silt loam, 12 to 25 percent slopes, gullied	0	0	0	0.0	0.0
GykD2	Grayford silt loam, karst, hilly, eroded	100	35	40	3.3	6.6
GykD3	Grayford silt loam, karst, hilly, severely eroded	95	33	38	3.1	6.2
HcaA	Hatfield silt loam, 0 to 2 percent slopes	144	49	58	4.8	9.6
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	117	40	50	3.7	7.3
HcdC2	Haubstadt-Shircliff silt loams, 6 to 15 percent slopes, eroded	116	40	52	3.9	7.9
HceC3	Haubstadt-Shircliff complex, 6 to 15 percent slopes, severely eroded	109	38	51	3.7	7.5
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	119	42	0	0.0	0.0
HcgAV	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	130	46	18	0.0	0.0
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	134	47	19	0.0	0.0
HerE	Hickory-Bonnell complex, 12 to 25 percent slopes	46	16	8	0.7	1.4
HtwD2	Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	47	16	29	2.2	4.3
HtzD3	Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded	36	13	23	1.7	3.4
HufAK	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	134	47	19	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clark County, Indiana

HuhD2	Haggatt-Caneyville silt loams, karst, hilly, eroded	45	16	28	2.1	4.2
HujD3	Haggatt-Caneyville complex, karst, hilly, severely eroded	35	12	23	1.7	3.4
JaeB2	Jennings silt loam, 2 to 6 percent slopes, eroded	120	42	54	4.0	8.0
JafC2	Jennings-Blocher, hard bedrock substratum, silt loams, 6 to 12 percent slopes, eroded	120	42	49	3.8	7.5
JafC3	Jennings-Blocher, hard bedrock substratum, silt loams, 6 to 12 percent slopes, severely eroded	111	39	46	3.6	7.2
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	130	45	51	4.2	8.4
KxlC3	Knobcreek-Haggatt-Caneyville complex, 6 to 12 percent slopes, severely eroded	97	34	42	3.4	6.8
KxlE3	Knobcreek-Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded	87	31	37	3.0	6.0
KxmE2	Knobcreek-Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	96	33	39	2.9	5.8
KxoC2	Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded	115	40	51	4.0	8.1
KxpD2	Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded	82	29	41	3.2	6.3
LpoAK	Lindside silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	127	44	18	0.0	0.0
McgC2	Markland silt loam, 6 to 12 percent slopes, eroded	115	40	46	3.8	7.6
McnGQ	Markland silt loam, 18 to 50 percent slopes, rarely flooded	---	---	---	0.0	0.1
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	105	37	42	3.5	7.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clark County, Indiana

McuDQ	Markland silty clay loam, 12 to 25 percent slopes, severely eroded, rarely flooded	90	32	36	3.0	6.0
MdqDQ	Markland silt loam, 12 to 25 percent slopes, eroded, rarely flooded	100	35	40	3.3	6.6
MhuA	McGary silt loam, 0 to 2 percent slopes	139	45	56	4.6	9.2
MhyA	Medora silt loam, 0 to 2 percent slopes	130	46	59	4.3	8.6
MhyB2	Medora silt loam, 2 to 6 percent slopes, eroded	122	43	54	4.0	8.0
MhyC2	Medora silt loam, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
MhyC3	Medora silt loam, 6 to 12 percent slopes, severely eroded	101	35	43	3.1	6.3
MsvA	Montgomery silty clay loam, 0 to 1 percent slopes	160	46	64	5.3	10.6
NaaA	Nabb silt loam, 0 to 2 percent slopes	132	46	59	4.3	8.6
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded	117	41	50	3.6	7.3
NbhAK	Newark silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	135	44	19	0.0	0.0
OfbAW	Oldenburg loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	125	44	18	0.0	0.0
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	136	48	54	4.5	9.0
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	124	43	49	3.9	7.9
PcrC3	Pekin silt loam, 6 to 12 percent slopes, severely eroded	120	42	48	4.0	8.0
PhaA	Peoga silt loam, 0 to 1 percent slopes	134	41	59	4.9	9.8

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clark County, Indiana

Pml	Pits, quarry	0	0	0	0.0	0.0
Ppu	Pits, sand and gravel	0	0	0	0.0	0.0
RblD3	Rarden silty clay loam, 12 to 18 percent slopes, severely eroded	50	18	20	1.7	3.4
RbmD5	Rarden silty clay, 6 to 18 percent slopes, gullied	0	0	0	0.0	0.0
RptG	Rohan-Jessietown complex, 25 to 60 percent slopes, rocky	---	---	---	0.0	0.0
RtcA	Ryker silt loam, 0 to 2 percent slopes	150	53	60	5.0	10.0
RtcB2	Ryker silt loam, 2 to 6 percent slopes, eroded	145	51	58	4.8	9.6
RzrB2	Ryker silt loam, karst, undulating, eroded	145	51	58	4.8	9.6
RztC2	Ryker-Grayford silt loams, 6 to 12 percent slopes, eroded	128	45	53	4.4	8.8
RztC3	Ryker-Grayford silt loams, 6 to 12 percent slopes, severely eroded	122	43	51	4.2	8.4
RzvC2	Ryker-Grayford silt loams, karst, rolling, eroded	127	45	53	4.4	8.8
RzvC3	Ryker-Grayford silt loams, karst, rolling, severely eroded	122	43	51	4.2	8.4
SceB2	Scottsburg silt loam, 2 to 4 percent slopes, eroded	135	47	54	4.5	9.0
SfyB	Shircliff silt loam, 2 to 6 percent slopes	130	46	52	4.3	8.6
SoaB	Spickert silt loam, 2 to 6 percent slopes	125	44	56	4.1	8.2
SodB	Spickert silt loam, terrace, 1 to 4 percent slopes	125	44	56	4.1	8.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clark County, Indiana

SolC2	Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded	114	40	48	3.7	7.4
StaAQ	Steff silt loam, 0 to 2 percent slopes, rarely flooded	140	49	56	4.6	9.2
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded	150	49	60	5.0	10.0
StdAW	Stendal silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	140	46	20	0.0	0.0
ThaC2	Trappist silt loam, 6 to 12 percent slopes, eroded	75	26	30	2.5	5.0
ThbC3	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded	65	23	26	2.1	4.2
ThbD5	Trappist silty clay loam, 6 to 18 percent slopes, gullied	0	0	0	0.0	0.0
ThcD3	Trappist-Rohan complex, 12 to 25 percent slopes, severely eroded	41	14	16	1.3	2.7
ThdD	Trappist-Rohan silt loams, 12 to 25 percent slopes	39	14	22	1.8	3.6
TsaC3	Trappist-Deputy complex, 6 to 12 percent slopes, severely eroded	82	29	28	2.3	4.6
Uaa	Udorthents, cut and filled	0	0	0	0.0	0.0
UaoAK	Udifluents, cut and filled-Urban land complex, 0 to 2 percent slopes, occasionally flooded, brief duration	0	0	0	0.0	0.0
UedA	Urban land-Aquents, clayey substratum, complex, lake plain, 0 to 3 percent slopes	0	0	0	0.0	0.0
UndAY	Urban land-Udifluents complex, leveed, 0 to 2 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clark County, Indiana

UngB	Urban land-Udarents, fragipan substratum, complex, till plain, 0 to 12 percent slopes	0	0	0	0.0	0.0
UnkB	Urban land-Udarents, silty substratum, complex, terrace, 0 to 6 percent slopes	0	0	0	0.0	0.0
UnpA	Urban land-Udarents, loamy substratum, complex, terrace, 0 to 3 percent slopes	0	0	0	0.0	0.0
UnsB	Urban land-Udarents, clayey substratum, complex, hills, 2 to 10 percent slopes	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
WaaAV	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	140	42	20	0.0	0.0
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	146	44	20	0.0	0.0
WedB2	Weddel silt loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
WhcD	Wellrock-Gnawbone silt loams, 6 to 20 percent slopes	96	34	41	3.4	6.8
WnmA	Whitcomb silt loam, 0 to 2 percent slopes	149	49	60	5.0	10.0
WokAV	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	135	47	19	0.0	0.0
WokAW	Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	140	48	20	0.0	0.0
WprAW	Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	121	42	17	0.0	0.0