

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Clay County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AnC	Alvin loamy fine sand, 4 to 12 percent slopes	Alvin	100	95	33	38	3.1	6.2
AvB2	Ava silt loam, 2 to 6 percent slopes, eroded	Ava, eroded	95	115	40	52	3.8	7.6
		Iva	3	165	54	66	5.4	10.8
		Shakamak	2	130	46	59	4.3	8.6
Ay	Ayrshire fine sandy loam	Ayrshire	90	150	49	60	5.0	10.0
		Lyles	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BdF	Berks-Gilpin complex, 30 to 70 percent slopes	Berks	40	---	---	---	0.0	0.0
		Gilpin	30	---	---	---	0.0	0.0
BmD	Bloomfield loamy fine sand, 12 to 18 percent slopes	Bloomfield	100	70	25	28	2.3	4.6
BmF	Bloomfield loamy fine sand, 25 to 50 percent slopes	Bloomfield	100	---	---	---	0.0	0.0
Bo	Bonnie silt loam, frequently flooded	Bonnie	100	125	33	0	0.0	0.0
Ca	Chagrin silt loam, occasionally flooded	Chagrin	100	110	39	15	3.6	7.2
Cb	Chagrin-Stonelick complex, occasionally flooded	Chagrin	50	110	39	15	3.6	7.2
		Stonelick	30	105	37	15	3.5	7.0
CcC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0
		Cincinnati, severely eroded	5	100	35	45	3.3	6.6
		Stendal, rarely, very brief	5	150	49	60	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued
 Clay County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CcC3	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	95	100	35	45	3.3	6.6
		Stendal, occasionally flooded, very brief	5	140	46	20	4.6	9.2
CeC3	Cincinnati variant silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati variant, severely eroded	100	110	39	50	3.6	7.2
ChF	Chetwynd loam, 25 to 70 percent slopes	Chetwynd	100	---	---	---	0.0	0.0
CoA	Cory silt loam, 0 to 2 percent slopes	Cory	90	170	56	68	5.6	11.2
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ev	Evansville silt loam, occasionally flooded	Evansville	100	135	37	19	4.5	9.0
FcB	Fairpoint shaly silt loam, 0 to 8 percent slopes	Fairpoint	75	115	40	46	3.8	7.6
		poorly drained aquents	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FcG	Fairpoint shaly silty clay loam, 33 to 90 percent slopes	Fairpoint	80	---	---	---	0.0	0.0
		poorly drained aquents	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GmE	Gilpin-Wellston silt loams, 18 to 30 percent slopes	Gilpin	45	45	16	18	1.5	3.0
		Wellston	25	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Clay County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HbA	Henshaw silt loam, 1 to 3 percent slopes	Henshaw	90	155	51	62	5.1	10.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HcD	Hickory silt loam, 12 to 18 percent slopes	Hickory	100	115	40	46	3.8	7.6
HcD3	Hickory silt loam, 12 to 18 percent slopes, severely eroded	Hickory, severely eroded	100	105	37	42	3.5	7.0
HcE	Hickory loam, 18 to 25 percent slopes	Hickory	100	---	---	---	3.5	7.0
HcF	Hickory loam, 30 to 70 percent slopes	Hickory	100	---	---	---	0.0	0.0
Ho	Hoosierville silt loam	Hoosierville	90	175	51	70	5.8	11.6
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
		Hoosierville, frequently ponded	5	160	46	72	5.3	10.6
		Hosmer	3	125	44	56	4.1	8.2
		Muren	2	140	49	56	4.6	9.2
Lo	Lobdell loam, occasionally flooded	Lobdell	100	125	44	18	4.1	8.2
Ly	Lyles fine sandy loam	Lyles	100	150	42	60	5.0	10.0
Mt	Montgomery variant silty clay loam	Montgomery variant	100	175	51	70	5.8	11.6
MuA	Muren silt loam, 0 to 2 percent slopes	Muren	100	155	54	62	5.1	10.2
MuB2	Muren silt loam, 2 to 6 percent slopes, eroded	Muren	100	150	53	60	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued
 Clay County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ne	Newark silt loam, frequently flooded	Newark	94	130	42	0	0.0	0.0
		poorly drained aquents	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
No	Nolin silt loam, rarely flooded	Nolin	100	145	51	58	4.8	9.6
Nr	Nolin silty clay loam, rarely flooded	Nolin	90	145	51	58	4.8	9.6
		Petrolia	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PaD2	Parke silt loam, 12 to 18 percent slopes, eroded	Parke	100	120	42	48	4.0	8.0
Pf	Peoga silt loam	Peoga	100	175	51	70	5.8	11.6
Pg	Petrolia silty clay loam, frequently flooded	Petrolia	100	130	35	0	0.0	0.0
PkA	Pike silt loam, 0 to 2 percent slopes	Pike	100	140	49	56	4.6	9.2
PkB2	Pike silt loam, 2 to 6 percent slopes, eroded	Pike	100	135	47	54	4.5	9.0
PkC2	Pike silt loam, 6 to 12 percent slopes, eroded	Pike	100	125	44	50	4.1	8.2
PnB	Princeton fine sandy loam, 2 to 6 percent slopes	Princeton	100	140	49	56	4.6	9.2
PnC	Princeton fine sandy loam, 6 to 12 percent slopes	Princeton	100	130	46	52	4.3	8.6
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Shoals	84	140	46	20	4.6	9.2
		Eel	6	125	44	18	4.1	8.2
		Sloan	6	145	40	20	4.8	9.6
		Genesee	4	120	42	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Clay County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Sk	Steff silt loam, occasionally flooded	Steff	90	130	46	18	4.3	8.6
		Bonnie	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sn	Stendal silt loam, frequently flooded	Stendal	90	135	44	19	4.5	9.0
		Bonnie	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Zipp	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
VgA	Vigo silt loam, 0 to 2 percent slopes	Vigo	90	155	51	62	5.1	10.2
		poorly drained aqualfs	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WeD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	100	90	32	36	3.0	6.0
Wm	Wilbur silt loam, occasionally flooded	Wilbur	100	125	44	18	4.1	8.2
Zp	Zipp silty clay, frequently flooded	Zipp	100	115	30	0	0.0	0.0
Zs	Zipp silty clay loam, overwash, frequently flooded	Zipp	100	115	30	0	0.0	0.0