

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clay County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AnC	Alvin loamy fine sand, 4 to 12 percent slopes	95	33	38	3.1	6.2
AvB2	Ava silt loam, 2 to 6 percent slopes, eroded	117	41	52	3.8	7.6
Ay	Ayrshire fine sandy loam	150	49	60	5.0	10.0
BdF	Berks-Gilpin complex, 30 to 70 percent slopes	0	0	0	0.0	0.0
BmD	Bloomfield loamy fine sand, 12 to 18 percent slopes	70	25	28	2.3	4.6
BmF	Bloomfield loamy fine sand, 25 to 50 percent slopes	0	0	0	0.0	0.0
Bo	Bonnie silt loam, frequently flooded	125	33	0	0.0	0.0
Ca	Chagrins silt loam, occasionally flooded	110	39	15	0.0	0.0
Cb	Chagrins-Stonelick complex, occasionally flooded	108	38	15	0.0	0.0
CcC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	107	37	47	3.5	7.0
CcC3	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded	102	36	43	3.1	6.3
CeC3	Cincinnati variant silt loam, 6 to 12 percent slopes, severely eroded	110	39	50	3.6	7.2
ChF	Chetwynd loam, 25 to 70 percent slopes	0	0	0	0.0	0.0
CoA	Cory silt loam, 0 to 2 percent slopes	170	56	68	5.6	11.2
Ev	Evansville silt loam, occasionally flooded	135	37	19	0.0	0.0
FcB	Fairpoint shaly silt loam, 0 to 8 percent slopes	115	40	46	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clay County, Indiana

FcG	Fairpoint shaly silty clay loam, 33 to 90 percent slopes	0	0	0	0.0	0.0
GmE	Gilpin-Wellston silt loams, 18 to 30 percent slopes	---	---	---	1.3	2.6
HbA	Henshaw silt loam, 1 to 3 percent slopes	155	51	62	5.1	10.2
HcD	Hickory silt loam, 12 to 18 percent slopes	115	40	46	3.8	7.6
HcD3	Hickory silt loam, 12 to 18 percent slopes, severely eroded	105	37	42	3.5	7.0
HcE	Hickory loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
HcF	Hickory loam, 30 to 70 percent slopes	0	0	0	0.0	0.0
Ho	Hoosierville silt loam	175	51	70	5.8	11.6
IvA	Iva silt loam, 0 to 2 percent slopes	163	53	67	5.4	10.8
Lo	Lobdell loam, occasionally flooded	125	44	18	0.0	0.0
Ly	Lyles fine sandy loam	150	42	60	5.0	10.0
Mt	Montgomery variant silty clay loam	175	51	70	5.8	11.6
MuA	Muren silt loam, 0 to 2 percent slopes	155	54	62	5.1	10.2
MuB2	Muren silt loam, 2 to 6 percent slopes, eroded	150	53	60	5.0	10.0
Ne	Newark silt loam, frequently flooded	130	42	0	0.0	0.0
No	Nolin silt loam, rarely flooded	145	51	58	4.8	9.6
Nr	Nolin silty clay loam, rarely flooded	145	51	58	4.8	9.6
PaD2	Parke silt loam, 12 to 18 percent slopes, eroded	120	42	48	4.0	8.0
Pf	Peoga silt loam	175	51	70	5.8	11.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Clay County, Indiana

Pg	Petrolia silty clay loam, frequently flooded	130	35	0	0.0	0.0
PkA	Pike silt loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
PkB2	Pike silt loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
PkC2	Pike silt loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2
PnB	Princeton fine sandy loam, 2 to 6 percent slopes	140	49	56	4.6	9.2
PnC	Princeton fine sandy loam, 6 to 12 percent slopes	130	46	52	4.3	8.6
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	139	45	19	0.0	0.0
Sk	Steff silt loam, occasionally flooded	130	46	18	0.0	0.0
Sn	Stendal silt loam, frequently flooded	135	44	19	0.0	0.0
VgA	Vigo silt loam, 0 to 2 percent slopes	155	51	62	5.1	10.2
W	Water	0	0	0	0.0	0.0
WeD2	Wellston silt loam, 12 to 18 percent slopes, eroded	90	32	36	3.0	6.0
Wm	Wilbur silt loam, occasionally flooded	125	44	18	0.0	0.0
Zp	Zipp silty clay, frequently flooded	115	30	0	0.0	0.0
Zs	Zipp silty clay loam, overwash, frequently flooded	115	30	0	0.0	0.0