

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Clinton County, Indiana

| Map Unit Symbol | Map unit name  | Corn | Soy-beans | Winter Wheat | Grass-Legume Hay | Pasture |
|-----------------|--|------|-----------|--------------|------------------|---------|
|                 |  | Bu   | Bu        | Bu/Ac        | Tons             | AUM     |
| Be              | Brenton silt loam  | 175  | 58        | 70           | 5.8              | 11.6    |
| CbA             | Camden variant silt loam, 0 to 2 percent slopes                                  | 155  | 54        | 62           | 5.1              | 10.2    |
| Ce              | Ceresco loam   | 130  | 39        | 18           | 0.0              | 0.0     |
| Cy              | Cyclone silt loam, 0 to 2 percent slopes   | 185  | 56        | 77           | 6.3              | 12.6    |
| DaA             | Dana silt loam, 0 to 2 percent slopes  | 165  | 58        | 74           | 5.4              | 10.8    |
| DaB             | Dana silt loam, 2 to 6 percent slopes  | 165  | 58        | 74           | 5.4              | 10.8    |
| Dr              | Drummer silty clay loam  | 185  | 54        | 74           | 6.1              | 12.2    |
| FcA             | Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes                    | 168  | 54        | 73           | 5.4              | 10.8    |
| FdA             | Fincastle-Crosby silt loams, 0 to 2 percent slopes                               | 156  | 51        | 72           | 5.3              | 10.5    |
| FsB             | Fox silt loam, 2 to 6 percent slopes   | 100  | 35        | 50           | 3.3              | 6.6     |
| FsC             | Fox loam, 6 to 15 percent slopes   | 75   | 26        | 38           | 2.5              | 5.0     |
| Gn              | Genesee silt loam, sandy substratum, 0 to 2 percent slopes, occasionally flooded | 124  | 43        | 21           | 0.0              | 0.0     |
| HeF             | Hennepin silt loam, 18 to 50 percent slopes                                      | 0    | 0         | 0            | 0.0              | 0.0     |
| Ho              | Houghton muck, undrained   | 0    | 0         | 0            | 0.0              | 0.0     |
| La              | Landes fine sandy loam   | 115  | 40        | 16           | 0.0              | 0.0     |
| Ma              | Mahalasville silty clay loam, 0 to 2 percent slopes                              | 176  | 51        | 70           | 5.8              | 11.6    |
| McA             | Martinsville silt loam, 0 to 2 percent slopes                                    | 145  | 51        | 58           | 4.8              | 9.6     |

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Clinton County, Indiana

|      |   |     |    |    |     |      |
|------|---|-----|----|----|-----|------|
| McB2 | Martinsville silt loam, 2 to 6 percent slopes, eroded     | 145 | 51 | 58 | 4.8 | 9.6  |
|      |   |     |    |    |     |      |
| MnC  | Miami silt loam, 6 to 12 percent slopes                   | 135 | 47 | 61 | 4.5 | 9.0  |
|      |   |     |    |    |     |      |
| MnD  | Miami silt loam, 12 to 18 percent slopes                  | 120 | 42 | 54 | 4.0 | 8.0  |
|      |   |     |    |    |     |      |
| MsC3 | Miami clay loam, 6 to 12 percent slopes, severely eroded  | 121 | 42 | 54 | 4.0 | 8.0  |
|      |   |     |    |    |     |      |
| MsD3 | Miami clay loam, 12 to 18 percent slopes, severely eroded | 110 | 39 | 50 | 3.6 | 7.2  |
|      |   |     |    |    |     |      |
| MtB  | Miami-Crosby silt loams, 2 to 6 percent slopes            | 152 | 51 | 65 | 4.9 | 9.7  |
|      |   |     |    |    |     |      |
| MwA  | Miami-Martinsville silt loams, 0 to 2 percent slopes      | 127 | 44 | 55 | 4.0 | 7.9  |
|      |   |     |    |    |     |      |
| Mx   | Milford silty clay loam                                   | 160 | 46 | 64 | 5.3 | 10.6 |
|      |   |     |    |    |     |      |
| OcA  | Ockley silt loam, 0 to 2 percent slopes                   | 134 | 47 | 66 | 4.5 | 9.0  |
|      |   |     |    |    |     |      |
| OcB  | Ockley silt loam, 2 to 6 percent slopes                   | 134 | 47 | 67 | 4.5 | 9.0  |
|      |   |     |    |    |     |      |
| Ou   | Ouiatenon sandy loam, frequently flooded                  | 80  | 28 | 0  | 0.0 | 0.0  |
|      |   |     |    |    |     |      |
| Ox   | Ouiatenon loamy sand, occasionally flooded                | 85  | 30 | 15 | 0.0 | 0.0  |
|      |   |     |    |    |     |      |
| Pc   | Palms muck, undrained                                     | 0   | 0  | 0  | 0.0 | 0.0  |
|      |   |     |    |    |     |      |
| PgB  | Parr silt loam, 1 to 5 percent slopes                     | 165 | 58 | 74 | 5.4 | 10.8 |
|      |   |     |    |    |     |      |
| Pn   | Patton silty clay loam, 0 to 2 percent slopes             | 174 | 51 | 71 | 5.8 | 11.6 |
|      |   |     |    |    |     |      |
| Pr   | Pits, gravel  | 0   | 0  | 0  | 0.0 | 0.0  |
|      |   |     |    |    |     |      |
| PtA  | Proctor silt loam, 0 to 3 percent slopes                  | 165 | 58 | 83 | 5.4 | 10.8 |
|      |   |     |    |    |     |      |
| Ra   | Ragsdale silt loam  | 190 | 56 | 76 | 6.3 | 12.6 |
|      |   |     |    |    |     |      |
| RdA  | Raub silt loam, 0 to 2 percent slopes                     | 175 | 58 | 79 | 5.8 | 11.6 |
|      |   |     |    |    |     |      |

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Clinton County, Indiana

|     |   |     |    |    |     |      |
|-----|---|-----|----|----|-----|------|
| Re  | Reesville silt loam                             | 165 | 54 | 66 | 5.4 | 10.8 |
|     |   |     |    |    |     |      |
| RuB | Russell silt loam, 2 to 6 percent slopes        | 150 | 53 | 60 | 5.0 | 10.0 |
|     |   |     |    |    |     |      |
| Sa  | Sable silty clay loam                           | 190 | 56 | 76 | 6.3 | 12.6 |
|     |   |     |    |    |     |      |
| Sc  | Sable-Drummer silty clay loams                  | 180 | 53 | 73 | 6.0 | 12.0 |
|     |   |     |    |    |     |      |
| Sd  | Saranac silty clay loam                         | 130 | 35 | 18 | 0.0 | 0.0  |
|     |   |     |    |    |     |      |
| St  | Sleeth silt loam                                | 145 | 47 | 73 | 4.8 | 9.6  |
|     |   |     |    |    |     |      |
| Su  | Sloan silt loam                                 | 140 | 39 | 0  | 0.0 | 0.0  |
|     |   |     |    |    |     |      |
| Sx  | Starks silt loam                                | 150 | 49 | 60 | 5.0 | 10.0 |
|     |   |     |    |    |     |      |
| Ty  | Treaty silt loam, 0 to 2 percent slopes         | 177 | 53 | 75 | 6.1 | 12.1 |
|     |   |     |    |    |     |      |
| Ud  | Udorthents, loamy                               | 0   | 0  | 0  | 0.0 | 0.0  |
|     |   |     |    |    |     |      |
| W   | Water   | 0   | 0  | 0  | 0.0 | 0.0  |
|     |   |     |    |    |     |      |
| Wa  | Walkkill silt loam                              | 140 | 39 | 0  | 0.0 | 0.0  |
|     |   |     |    |    |     |      |
| We  | Westland silty clay loam, 0 to 2 percent slopes | 171 | 50 | 84 | 5.6 | 11.2 |
|     |   |     |    |    |     |      |
| Wh  | Whitaker silt loam, 0 to 2 percent slopes       | 156 | 51 | 63 | 5.1 | 10.2 |
|     |   |     |    |    |     |      |
| XeA | Xenia silt loam, 0 to 2 percent slopes          | 154 | 53 | 67 | 5.0 | 10.0 |
|     |   |     |    |    |     |      |
| XeB | Xenia silt loam, 2 to 4 percent slopes          | 159 | 54 | 69 | 5.1 | 10.2 |