

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AbqD2—Adyeville silt loam, 12 to 18 percent slopes, eroded					
Adyeville	85	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AbqD3—Adyeville silt loam, 12 to 18 percent slopes, severely eroded					
Adyeville, severely eroded	85	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AbqE—Adyeville silt loam, 18 to 25 percent slopes					
Adyeville	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AbqE2—Adyeville silt loam, 18 to 25 percent slopes, eroded					
Adyeville	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AbqE3—Adyeville silt loam, 18 to 25 percent slopes, severely eroded					
Adyeville, severely eroded	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AbvD2—Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, eroded					
Adyeville	29	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.96
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellston	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Deuchars	18	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Wetness	0.97
		Wetness	0.97	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.05	Unstable excavation walls	0.05

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AbvD3—Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, severely eroded					
Adyeville, severely eroded	29	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.96
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellston, severely eroded	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Deuchars, severely eroded	18	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Wetness	0.97
		Wetness	0.97	Slope	0.96
		Unstable excavation walls	0.14	Unstable excavation walls	0.14
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AccG—Adyeville-Tipsaw-Ebal complex, 20 to 50 percent slopes, very rocky					
Adyeville	31	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	0.70	Rock outcrop	0.70
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Tipsaw	24	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	0.70	Rock outcrop	0.70
		Seepage	0.22	Seepage	0.22
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
Ebal	17	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Rock outcrop	0.70	Rock outcrop	0.70
		Unstable excavation walls	0.26	Unstable excavation walls	0.26
AciE—Adyeville-Tipsaw complex, 18 to 30 percent slopes					
Adyeville	55	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Tipsaw	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.02	Unstable excavation walls	0.02

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AciG--Adyeville-Tipsaw complex, 20 to 60 percent slopes					
Adyeville	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Tipsaw					
	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
AcmF--Adyeville-Wellston silt loams, 18 to 50 percent slopes					
Adyeville	55	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellston					
	25	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AcuB2--Alford silt loam, 2 to 6 percent slopes, eroded					
Alford	100	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AcwE2--Alford silt loam, 12 to 25 percent slopes, eroded					
Alford	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AgrA—Apalona silt loam, 0 to 2 percent slopes					
Apalona	95	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AgrB—Apalona-Zanesville silt loams, 2 to 6 percent slopes					
Apalona	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zanesville	40	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AgrC2—Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded					
Apalona, eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zanesville, eroded	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AgrC3--Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded					
Apalona, severely eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zanesville, severely eroded	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BbhA--Bartle silt loam, 0 to 2 percent slopes					
Bartle	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CbtD3--Caneyville-Crider complex, 12 to 18 percent slopes, severely eroded					
Caneyville, severely eroded	55	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
Crider, severely eroded	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.12	Unstable excavation walls	0.12
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CbzG—Caneyville-Rock outcrop complex, 18 to 70 percent slopes					
Caneyville	65	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Unstable excavation walls	0.31	Unstable excavation walls	0.31
		Dusty	0.07	Dusty	0.07
Rock outcrop	35	Not rated		Not rated	
CqyG—Corydon stony silt loam, 20 to 60 percent slopes					
Corydon	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
CspB—Crider silt loam, 2 to 6 percent slopes					
Crider	100	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.05	Unstable excavation walls	0.05
CspC2—Crider silt loam, 6 to 12 percent slopes, eroded					
Crider	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CspC3—Crider silt loam, 6 to 12 percent slopes, severely eroded					
Crider, severely eroded	70	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Unstable excavation walls	0.07
		Unstable excavation walls	0.07	Slope	0.04

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CwaAH—Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Cuba	87	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CwaAK—Cuba silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Cuba	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DduC2—Deuchars silt loam, 6 to 12 percent slopes, eroded					
Deuchars	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Unstable excavation walls	0.05
		Unstable excavation walls	0.05	Slope	0.04

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EabD2—Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, eroded					
Ebal	34	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.07	Dusty	0.07
Deuchars	22	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.05	Unstable excavation walls	0.05
Kitterman	19	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EabD3—Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, severely eroded					
Ebal, severely eroded	34	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.34	Unstable excavation walls	0.34
		Dusty	0.07	Dusty	0.07
Deuchars, severely eroded	22	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.14	Unstable excavation walls	0.14
		Dusty	0.07	Dusty	0.07
Kitterman, severely eroded	19	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
EemAQ—Elk silt loam, moderately wet substratum, 0 to 2 percent slopes, rarely flooded					
Elk	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EepB—Elkinsville silt loam, 2 to 6 percent slopes					
Elkinsville	100	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EepC2—Elkinsville silt loam, 6 to 12 percent slopes, eroded					
Elkinsville	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GacAW—Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration					
Gatchel	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HafC3—Haggatt silty clay loam, 6 to 12 percent slopes, severely eroded					
Haggatt, severely eroded	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.07
		Dusty	0.07	Slope	0.04
HafD3—Haggatt silty clay loam, 12 to 18 percent slopes, severely eroded					
Haggatt, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.07	Dusty	0.07
HarD2—Haggatt silt loam, 12 to 18 percent slopes, eroded					
Haggatt	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HarE2—Haggatt silt loam, 18 to 25 percent slopes, eroded					
Haggatt	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.07	Dusty	0.07
HcgAH—Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Haymond	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HfeA—Henshaw silt loam, 0 to 3 percent slopes					
Henshaw	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HufAK—Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Huntington	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
JoaA—Johnsburg silt loam, 0 to 2 percent slopes					
Johnsburg	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to thick cemented pan	1.00	Depth to thick cemented pan	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
JoeG—Jubin-Branchville-Rock outcrop complex, 20 to 50 percent slopes, very bouldery					
Jubin	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Too stony	1.00	Too stony	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Large stones	1.00	Large stones	1.00
		Unstable excavation walls	0.97	Unstable excavation walls	0.97
Branchville	32	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Too stony	1.00	Too stony	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.04	Dusty	0.04
Rock outcrop	18	Not rated		Not rated	
McgD2—Markland silt loam, 12 to 18 percent slopes, eroded					
Markland	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
McpC3—Markland silty clay loam, 6 to 12 percent slopes, severely eroded					
Markland, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
McpD3—Markland silty clay loam, 12 to 18 percent slopes, severely eroded					
Markland, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MdeG—Markland silt loam, 25 to 70 percent slopes					
Markland	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.10	Unstable excavation walls	0.10
		Dusty	0.07	Dusty	0.07
MsbC2—Millstone-Elkinsville complex, 6 to 12 percent slopes, eroded					
Millstone	52	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Elkinsville	43	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MscA—Millstone loam, 0 to 2 percent slopes					
Millstone	100	Somewhat limited		Somewhat limited	
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MscB2—Millstone loam, 2 to 6 percent slopes, eroded					
Millstone	100	Somewhat limited		Somewhat limited	
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MscC2—Millstone loam, 6 to 12 percent slopes, eroded					
Millstone	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MscE2—Millstone loam, 12 to 25 percent slopes, eroded					
Millstone	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PcrB—Pekin silt loam, 2 to 6 percent slopes					
Pekin	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pml—Pits, quarry					
Pits, quarry	85	Not rated		Not rated	
TblG—Tipsaw-Adyeville complex, 25 to 75 percent slopes					
Tipsaw	55	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
Adyeville	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
Uaa—Udorthents, cut and filled					
Udorthents	90	Not rated		Not rated	

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UbxD—Udorthents soils, 6 to 18 percent slopes, gullied					
Udorthents, loamy	45	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Udorthents, soft bedrock substratum	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
Udorthents, clayey	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
W—Water					
Water	100	Not rated		Not rated	
WaaAH—Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Wakeland	84	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhfC2—Wellston silt loam, 6 to 12 percent slopes, eroded					
Wellston	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WhfC3—Wellston silt loam, 6 to 12 percent slopes, severely eroded					
Wellston, severely eroded	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhfD2—Wellston silt loam, 12 to 18 percent slopes, eroded					
Wellston	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhfD3—Wellston silt loam, 12 to 18 percent slopes, severely eroded					
Wellston, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WpmD3—Wellston-Ebal-Adyeville complex, 12 to 18 percent slopes, severely eroded					
Wellston, severely eroded	45	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ebal, severely eroded	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.34	Unstable excavation walls	0.34
		Dusty	0.07	Dusty	0.07
Adyeville, severely eroded	20	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Crawford County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WppD2--Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded					
Wellston	45	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Adyeville	30	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ebal	25	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.07	Dusty	0.07
WprAH--Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Wirt	87	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Crawford County, Indiana
 Survey Area Data: Version 17, Sep 8, 2014