

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AbqD2	Adyeville silt loam, 12 to 18 percent slopes, eroded	Adyeville	85	70	25	28	2.3	4.6
		Ebal	15	85	30	34	2.8	5.6
AbqD3	Adyeville silt loam, 12 to 18 percent slopes, severely eroded	Adyeville, severely eroded	85	65	23	26	2.1	4.2
		Ebal, severely eroded	15	80	28	36	2.6	5.2
AbqE	Adyeville silt loam, 18 to 25 percent slopes	Adyeville	85	---	---	---	1.8	3.6
		Ebal	15	---	---	---	2.3	4.6
AbqE2	Adyeville silt loam, 18 to 25 percent slopes, eroded	Adyeville	100	---	---	---	1.8	3.6
AbqE3	Adyeville silt loam, 18 to 25 percent slopes, severely eroded	Adyeville, severely eroded	85	---	---	---	1.7	3.4
		Ebal, severely eroded	15	80	28	36	2.6	5.2
AbvD2	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, eroded	Adyeville	29	70	25	28	2.3	4.6
		Wellston	25	105	37	42	3.5	7.0
		Deuchars	18	115	40	46	3.8	7.6
		Apalona, eroded	9	120	42	54	4.0	8.0
		Adyeville, stoney silt loams	5	60	21	24	2.0	4.0
		Ebal	5	95	33	38	3.1	6.2
		Adyeville	3	---	---	---	0.0	0.0
		Gatchel	3	115	40	16	3.8	7.6
		Ebal	1	---	---	---	0.0	0.0
		Rock outcrop	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Tipsaw	1	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AbvD3	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, severely eroded	Adyeville, severely eroded	29	65	23	26	2.1	4.2
		Wellston, severely eroded	25	100	35	40	3.3	6.6
		Deuchars, severely eroded	18	110	39	44	3.6	7.2
		Apalona, eroded	9	120	42	54	4.0	8.0
		Adyeville, stoney silt loams	5	60	21	24	2.0	4.0
		Ebal	5	95	33	38	3.1	6.2
		Adyeville	3	---	---	---	0.0	0.0
		Gatchel	3	115	40	16	3.8	7.6
		Ebal	1	---	---	---	0.0	0.0
		Rock outcrop	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Tipsaw	1	---	---	---	0.0	0.0
		AccG	Adyeville-Tipsaw-Ebal complex, 20 to 50 percent slopes, very rocky	Adyeville	31	---	---	---
Tipsaw	24			---	---	---	0.0	0.0
Ebal	17			---	---	---	0.0	0.0
Rock outcrop	5			Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Adyeville	4			70	25	28	2.3	4.6
Deuchars	4			115	40	46	3.8	7.6
Gatchel	4			115	40	16	3.8	7.6
Jubin	4			---	---	---	0.0	0.0
Wellston	4			105	37	42	3.5	7.0
Branchville	3			---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AciE	Adyeville-Tipsaw complex, 18 to 30 percent slopes	Adyeville	55	---	---	---	0.0	0.0
		Tipsaw	45	---	---	---	0.0	0.0
AciG	Adyeville-Tipsaw complex, 20 to 60 percent slopes	Adyeville	45	---	---	---	0.0	0.0
		Tipsaw	35	---	---	---	0.0	0.0
		Ebal	11	---	---	---	0.0	0.0
		Rock outcrop	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gatchel	4	110	39	15	3.6	7.2
AcmF	Adyeville-Wellston silt loams, 18 to 50 percent slopes	Adyeville	51	---	---	---	0.0	0.0
		Wellston	25	---	---	---	0.0	0.0
		Ebal	15	---	---	---	0.0	0.0
		Rock outcrop	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gatchel	4	110	39	15	3.6	7.2
AcuB2	Alford silt loam, 2 to 6 percent slopes, eroded	Alford	100	150	53	60	5.0	10.0
AcwE2	Alford silt loam, 12 to 25 percent slopes, eroded	Alford	100	125	44	50	4.1	8.2
AgrA	Apalona silt loam, 0 to 2 percent slopes	Apalona	95	135	47	61	4.5	9.0
		Johnsburg	5	145	49	58	4.8	9.6
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	Apalona	45	140	49	63	4.6	9.2
		Zanesville	40	135	47	61	4.5	9.0
		Wellston	10	145	51	58	4.8	9.6
		Johnsburg	5	150	51	68	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AgrC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2
		Deuchars, eroded	10	140	49	56	4.6	9.2
		Wellston, eroded	5	130	46	52	4.3	8.6
AgrC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
		Deuchars, severely eroded	10	125	44	50	4.1	8.2
		Wellston, severely eroded	5	120	42	48	4.0	8.0
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	95	135	46	61	4.5	9.0
		Peoga	3	150	46	60	5.0	10.0
		Pekin	2	130	46	59	4.3	8.6
CbtD3	Caneyville-Crider complex, 12 to 18 percent slopes, severely eroded	Caneyville, severely eroded	55	45	16	20	1.5	3.0
		Crider, severely eroded	45	115	40	46	3.8	7.6
CbzG	Caneyville-Rock outcrop complex, 18 to 70 percent slopes	Caneyville	65	0	0	0	0.0	0.0
		Rock outcrop	35	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CqyG	Corydon stony silt loam, 20 to 60 percent slopes	Corydon	100	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CspB	Crider silt loam, 2 to 6 percent slopes	Crider	75	150	53	60	5.0	10.0
		Bedford	10	130	46	59	4.3	8.6
		Nolin, ponded	10	145	51	58	4.8	9.6
		Caneyville	5	80	28	36	2.6	5.2
CspC2	Crider silt loam, 6 to 12 percent slopes, eroded	Crider	100	135	47	54	4.5	9.0
CspC3	Crider silt loam, 6 to 12 percent slopes, severely eroded	Crider, severely eroded	70	130	46	52	4.3	8.6
		Crider	20	135	47	54	4.5	9.0
		Haggatt	9	95	33	43	3.1	6.2
		Grayford	1	135	47	54	4.5	9.0
CwaAH	Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Cuba	87	115	40	0	0.0	0.0
		Cuba	4	105	37	0	0.0	0.0
		Steff	3	115	40	0	0.0	0.0
		Wakeland	3	130	39	0	0.0	0.0
		Wilbur	3	125	44	0	0.0	0.0
CwaAK	Cuba silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Cuba	100	120	42	17	4.0	8.0
DduC2	Deuchars silt loam, 6 to 12 percent slopes, eroded	Deuchars	90	130	46	52	4.3	8.6
		Ebal	7	100	35	40	3.3	6.6
		Apalona, eroded	3	120	42	54	4.0	8.0

COMPONENT CROP YIELDS (RV)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EabD2	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, eroded	Ebal	34	85	30	34	2.8	5.6
		Deuchars	22	115	40	46	3.8	7.6
		Kitterman	19	75	26	34	2.5	5.0
		Ebal, severely eroded	10	70	25	32	2.3	4.6
		Jubin	5	70	25	28	2.3	4.6
		Apalona, eroded	4	120	42	54	4.0	8.0
		Ebal	2	---	---	---	0.0	0.0
		Gatchel	2	115	40	16	3.8	7.6
		Adyeville	1	---	---	---	0.0	0.0
		Tipsaw	1	---	---	---	0.0	0.0
EabD3	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, severely eroded	Ebal, severely eroded	34	75	26	34	2.5	5.0
		Deuchars, severely eroded	22	110	39	44	3.6	7.2
		Kitterman, severely eroded	19	65	23	29	2.1	4.2
		Ebal	10	85	30	34	2.8	5.6
		Jubin	5	70	25	28	2.3	4.6
		Apalona, eroded	4	120	42	54	4.0	8.0
		Ebal	2	---	---	---	0.0	0.0
		Gatchel	2	115	40	16	3.8	7.6
		Adyeville	1	---	---	---	0.0	0.0
		Tipsaw	1	---	---	---	0.0	0.0
EemAQ	Elk silt loam, moderately wet substratum, 0 to 2 percent slopes, rarely flooded	Elk	90	140	49	56	4.6	9.2
		Cuba	5	115	40	0	0.0	0.0
		Steff	5	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EepB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	100	145	51	58	4.8	9.6
EepC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	100	130	46	52	4.3	8.6
GacAW	Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Gatchel	100	115	40	16	3.8	7.6
HafC3	Haggatt silty clay loam, 6 to 12 percent slopes, severely eroded	Haggatt, severely eroded	100	80	28	36	2.6	5.2
HafD3	Haggatt silty clay loam, 12 to 18 percent slopes, severely eroded	Haggatt, severely eroded	100	65	23	29	2.1	4.2
HarD2	Haggatt silt loam, 12 to 18 percent slopes, eroded	Haggatt	100	75	26	34	2.5	5.0
HarE2	Haggatt silt loam, 18 to 25 percent slopes, eroded	Haggatt	100	60	21	27	2.0	4.0
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	85	120	42	0	0.0	0.0
		Wilbur	7	125	44	0	0.0	0.0
		Wirt	5	105	37	0	0.0	0.0
		Gatchel	3	125	44	50	4.1	8.2
HfeA	Henshaw silt loam, 0 to 3 percent slopes	Henshaw	100	155	51	62	5.1	10.2
HufAK	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Huntington	97	135	47	19	4.5	9.0
		Melvin, occasionally flooded	3	135	37	19	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
JoaA	Johnsburg silt loam, 0 to 2 percent slopes	Johnsburg	88	135	46	61	4.5	9.0
		Apalona	5	135	47	61	4.5	9.0
		Zanesville	5	130	46	59	4.3	8.6
		Peoga	2	155	47	62	5.1	10.2
JoeG	Jubin-Branchville-Rock outcrop complex, 20 to 50 percent slopes, very bouldery	Jubin	40	0	0	0	0.0	0.0
		Branchville	32	0	0	0	0.0	0.0
		Rock outcrop	18	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ebal	5	0	0	0	0.0	0.0
		Tipsaw	5	0	0	0	0.0	0.0
McgD2	Markland silt loam, 12 to 18 percent slopes, eroded	Markland	100	100	35	40	3.3	6.6
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	Markland, severely eroded	100	105	37	42	3.5	7.0
McpD3	Markland silty clay loam, 12 to 18 percent slopes, severely eroded	Markland, severely eroded	100	90	32	36	3.0	6.0
MdeG	Markland silt loam, 25 to 70 percent slopes	Markland	100	---	---	---	0.0	0.0
MsbC2	Millstone-Elkinsville complex, 6 to 12 percent slopes, eroded	Millstone	52	120	42	48	4.0	8.0
		Elkinsville	43	130	46	52	4.3	8.6
		Sciotoville	5	115	40	46	3.8	7.6
MscA	Millstone loam, 0 to 2 percent slopes	Millstone	100	135	47	54	4.5	9.0
MscB2	Millstone loam, 2 to 6 percent slopes, eroded	Millstone	100	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MscC2	Millstone loam, 6 to 12 percent slopes, eroded	Millstone	100	120	42	48	4.0	8.0
MscE2	Millstone loam, 12 to 25 percent slopes, eroded	Millstone	100	105	37	42	3.5	7.0
PcrB	Pekin silt loam, 2 to 6 percent slopes	Pekin	95	130	46	59	4.3	8.6
		Bartle	3	135	46	61	4.5	9.0
		Peoga	2	155	47	62	5.1	10.2
Pml	Pits, quarry	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Tb1G	Tipsaw-Adyeville complex, 25 to 75 percent slopes	Tipsaw	55	---	---	---	0.0	0.0
		Adyeville	45	---	---	---	0.0	0.0
Uaa	Udorthents, cut and filled	Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Urban land	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UbxD	Udorthents soils, 6 to 18 percent slopes, gullied	Udorthents, loamy	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, soft bedrock substratum	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, clayey	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wakeland	84	130	39	0	0.0	0.0
		Bonnie	8	130	35	0	0.0	0.0
		Wilbur	6	125	44	0	0.0	0.0
		Wakeland, rarely flooded	2	155	47	62	5.1	10.2
WhfC2	Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston, eroded	90	120	42	48	4.0	8.0
		Gilpin, eroded	5	75	26	30	2.5	5.0
		Zanesville, eroded	5	120	42	54	4.0	8.0
WhfC3	Wellston silt loam, 6 to 12 percent slopes, severely eroded	Wellston, severely eroded	100	115	40	46	3.8	7.6
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	100	105	37	42	3.5	7.0
WhfD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	90	105	37	42	3.5	7.0
		Ebal, severely eroded	5	75	26	34	2.5	5.0
		Gilpin, severely eroded	5	70	25	28	2.3	4.6
WpmD3	Wellston-Ebal-Adyeville complex, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	45	100	35	40	3.3	6.6
		Ebal, severely eroded	35	75	26	34	2.5	5.0
		Adyeville, severely eroded	20	65	23	26	2.1	4.2

COMPONENT CROP YIELDS (RV)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WppD2	Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded	Wellston	45	110	39	44	3.6	7.2
		Adyeville	30	70	25	28	2.3	4.6
		Ebal	25	95	33	38	3.1	6.2
WprAH	Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wirt	87	105	37	0	0.0	0.0
		Haymond	10	120	42	0	0.0	0.0
		Gatchel	3	115	40	16	3.8	7.6