

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AbqD2	Adyeville silt loam, 12 to 18 percent slopes, eroded	Adyeville	85	70	25	28	2.3	4.6
AbqD3	Adyeville silt loam, 12 to 18 percent slopes, severely eroded	Adyeville, severely eroded	85	65	23	26	2.1	4.2
AbqE	Adyeville silt loam, 18 to 25 percent slopes	Adyeville	85	---	---	---	1.8	3.6
AbqE2	Adyeville silt loam, 18 to 25 percent slopes, eroded	Adyeville	100	---	---	---	1.8	3.6
AbqE3	Adyeville silt loam, 18 to 25 percent slopes, severely eroded	Adyeville, severely eroded	85	---	---	---	1.7	3.4
AbvD2	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, eroded	Adyeville	29	70	25	28	2.3	4.6
		Wellston	25	105	37	42	3.5	7.0
		Deuchars	18	115	40	46	3.8	7.6
AbvD3	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, severely eroded	Adyeville, severely eroded	29	65	23	26	2.1	4.2
		Wellston, severely eroded	25	100	35	40	3.3	6.6
		Deuchars, severely eroded	18	110	39	44	3.6	7.2
AccG	Adyeville-Tipsaw-Ebal complex, 20 to 50 percent slopes, very rocky	Adyeville	31	---	---	---	0.0	0.0
		Tipsaw	24	---	---	---	0.0	0.0
		Ebal	17	---	---	---	0.0	0.0
AciE	Adyeville-Tipsaw complex, 18 to 30 percent slopes	Adyeville	55	---	---	---	0.0	0.0
		Tipsaw	45	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AciG	Adyeville-Tipsaw complex, 20 to 60 percent slopes	Adyeville	45	---	---	---	0.0	0.0
		Tipsaw	35	---	---	---	0.0	0.0
AcmF	Adyeville-Wellston silt loams, 18 to 50 percent slopes	Adyeville	51	---	---	---	0.0	0.0
		Wellston	25	---	---	---	0.0	0.0
AcuB2	Alford silt loam, 2 to 6 percent slopes, eroded	Alford	100	150	53	60	5.0	10.0
AcwE2	Alford silt loam, 12 to 25 percent slopes, eroded	Alford	100	125	44	50	4.1	8.2
AgrA	Apalona silt loam, 0 to 2 percent slopes	Apalona	95	135	47	61	4.5	9.0
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	Apalona	45	140	49	63	4.6	9.2
		Zanesville	40	135	47	61	4.5	9.0
AgrC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2
AgrC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	95	135	46	61	4.5	9.0
CbtD3	Caneyville-Crider complex, 12 to 18 percent slopes, severely eroded	Caneyville, severely eroded	55	45	16	20	1.5	3.0
		Crider, severely eroded	45	115	40	46	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CbzG	Caneyville-Rock outcrop complex, 18 to 70 percent slopes	Caneyville	65	0	0	0	0.0	0.0
		Rock outcrop	35	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CqyG	Corydon stony silt loam, 20 to 60 percent slopes	Corydon	100	---	---	---	0.0	0.0
CspB	Crider silt loam, 2 to 6 percent slopes	Crider	75	150	53	60	5.0	10.0
CspC2	Crider silt loam, 6 to 12 percent slopes, eroded	Crider	100	135	47	54	4.5	9.0
CspC3	Crider silt loam, 6 to 12 percent slopes, severely eroded	Crider, severely eroded	70	130	46	52	4.3	8.6
CwaAH	Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Cuba	87	115	40	0	0.0	0.0
CwaAK	Cuba silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Cuba	100	120	42	17	4.0	8.0
DduC2	Deuchars silt loam, 6 to 12 percent slopes, eroded	Deuchars	90	130	46	52	4.3	8.6
EabD2	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, eroded	Ebal	34	85	30	34	2.8	5.6
		Deuchars	22	115	40	46	3.8	7.6
		Kitterman	19	75	26	34	2.5	5.0
EabD3	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, severely eroded	Ebal, severely eroded	34	75	26	34	2.5	5.0
		Deuchars, severely eroded	22	110	39	44	3.6	7.2
		Kitterman, severely eroded	19	65	23	29	2.1	4.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EemAQ	Elk silt loam, moderately wet substratum, 0 to 2 percent slopes, rarely flooded	Elk	90	140	49	56	4.6	9.2
EepB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	100	145	51	58	4.8	9.6
EepC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	100	130	46	52	4.3	8.6
GacAW	Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Gatchel	100	115	40	16	3.8	7.6
HafC3	Haggatt silty clay loam, 6 to 12 percent slopes, severely eroded	Haggatt, severely eroded	100	80	28	36	2.6	5.2
HafD3	Haggatt silty clay loam, 12 to 18 percent slopes, severely eroded	Haggatt, severely eroded	100	65	23	29	2.1	4.2
HarD2	Haggatt silt loam, 12 to 18 percent slopes, eroded	Haggatt	100	75	26	34	2.5	5.0
HarE2	Haggatt silt loam, 18 to 25 percent slopes, eroded	Haggatt	100	60	21	27	2.0	4.0
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	85	120	42	0	0.0	0.0
HfeA	Henshaw silt loam, 0 to 3 percent slopes	Henshaw	100	155	51	62	5.1	10.2
HufAK	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Huntington	97	135	47	19	4.5	9.0
JoaA	Johnsburg silt loam, 0 to 2 percent slopes	Johnsburg	88	135	46	61	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
JoeG	Jubin-Branchville-Rock outcrop complex, 20 to 50 percent slopes, very bouldery	Jubin	40	0	0	0	0.0	0.0
		Branchville	32	0	0	0	0.0	0.0
		Rock outcrop	18	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
McgD2	Markland silt loam, 12 to 18 percent slopes, eroded	Markland	100	100	35	40	3.3	6.6
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	Markland, severely eroded	100	105	37	42	3.5	7.0
McpD3	Markland silty clay loam, 12 to 18 percent slopes, severely eroded	Markland, severely eroded	100	90	32	36	3.0	6.0
MdeG	Markland silt loam, 25 to 70 percent slopes	Markland	100	---	---	---	0.0	0.0
MsbC2	Millstone-Elkinsville complex, 6 to 12 percent slopes, eroded	Millstone	52	120	42	48	4.0	8.0
		Elkinsville	43	130	46	52	4.3	8.6
MscA	Millstone loam, 0 to 2 percent slopes	Millstone	100	135	47	54	4.5	9.0
MscB2	Millstone loam, 2 to 6 percent slopes, eroded	Millstone	100	135	47	54	4.5	9.0
MscC2	Millstone loam, 6 to 12 percent slopes, eroded	Millstone	100	120	42	48	4.0	8.0
MscE2	Millstone loam, 12 to 25 percent slopes, eroded	Millstone	100	105	37	42	3.5	7.0
PcrB	Pekin silt loam, 2 to 6 percent slopes	Pekin	95	130	46	59	4.3	8.6
Pml	Pits, quarry	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Tb1G	Tipsaw-Adyeville complex, 25 to 75 percent slopes	Tipsaw	55	---	---	---	0.0	0.0
		Adyeville	45	---	---	---	0.0	0.0
Uaa	Udorthents, cut and filled	Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UbxD	Udorthents soils, 6 to 18 percent slopes, gullied	Udorthents, loamy	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, soft bedrock substratum	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, clayey	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wakeland	84	130	39	0	0.0	0.0
WhfC2	Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston, eroded	90	120	42	48	4.0	8.0
WhfC3	Wellston silt loam, 6 to 12 percent slopes, severely eroded	Wellston, severely eroded	100	115	40	46	3.8	7.6
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	100	105	37	42	3.5	7.0
WhfD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	90	105	37	42	3.5	7.0
WpmD3	Wellston-Ebal-Adyeville complex, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	45	100	35	40	3.3	6.6
		Ebal, severely eroded	35	75	26	34	2.5	5.0
		Adyeville, severely eroded	20	65	23	26	2.1	4.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WppD2	Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded	Wellston	45	110	39	44	3.6	7.2
		Adyeville	30	70	25	28	2.3	4.6
		Ebal	25	95	33	38	3.1	6.2
WprAH	Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wirt	87	105	37	0	0.0	0.0

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.