

Crop and Pasture Limitations
 Crawford County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
AbqD2: Adyeville-----	85	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
AbqD3: Adyeville-----	85	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
AbqE: Adyeville-----	85	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
AbqE2: Adyeville-----	100	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
AbqE3: Adyeville-----	85	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
AbvD2: Adyeville-----	29	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wellston-----	25	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Deuchars-----	18	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.

Crop and Pasture Limitations--Continued
 Crawford County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
AbvD3: Adyeville-----	29	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wellston-----	25	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Deuchars-----	18	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
AccG: Adyeville-----	31	Equipment limitation(slope), low ph, water erosion, wind erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, wind erosion, low available water capacity.
Tipsaw-----	24	Equipment limitation(slope), low ph, water erosion, wind erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, wind erosion, low available water capacity.
Ebal-----	17	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
AciE: Adyeville-----	55	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Tipsaw-----	45	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.

Crop and Pasture Limitations--Continued
 Crawford County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
AciG: Adyeville-----	45	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Tipsaw-----	35	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
AcmF: Adyeville-----	51	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wellston-----	25	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
AcuB2: Alford-----	100	Low ph, water erosion.	Low ph, water erosion.
AcwE2: Alford-----	100	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
AgrA: Apalona-----	95	Limited rooting depth (fragipan), low ph, crusting, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph.
AgrB: Apalona-----	45	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
Zanesville-----	40	Limited rooting depth (fragipan), low ph, crusting, water erosion, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.

Crop and Pasture Limitations--Continued
 Crawford County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
AgrC2: Apalona-----	45	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
Zanesville-----	40	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity.	Limited rooting depth (fragipan), low ph, water erosion.
AgrC3: Apalona-----	45	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
Zanesville-----	40	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity.	Limited rooting depth (fragipan), low ph, water erosion.
BbhA: Bartle-----	95	Wetness, limited rooting depth (fragipan), low ph, crusting, restricted permeability.	Trafficability limitation, limited rooting depth (fragipan), low ph.
CbtD3: Caneyville-----	55	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Crider-----	45	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
CbzG: Caneyville-----	65	Equipment limitation(slope), low ph, water erosion, low available water capacity.	Equipment limitation(slope), low ph, water erosion, low available water capacity.

Crop and Pasture Limitations--Continued
 Crawford County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
CqyG: Corydon-----	100	Equipment limitation(slope), equipment limitation (rock fragments in the surface layer), low ph, water erosion, very low available water capacity.	Equipment limitation(slope), equipment limitation (rock fragments in the surface layer), low ph, water erosion, very low available water capacity.
CspB: Crider-----	75	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
CspC2: Crider-----	100	Low ph, crusting, water erosion.	Low ph, water erosion.
CspC3: Crider-----	70	Low ph, crusting, water erosion.	Low ph, water erosion.
CwaAH: Cuba-----	87	Low ph, crusting.	Low ph.
CwaAK: Cuba-----	100	Low ph, crusting.	Low ph.
DduC2: Deuchars-----	90	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.

Crop and Pasture Limitations--Continued
 Crawford County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
EabD2: Ebal-----	34	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Deuchars-----	22	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Kitterman-----	19	Equipment limitation(slope), wetness, low ph, clodding, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
EabD3: Ebal-----	34	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Deuchars-----	22	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Kitterman-----	19	Equipment limitation(slope), wetness, low ph, clodding, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
EemAQ: Elk-----	90	Low ph.	Low ph.
EepB: Elkinsville-----	100	Low ph, crusting, water erosion.	Low ph, water erosion.
EepC2: Elkinsville-----	100	Low ph, crusting, water erosion.	Low ph, water erosion.

Crop and Pasture Limitations--Continued
 Crawford County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
GacAW: Gatchel-----	100	Low ph, moderate available water capacity.	Low ph.
HafC3: Haggatt-----	100	Low ph, crusting, water erosion, low available water capacity.	Low ph, water erosion, low available water capacity.
HafD3: Haggatt-----	100	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
HarD2: Haggatt-----	100	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
HarE2: Haggatt-----	100	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
HcgAH: Haymond-----	85	Low ph, crusting.	Low ph.
HfeA: Henshaw-----	100	Wetness, low ph, crusting.	Trafficability limitation, low ph.
HufAK: Huntington-----	97	Low ph.	Low ph.
JoaA: Johnsburg-----	88	Wetness, limited rooting depth (fragipan), low ph, restricted permeability.	Trafficability limitation, limited rooting depth (fragipan), low ph.

Crop and Pasture Limitations--Continued
 Crawford County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
JoeG:			
Jubin-----	40	Equipment limitation(slope), equipment limitation (rock fragments in the surface layer), low ph, water erosion, low available water capacity.	Equipment limitation(slope), equipment limitation (rock fragments in the surface layer), low ph, water erosion, low available water capacity.
Branchville-----	32	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
McpD2:			
Markland-----	100	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
McpC3:			
Markland-----	100	Low ph, crusting, water erosion.	Low ph, water erosion.
McpD3:			
Markland-----	100	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
MdeG:			
Markland-----	100	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
MsbC2:			
Millstone-----	52	Low ph, crusting, water erosion.	Low ph, water erosion.
Elkinsville-----	43	Low ph, crusting, water erosion.	Low ph, water erosion.
MscA:			
Millstone-----	100	Low ph, crusting.	Low ph.
MscB2:			
Millstone-----	100	Low ph, crusting, water erosion.	Low ph, water erosion.
MscC2:			
Millstone-----	100	Low ph, crusting, water erosion.	Low ph, water erosion.

Crop and Pasture Limitations--Continued
 Crawford County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
MscE2: Millstone-----	100	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
PcrB: Pekin-----	95	Wetness, limited rooting depth (fragipan), low ph, crusting, water erosion, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
TblG: Tipsaw-----	55	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Adyeville-----	45	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
UbxD: Udorthents, loamy-----	45	Not rated.	Not rated.
Udorthents, soft bedrock substratum-----	40	Not rated.	Not rated.
Udorthents, clayey-----	15	Not rated.	Not rated.
WaaAH: Wakeland-----	84	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
WhfC2: Wellston-----	90	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
WhfC3: Wellston-----	100	Low ph, water erosion, moderate available water capacity.	Low ph, water erosion.
WhfD2: Wellston-----	100	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.

Crop and Pasture Limitations--Continued
 Crawford County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
WhfD3: Wellston-----	90	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
WpmD3: Wellston-----	45	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Ebal-----	35	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Adyeville-----	20	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
WppD2: Wellston-----	45	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Adyeville-----	30	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Ebal-----	25	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
WprAH: Wirt-----	87	Low ph, crusting.	Low ph.