

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Crawford County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AbqD2	Adyeville silt loam, 12 to 18 percent slopes, eroded	70	25	28	2.3	4.6
AbqD3	Adyeville silt loam, 12 to 18 percent slopes, severely eroded	65	23	26	2.1	4.2
AbqE	Adyeville silt loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
AbqE2	Adyeville silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
AbqE3	Adyeville silt loam, 18 to 25 percent slopes, severely eroded	0	0	0	0.0	0.0
AbvD2	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, eroded	93	33	33	2.7	5.3
AbvD3	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, severely eroded	88	31	31	2.5	5.0
AccG	Adyeville-Tipsaw-Ebal complex, 20 to 50 percent slopes, very rocky	0	0	0	0.0	0.0
AciE	Adyeville-Tipsaw complex, 18 to 30 percent slopes	0	0	0	0.0	0.0
AciG	Adyeville-Tipsaw complex, 20 to 60 percent slopes	0	0	0	0.0	0.0
AcmF	Adyeville-Wellston silt loams, 18 to 50 percent slopes	0	0	0	0.0	0.0
AcuB2	Alford silt loam, 2 to 6 percent slopes, eroded	150	53	60	5.0	10.0
AcwE2	Alford silt loam, 12 to 25 percent slopes, eroded	125	44	50	4.1	8.2
AgrA	Apalona silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	139	49	62	4.6	9.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Crawford County, Indiana

AgrC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	121	42	54	4.0	8.0
AgrC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	114	40	50	3.8	7.5
BbhA	Bartle silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
CbtD3	Caneyville-Crider complex, 12 to 18 percent slopes, severely eroded	77	27	25	2.0	3.9
CbzG	Caneyville-Rock outcrop complex, 18 to 70 percent slopes	0	0	0	0.0	0.0
CqyG	Corydon stony silt loam, 20 to 60 percent slopes	0	0	0	0.0	0.0
CspB	Crider silt loam, 2 to 6 percent slopes	144	50	61	5.0	9.9
CspC2	Crider silt loam, 6 to 12 percent slopes, eroded	135	47	54	4.5	9.0
CspC3	Crider silt loam, 6 to 12 percent slopes, severely eroded	130	46	52	4.3	8.6
CwaAH	Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	115	40	0	0.0	0.0
CwaAK	Cuba silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	120	42	17	0.0	0.0
DduC2	Deuchars silt loam, 6 to 12 percent slopes, eroded	130	46	52	4.3	8.6
EabD2	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, eroded	91	32	37	3.0	5.9
EabD3	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, severely eroded	83	29	35	2.7	5.3
EemAQ	Elk silt loam, moderately wet substratum, 0 to 2 percent slopes, rarely flooded	140	49	56	4.6	9.2
EepB	Elkinsville silt loam, 2 to 6 percent slopes	145	51	58	4.8	9.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Crawford County, Indiana

EepC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	130	46	52	4.3	8.6
GacAW	Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	115	40	16	0.0	0.0
HafC3	Haggatt silty clay loam, 6 to 12 percent slopes, severely eroded	80	28	36	2.6	5.2
HafD3	Haggatt silty clay loam, 12 to 18 percent slopes, severely eroded	65	23	29	2.1	4.2
HarD2	Haggatt silt loam, 12 to 18 percent slopes, eroded	75	26	34	2.5	5.0
HarE2	Haggatt silt loam, 18 to 25 percent slopes, eroded	60	21	27	2.0	4.0
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	0	0.0	0.0
HfeA	Henshaw silt loam, 0 to 3 percent slopes	155	51	62	5.1	10.2
HufAK	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	135	47	19	0.0	0.0
JoaA	Johnsburg silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
JoeG	Jubin-Branchville-Rock outcrop complex, 20 to 50 percent slopes, very bouldery	0	0	0	0.0	0.0
McgD2	Markland silt loam, 12 to 18 percent slopes, eroded	100	35	40	3.3	6.6
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	105	37	42	3.5	7.0
McpD3	Markland silty clay loam, 12 to 18 percent slopes, severely eroded	90	32	36	3.0	6.0
MdeG	Markland silt loam, 25 to 70 percent slopes	0	0	0	0.0	0.0
MsbC2	Millstone-Elkinsville complex, 6 to 12 percent slopes, eroded	125	44	49	4.0	8.1

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Crawford County, Indiana

MscA	Millstone loam, 0 to 2 percent slopes	135	47	54	4.5	9.0
MscB2	Millstone loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
MscC2	Millstone loam, 6 to 12 percent slopes, eroded	120	42	48	4.0	8.0
MscE2	Millstone loam, 12 to 25 percent slopes, eroded	105	37	42	3.5	7.0
PcrB	Pekin silt loam, 2 to 6 percent slopes	131	46	58	4.3	8.6
Pml	Pits, quarry	0	0	0	0.0	0.0
TblG	Tipsaw-Adyeville complex, 25 to 75 percent slopes	0	0	0	0.0	0.0
Uaa	Udorthents, cut and filled	0	0	0	0.0	0.0
UbxD	Udorthents soils, 6 to 18 percent slopes, gullied	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	39	0	0.0	0.0
WhfC2	Wellston silt loam, 6 to 12 percent slopes, eroded	120	42	48	4.0	8.0
WhfC3	Wellston silt loam, 6 to 12 percent slopes, severely eroded	115	40	46	3.8	7.6
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	105	37	42	3.5	7.0
WhfD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	105	37	42	3.5	7.0
WpmD3	Wellston-Ebal-Adyeville complex, 12 to 18 percent slopes, severely eroded	84	29	39	3.1	6.1
WppD2	Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded	94	33	40	3.3	6.7

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
Crawford County, Indiana

WprAH	Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	105	37	0	0.0	0.0
-------	----------------------------------------------------------------------	-----	----	---	-----	-----