

NON-IRRIGATED COMPONENT CROP YIELDS (RV)  
 Daviess County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AlB2	Alford silt loam, 2 to 5 percent slopes, eroded	Alford, eroded	95	155	54	62	5.1	10.2
		Hosmer, eroded	5	120	42	54	4.0	8.0
AlB3	Alford silt loam, 2 to 5 percent slopes, severely eroded	Alford, severely eroded	95	150	53	60	5.0	10.0
		Hosmer, severely eroded	5	130	46	59	4.3	8.6
AlC2	Alford silt loam, 5 to 10 percent slopes, eroded	Alford, eroded	90	145	51	58	4.8	9.6
		Hosmer, eroded	6	110	39	50	3.6	7.2
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland, frequently flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AlC3	Alford silt loam, 5 to 10 percent slopes, severely eroded	Alford, severely eroded	90	140	49	56	4.6	9.2
		Hosmer, severely eroded	6	120	42	54	4.0	8.0
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland, frequently flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AlD2	Alford silt loam, 10 to 18 percent slopes, eroded	Alford, eroded	95	130	46	52	4.3	8.6
		Wakeland, frequently flooded	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Daviess County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AlD3	Alford silt loam, 10 to 18 percent slopes, severely eroded	Alford, severely eroded	90	125	44	50	4.1	8.2
		Wakeland, frequently flooded	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AlE2	Alford silt loam, 18 to 35 percent slopes, eroded	Alford, eroded	95	---	---	---	0.0	0.0
		Princeton, eroded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AlE3	Alford silt loam, 18 to 35 percent slopes, severely eroded	Alford, severely eroded	95	---	---	---	0.0	0.0
		Wakeland, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ar	Armiesburg silty clay loam, occasionally flooded	Armiesburg	97	135	47	19	4.5	9.0
		Armiesburg	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ay	Ayrshire fine sandy loam	Ayrshire	97	150	49	60	5.0	10.0
		Lyles	3	140	39	56	4.6	9.2
Ba	Bartle silt loam	Bartle	97	130	44	59	4.3	8.6
		Peoga	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BlB	Bloomfield loamy fine sand, 2 to 6 percent slopes	Bloomfield	100	95	33	38	3.1	6.2
BlC	Bloomfield loamy fine sand, 6 to 12 percent slopes	Bloomfield	100	85	30	34	2.8	5.6
BlD	Bloomfield loamy fine sand, 12 to 18 percent slopes	Bloomfield	100	70	25	28	2.3	4.6
BlF	Bloomfield loamy fine sand, 18 to 35 percent slopes	Bloomfield	100	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued  
 Daviess County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Bo	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	Bonnie, frequently flooded	90	130	35	0	0.0	0.0
		Belknap	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CcB2	Cincinnati silt loam, Wabash Lowland, 2 to 6 percent slopes, eroded	Cincinnati, eroded	95	125	44	56	4.1	8.2
		Cincinnati, severely eroded	5	105	37	47	3.5	7.0
CcC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0
		Cincinnati, severely eroded	5	100	35	45	3.3	6.6
		Stendal, rarely, very brief	5	150	49	60	5.0	10.0
CcC3	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	95	100	35	45	3.3	6.6
		Stendal, occasionally flooded, very brief	5	140	46	20	4.6	9.2
CcD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	Cincinnati	100	110	39	44	3.6	7.2
CcD3	Cincinnati silt loam, 12 to 18 percent slopes, severely eroded	Cincinnati, severely eroded	85	100	35	45	3.3	6.6
		Cincinnati, eroded	5	90	32	41	3.0	6.0
		Hickory, eroded	5	---	---	---	3.3	6.6
		Stendal, occasionally flooded, very brief	5	140	46	20	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued  
 Daviess County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Cu	Cuba silt loam, frequently flooded	Cuba	90	115	40	0	0.0	0.0
		Steff	10	130	46	18	4.3	8.6
Du	Dumps, mine	Dumps	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
En	Elston loam	Elston	100	125	44	63	4.1	8.2
FaB	Fairpoint silt loam, reclaimed, 2 to 8 percent slopes	Fairpoint	100	145	51	58	4.8	9.6
FbG	Fairpoint very parachannery silt loam, 35 to 90 percent slopes	Fairpoint	100	---	---	---	0.0	0.0
GbF	Gilpin-Berks complex, 25 to 50 percent slopes	Gilpin	60	---	---	---	0.0	0.0
		Berks	40	---	---	---	0.0	0.0
Hd	Haymond silt loam, frequently flooded	Haymond	100	120	42	0	0.0	0.0
HkE2	Hickory silt loam, 18 to 25 percent slopes, eroded	Hickory	100	---	---	---	3.1	6.2
HkF	Hickory silt loam, 25 to 50 percent slopes	Hickory	100	---	---	---	0.0	0.0
HoA	Hosmer silt loam, 0 to 2 percent slopes	Hosmer	90	140	49	63	4.6	9.2
		Iva	10	170	56	68	5.6	11.2
HoB2	Hosmer silt loam, 2 to 5 percent slopes, eroded	Hosmer, eroded	90	135	47	61	4.5	9.0
		Alford, eroded	10	155	54	62	5.1	10.2
HoB3	Hosmer silt loam, 2 to 5 percent slopes, severely eroded	Hosmer, severely eroded	90	130	46	59	4.3	8.6
		Alford, severely eroded	10	150	53	60	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued  
 Daviess County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HoC2	Hosmer silt loam, 5 to 10 percent slopes, eroded	Hosmer, eroded	95	125	44	56	4.1	8.2
		Stoy, eroded	5	125	42	50	4.1	8.2
HoC3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded	Hosmer, severely eroded	95	105	37	47	3.5	7.0
		Stoy, severely eroded	5	120	40	54	4.0	8.0
HoD2	Hosmer silt loam, 10 to 18 percent slopes, eroded	Hosmer, eroded	90	110	39	50	3.6	7.2
		Zanesville, eroded	10	95	33	43	3.1	6.2
HoD3	Hosmer silt loam, 10 to 18 percent slopes, severely eroded	Hosmer, severely eroded	90	105	37	47	3.5	7.0
		Alford, severely eroded	5	125	44	50	4.1	8.2
		Zanesville, severely eroded	5	90	32	41	3.0	6.0
IoA	Iona silt loam, 0 to 2 percent slopes	Iona	100	160	56	64	5.3	10.6
IoB2	Iona silt loam, 2 to 6 percent slopes, eroded	Iona	100	155	54	62	5.1	10.2
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
		Hoosierville, frequently ponded	5	160	46	72	5.3	10.6
		Hosmer	3	125	44	56	4.1	8.2
		Muren	2	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued  
 Daviess County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
IvB2	Iva silt loam, 2 to 4 percent slopes, eroded	Iva	100	160	53	64	5.3	10.6
Kn	Kings silty clay, rarely flooded	Kings	100	150	42	68	5.0	10.0
Ls	Lyles fine sandy loam	Lyles	100	150	42	60	5.0	10.0
Ly	Lyles loam	Lyles	100	175	51	70	5.8	11.6
MaB2	Markland silt loam, 2 to 6 percent slopes, eroded	Markland	100	120	42	48	4.0	8.0
MaD2	Markland silt loam, 6 to 18 percent slopes, eroded	Markland	100	100	35	40	3.3	6.6
Mg	McGary silt loam	McGary	85	140	46	56	4.6	9.2
		Shircliff	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		McGary, 2 to 4 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Zipp	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Mo	Montgomery silty clay loam	Montgomery	100	160	46	64	5.3	10.6
NeF	Negley loam, 25 to 50 percent slopes	Negley	100	---	---	---	0.0	0.0
No	Nolin silty clay loam, frequently flooded	Nolin	91	120	42	0	0.0	0.0
		Newark	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Petrolia	3	130	35	0	0.0	0.0
		Wilhite	3	115	30	0	0.0	0.0
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PaB2	Parke silt loam, 2 to 6 percent slopes, eroded	Parke	100	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued  
 Daviess County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PaC2	Parke silt loam, 6 to 12 percent slopes, eroded	Parke	100	130	46	52	4.3	8.6
PaC3	Parke silt loam, 6 to 12 percent slopes, severely eroded	Parke, severely eroded	100	125	44	50	4.1	8.2
PaD2	Parke silt loam, 12 to 18 percent slopes, eroded	Parke	100	115	40	46	3.8	7.6
Pe	Peoga silt loam	Peoga	100	155	47	62	5.1	10.2
Pg	Pits, gravel	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Po	Petrolia silty clay loam, frequently flooded	Petrolia	100	140	39	0	0.0	0.0
PrA	Princeton fine sandy loam, 0 to 2 percent slopes	Princeton	100	135	47	54	4.5	9.0
PrB2	Princeton fine sandy loam, 2 to 6 percent slopes, eroded	Princeton	100	130	46	52	4.3	8.6
PrC2	Princeton fine sandy loam, 6 to 12 percent slopes, eroded	Princeton	100	120	42	48	4.0	8.0
PrD2	Princeton fine sandy loam, 12 to 18 percent slopes, eroded	Princeton	100	105	37	42	3.5	7.0
Ra	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
Re	Reesville silt loam	Reesville	97	170	56	68	5.6	11.2
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ro	Ross loam, frequently flooded	Ross	97	135	47	0	0.0	0.0
		Ross	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Daviess County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Sr	Stendal silt loam, frequently flooded	Stendal	97	125	40	0	0.0	0.0
		Bonnie	3	135	37	0	0.0	0.0
Vg	Vigo silt loam	Vigo	97	155	51	62	5.1	10.2
		Very deep, poorly drained, silty soil	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Vn	Vincennes clay loam	Vincennes	100	160	46	64	5.3	10.6
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	Wakeland, frequently flooded	95	130	39	0	0.0	0.0
		Birds, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WeD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	100	105	37	42	3.5	7.0
WeD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	90	105	37	42	3.5	7.0
		Ebal, severely eroded	5	75	26	34	2.5	5.0
		Gilpin, severely eroded	5	70	25	28	2.3	4.6
WeE	Wellston silt loam, 18 to 25 percent slopes	Wellston	100	---	---	---	3.1	6.2
WeF	Wellston silt loam, 25 to 35 percent slopes	Wellston	100	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued  
 Daviess County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ZaB2	Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded	Apalona, eroded	45	135	47	61	4.5	9.0
		Zanesville, eroded	40	130	46	59	4.3	8.6
		Wellston, eroded	10	140	49	56	4.6	9.2
		Johnsburg	5	150	51	68	5.0	10.0
ZaC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2
		Deuchars, eroded	10	140	49	56	4.6	9.2
		Wellston, eroded	5	130	46	52	4.3	8.6
ZaC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
		Deuchars, severely eroded	10	125	44	50	4.1	8.2
		Wellston, severely eroded	5	120	42	48	4.0	8.0
ZaD2	Zanesville silt loam, 12 to 18 percent slopes, eroded	Zanesville	100	105	37	47	3.5	7.0
ZaD3	Zanesville silt loam, 12 to 18 percent slopes, severely eroded	Zanesville, severely eroded	100	90	32	41	3.0	6.0
Zp	Zipp silty clay loam, 0 to 2 percent slopes, rarely flooded	Zipp, rarely flooded	90	150	42	60	5.0	10.0
		Montgomery, rarely flooded	10	155	44	62	5.1	10.2

COMPONENT CROP YIELDS (RV)--Continued  
 Daviess County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Zs	Zipp silty clay loam, 0 to 2 percent slopes, rarely flooded, overwash	Zipp, rarely flooded, overwash	90	150	42	60	5.0	10.0
		Montgomery, rarely flooded	10	155	44	62	5.1	10.2