

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Daviess County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|-------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| AlB2 | Alford silt loam, 2 to 5 percent slopes, eroded | Alford, eroded | 95 | 155 | 54 | 62 | 5.1 | 10.2 |
| AlB3 | Alford silt loam, 2 to 5 percent slopes, severely eroded | Alford, severely eroded | 95 | 150 | 53 | 60 | 5.0 | 10.0 |
| AlC2 | Alford silt loam, 5 to 10 percent slopes, eroded | Alford, eroded | 90 | 145 | 51 | 58 | 4.8 | 9.6 |
| AlC3 | Alford silt loam, 5 to 10 percent slopes, severely eroded | Alford, severely eroded | 90 | 140 | 49 | 56 | 4.6 | 9.2 |
| AlD2 | Alford silt loam, 10 to 18 percent slopes, eroded | Alford, eroded | 95 | 130 | 46 | 52 | 4.3 | 8.6 |
| AlD3 | Alford silt loam, 10 to 18 percent slopes, severely eroded | Alford, severely eroded | 90 | 125 | 44 | 50 | 4.1 | 8.2 |
| AlE2 | Alford silt loam, 18 to 35 percent slopes, eroded | Alford, eroded | 95 | --- | --- | --- | 0.0 | 0.0 |
| AlE3 | Alford silt loam, 18 to 35 percent slopes, severely eroded | Alford, severely eroded | 95 | --- | --- | --- | 0.0 | 0.0 |
| Ar | Armiesburg silty clay loam, occasionally flooded | Armiesburg | 97 | 135 | 47 | 19 | 4.5 | 9.0 |
| Ay | Ayrshire fine sandy loam | Ayrshire | 97 | 150 | 49 | 60 | 5.0 | 10.0 |
| Ba | Bartle silt loam | Bartle | 97 | 130 | 44 | 59 | 4.3 | 8.6 |
| BlB | Bloomfield loamy fine sand, 2 to 6 percent slopes | Bloomfield | 100 | 95 | 33 | 38 | 3.1 | 6.2 |
| BlC | Bloomfield loamy fine sand, 6 to 12 percent slopes | Bloomfield | 100 | 85 | 30 | 34 | 2.8 | 5.6 |
| BlD | Bloomfield loamy fine sand, 12 to 18 percent slopes | Bloomfield | 100 | 70 | 25 | 28 | 2.3 | 4.6 |

COMPONENT CROP YIELDS (Majors Only)--Continued
 Daviess County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|-----------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| BlF | Bloomfield loamy fine sand, 18 to 35 percent slopes | Bloomfield | 100 | --- | --- | --- | 0.0 | 0.0 |
| Bo | Bonnie silt loam, 0 to 2 percent slopes, frequently flooded | Bonnie, frequently flooded | 90 | 130 | 35 | 0 | 0.0 | 0.0 |
| CcB2 | Cincinnati silt loam, Wabash Lowland, 2 to 6 percent slopes, eroded | Cincinnati, eroded | 95 | 125 | 44 | 56 | 4.1 | 8.2 |
| CcC2 | Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded | Cincinnati, eroded | 90 | 105 | 37 | 47 | 3.5 | 7.0 |
| CcC3 | Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded | Cincinnati, severely eroded | 95 | 100 | 35 | 45 | 3.3 | 6.6 |
| CcD2 | Cincinnati silt loam, 12 to 18 percent slopes, eroded | Cincinnati | 100 | 110 | 39 | 44 | 3.6 | 7.2 |
| CcD3 | Cincinnati silt loam, 12 to 18 percent slopes, severely eroded | Cincinnati, severely eroded | 85 | 100 | 35 | 45 | 3.3 | 6.6 |
| Cu | Cuba silt loam, frequently flooded | Cuba | 90 | 115 | 40 | 0 | 0.0 | 0.0 |
| Du | Dumps, mine | Dumps | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| En | Elston loam | Elston | 100 | 125 | 44 | 63 | 4.1 | 8.2 |
| FaB | Fairpoint silt loam, reclaimed, 2 to 8 percent slopes | Fairpoint | 100 | 145 | 51 | 58 | 4.8 | 9.6 |
| FbG | Fairpoint very parachannery silt loam, 35 to 90 percent slopes | Fairpoint | 100 | --- | --- | --- | 0.0 | 0.0 |
| GbF | Gilpin-Berks complex, 25 to 50 percent slopes | Gilpin | 60 | --- | --- | --- | 0.0 | 0.0 |
| | | Berks | 40 | --- | --- | --- | 0.0 | 0.0 |

COMPONENT CROP YIELDS (Majors Only)--Continued
 Daviess County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|-------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| Hd | Haymond silt loam, frequently flooded | Haymond | 100 | 120 | 42 | 0 | 0.0 | 0.0 |
| HkE2 | Hickory silt loam, 18 to 25 percent slopes, eroded | Hickory | 100 | --- | --- | --- | 3.1 | 6.2 |
| HkF | Hickory silt loam, 25 to 50 percent slopes | Hickory | 100 | --- | --- | --- | 0.0 | 0.0 |
| HoA | Hosmer silt loam, 0 to 2 percent slopes | Hosmer | 90 | 140 | 49 | 63 | 4.6 | 9.2 |
| HoB2 | Hosmer silt loam, 2 to 5 percent slopes, eroded | Hosmer, eroded | 90 | 135 | 47 | 61 | 4.5 | 9.0 |
| HoB3 | Hosmer silt loam, 2 to 5 percent slopes, severely eroded | Hosmer, severely eroded | 90 | 130 | 46 | 59 | 4.3 | 8.6 |
| HoC2 | Hosmer silt loam, 5 to 10 percent slopes, eroded | Hosmer, eroded | 95 | 125 | 44 | 56 | 4.1 | 8.2 |
| HoC3 | Hosmer silt loam, 5 to 10 percent slopes, severely eroded | Hosmer, severely eroded | 95 | 105 | 37 | 47 | 3.5 | 7.0 |
| HoD2 | Hosmer silt loam, 10 to 18 percent slopes, eroded | Hosmer, eroded | 90 | 110 | 39 | 50 | 3.6 | 7.2 |
| HoD3 | Hosmer silt loam, 10 to 18 percent slopes, severely eroded | Hosmer, severely eroded | 90 | 105 | 37 | 47 | 3.5 | 7.0 |
| IoA | Iona silt loam, 0 to 2 percent slopes | Iona | 100 | 160 | 56 | 64 | 5.3 | 10.6 |
| IoB2 | Iona silt loam, 2 to 6 percent slopes, eroded | Iona | 100 | 155 | 54 | 62 | 5.1 | 10.2 |
| IvA | Iva silt loam, 0 to 2 percent slopes | Iva | 90 | 165 | 54 | 66 | 5.4 | 10.8 |
| IvB2 | Iva silt loam, 2 to 4 percent slopes, eroded | Iva | 100 | 160 | 53 | 64 | 5.3 | 10.6 |

COMPONENT CROP YIELDS (Majors Only)--Continued
 Daviess County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| Kn | Kings silty clay, rarely flooded | Kings | 100 | 150 | 42 | 68 | 5.0 | 10.0 |
| Ls | Lyles fine sandy loam | Lyles | 100 | 150 | 42 | 60 | 5.0 | 10.0 |
| Ly | Lyles loam | Lyles | 100 | 175 | 51 | 70 | 5.8 | 11.6 |
| MaB2 | Markland silt loam, 2 to 6 percent slopes, eroded | Markland | 100 | 120 | 42 | 48 | 4.0 | 8.0 |
| MaD2 | Markland silt loam, 6 to 18 percent slopes, eroded | Markland | 100 | 100 | 35 | 40 | 3.3 | 6.6 |
| Mg | McGary silt loam | McGary | 85 | 140 | 46 | 56 | 4.6 | 9.2 |
| Mo | Montgomery silty clay loam | Montgomery | 100 | 160 | 46 | 64 | 5.3 | 10.6 |
| NeF | Negley loam, 25 to 50 percent slopes | Negley | 100 | --- | --- | --- | 0.0 | 0.0 |
| No | Nolin silty clay loam, frequently flooded | Nolin | 91 | 120 | 42 | 0 | 0.0 | 0.0 |
| Omz | Orthents, earthen dam | Orthents | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| PaB2 | Parke silt loam, 2 to 6 percent slopes, eroded | Parke | 100 | 140 | 49 | 56 | 4.6 | 9.2 |
| PaC2 | Parke silt loam, 6 to 12 percent slopes, eroded | Parke | 100 | 130 | 46 | 52 | 4.3 | 8.6 |
| PaC3 | Parke silt loam, 6 to 12 percent slopes, severely eroded | Parke, severely eroded | 100 | 125 | 44 | 50 | 4.1 | 8.2 |
| PaD2 | Parke silt loam, 12 to 18 percent slopes, eroded | Parke | 100 | 115 | 40 | 46 | 3.8 | 7.6 |
| Pe | Peoga silt loam | Peoga | 100 | 155 | 47 | 62 | 5.1 | 10.2 |

COMPONENT CROP YIELDS (Majors Only)--Continued
 Daviess County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|------------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| Pg | Pits, gravel | Pits, gravel | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Po | Petrolia silty clay loam, frequently flooded | Petrolia | 100 | 140 | 39 | 0 | 0.0 | 0.0 |
| PrA | Princeton fine sandy loam, 0 to 2 percent slopes | Princeton | 100 | 135 | 47 | 54 | 4.5 | 9.0 |
| PrB2 | Princeton fine sandy loam, 2 to 6 percent slopes, eroded | Princeton | 100 | 130 | 46 | 52 | 4.3 | 8.6 |
| PrC2 | Princeton fine sandy loam, 6 to 12 percent slopes, eroded | Princeton | 100 | 120 | 42 | 48 | 4.0 | 8.0 |
| PrD2 | Princeton fine sandy loam, 12 to 18 percent slopes, eroded | Princeton | 100 | 105 | 37 | 42 | 3.5 | 7.0 |
| Ra | Ragsdale silt loam | Ragsdale | 100 | 190 | 56 | 76 | 6.3 | 12.6 |
| Re | Reesville silt loam | Reesville | 97 | 170 | 56 | 68 | 5.6 | 11.2 |
| Ro | Ross loam, frequently flooded | Ross | 97 | 135 | 47 | 0 | 0.0 | 0.0 |
| Sr | Stendal silt loam, frequently flooded | Stendal | 97 | 125 | 40 | 0 | 0.0 | 0.0 |
| Vg | Vigo silt loam | Vigo | 97 | 155 | 51 | 62 | 5.1 | 10.2 |
| Vn | Vincennes clay loam | Vincennes | 100 | 160 | 46 | 64 | 5.3 | 10.6 |
| W | Water | Water | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Wa | Wakeland silt loam, 0 to 2 percent slopes, frequently flooded | Wakeland, frequently flooded | 95 | 130 | 39 | 0 | 0.0 | 0.0 |
| WeD2 | Wellston silt loam, 12 to 18 percent slopes, eroded | Wellston | 100 | 105 | 37 | 42 | 3.5 | 7.0 |

COMPONENT CROP YIELDS (Majors Only)--Continued
 Daviess County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|--------------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| WeD3 | Wellston silt loam, 12 to 18 percent slopes, severely eroded | Wellston, severely eroded | 90 | 105 | 37 | 42 | 3.5 | 7.0 |
| WeE | Wellston silt loam, 18 to 25 percent slopes | Wellston | 100 | --- | --- | --- | 3.1 | 6.2 |
| WeF | Wellston silt loam, 25 to 35 percent slopes | Wellston | 100 | --- | --- | --- | 0.0 | 0.0 |
| ZaB2 | Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded | Apalona, eroded | 45 | 135 | 47 | 61 | 4.5 | 9.0 |
| | | Zanesville, eroded | 40 | 130 | 46 | 59 | 4.3 | 8.6 |
| ZaC2 | Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded | Apalona, eroded | 45 | 125 | 44 | 56 | 4.1 | 8.2 |
| | | Zanesville, eroded | 40 | 110 | 39 | 50 | 3.6 | 7.2 |
| ZaC3 | Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded | Apalona, severely eroded | 45 | 115 | 40 | 52 | 3.8 | 7.6 |
| | | Zanesville, severely eroded | 40 | 110 | 39 | 50 | 3.6 | 7.2 |
| ZaD2 | Zanesville silt loam, 12 to 18 percent slopes, eroded | Zanesville | 100 | 105 | 37 | 47 | 3.5 | 7.0 |
| ZaD3 | Zanesville silt loam, 12 to 18 percent slopes, severely eroded | Zanesville, severely eroded | 100 | 90 | 32 | 41 | 3.0 | 6.0 |
| Zp | Zipp silty clay loam, 0 to 2 percent slopes, rarely flooded | Zipp, rarely flooded | 90 | 150 | 42 | 60 | 5.0 | 10.0 |
| Zs | Zipp silty clay loam, 0 to 2 percent slopes, rarely flooded, overwash | Zipp, rarely flooded, overwash | 90 | 150 | 42 | 60 | 5.0 | 10.0 |

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.