

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Dearborn County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
		Cobbsfork	10	150	46	60	5.0	10.0
		Nabb	5	130	46	59	4.3	8.6
BaA	Bartle silt loam, 0 to 3 percent slopes	Bartle	83	135	46	61	4.5	9.0
		Peoga	10	135	40	54	4.5	9.0
		Pekin	5	115	40	52	3.8	7.6
		Bartle, rarely flooded	2	120	40	54	4.0	8.0
BeC2	Bonnell silt loam, 6 to 12 percent slopes, eroded	Bonnell	100	110	39	44	3.6	7.2
BeC3	Bonnell silt loam, 6 to 12 percent slopes, severely eroded	Bonnell, severely eroded	100	100	35	40	3.3	6.6
BeD2	Bonnell silt loam, 12 to 18 percent slopes, eroded	Bonnell	100	95	33	38	3.1	6.2
BeD3	Bonnell silt loam, 12 to 18 percent slopes, severely eroded	Bonnell, severely eroded	100	85	30	34	2.8	5.6
BeE	Bonnell silt loam, 18 to 35 percent slopes	Bonnell	100	---	---	---	0.0	0.0
CaC2	Carmel silt loam, 6 to 12 percent slopes, eroded	Carmel	100	90	32	41	3.0	6.0
CaD2	Carmel silt loam, 12 to 18 percent slopes, eroded	Carmel	100	75	26	34	2.5	5.0
CaE2	Carmel silt loam, 18 to 25 percent slopes, eroded	Carmel	100	---	---	---	2.0	4.0
CcC3	Carmel silty clay loam, 6 to 12 percent slopes, severely eroded	Carmel, severely eroded	100	85	30	38	2.8	5.6

COMPONENT CROP YIELDS (RV)--Continued
 Dearborn County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CcD3	Carmel silty clay loam, 12 to 18 percent slopes, severely eroded	Carmel, severely eroded	100	70	25	32	2.3	4.6
CcE3	Carmel silty clay loam, 18 to 25 percent slopes, severely eroded	Carmel, severely eroded	100	---	---	---	1.8	3.6
Ch	Chagrin silt loam, frequently flooded	Chagrin	100	120	42	0	0.0	0.0
CnB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
		Nabb, eroded	10	115	40	52	3.8	7.6
		Blocher, eroded	5	135	47	54	4.5	9.0
CnC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati, eroded	85	105	37	47	3.5	7.0
		Blocher, eroded	5	125	44	50	4.1	8.2
		Bonnell, eroded	5	115	40	46	3.8	7.6
		Cincinnati, severely eroded	5	100	35	45	3.3	6.6
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	90	100	35	45	3.3	6.6
		Bonnell, severely eroded	8	85	30	34	2.8	5.6
		Hickory, eroded	2	115	40	46	3.8	7.6
Ct	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	85	155	47	62	5.1	10.2
		Cobbsfork, undrained	10	0	0	0	0.0	0.0
		Avonburg	5	145	49	65	4.8	9.6
De	Dearborn silt loam, frequently flooded	Dearborn	100	120	42	17	4.0	8.0

COMPONENT CROP YIELDS (RV)--Continued
 Dearborn County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Df	Dearborn channery loam, frequently flooded	Dearborn	100	115	40	16	3.8	7.6
Du	Dumps	Dumps	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EcE2	Eden silty clay loam, 15 to 25 percent slopes, eroded	Eden	100	45	16	20	1.5	3.0
EdE3	Eden flaggy silty clay loam, 15 to 25 percent slopes, severely eroded	Eden, severely eroded	100	---	---	---	1.0	2.0
EdF	Eden flaggy silty clay, 25 to 50 percent slopes	Eden	85	---	---	---	0.0	0.0
		Carmel	5	---	---	---	2.3	4.6
		Pate	5	---	---	---	0.0	0.0
		Switzerland	5	105	37	42	3.5	7.0
EkA	Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded	Elkinsville, rarely flooded	90	150	53	60	5.0	10.0
		Bartle, rarely flooded	5	135	46	61	4.5	9.0
		Pekin, rarely flooded	5	130	46	59	4.3	8.6
EkB2	Elkinsville silt loam, 2 to 6 percent slopes, eroded	Elkinsville	100	145	51	58	4.8	9.6
EkC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	100	135	47	54	4.5	9.0
FoB2	Fox silt loam, 1 to 4 percent slopes, eroded	Fox	100	95	33	48	3.1	6.2
HcG	Hennepin loam, 40 to 60 percent slopes	Hennepin	100	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Dearborn County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Hu	Huntington silt loam, 0 to 2 percent slopes, frequently flooded	Huntington, frequently flooded	85	130	46	0	0.0	0.0
		Nolin, frequently flooded	7	120	42	0	0.0	0.0
		Lindside, frequently flooded	5	120	42	0	0.0	0.0
		Huntington, frequently flooded	2	115	40	0	0.0	0.0
		Newark, frequently flooded	1	130	42	0	0.0	0.0
Ju	Jules silt loam, frequently flooded	Jules	100	110	39	0	0.0	0.0
MaB2	Markland silt loam, 2 to 12 percent slopes, eroded	Markland	100	120	42	48	4.0	8.0
MaF2	Markland silt loam, 18 to 35 percent slopes, eroded	Markland	100	---	---	---	0.0	0.0
MbD3	Markland silty clay loam, 6 to 18 percent slopes, severely eroded	Markland, severely eroded	100	90	32	36	3.0	6.0
Ne	Newark silt loam, 0 to 2 percent slopes, frequently flooded	Newark, frequently flooded	90	130	42	0	0.0	0.0
		Lindside, frequently flooded	5	120	42	0	0.0	0.0
		Nolin, frequently flooded	3	120	42	0	0.0	0.0
		Boonesboro, frequently flooded	1	100	35	0	0.0	0.0
		Dunning, frequently flooded	1	125	33	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Dearborn County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OcA	Ockley silt loam, 0 to 3 percent slopes	Ockley	100	135	47	68	4.5	9.0
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Or	Orrville silt loam, frequently flooded	Orrville	97	125	37	18	4.1	8.2
		poorly drained aquents	3	115	30	0	0.0	0.0
PaD2	Pate silty clay loam, 12 to 18 percent slopes, eroded	Pate	100	90	32	36	3.0	6.0
PaE2	Pate silty clay loam, 18 to 25 percent slopes, eroded	Pate	100	---	---	---	2.5	5.0
Pg	Pits, gravel	Pits, sand and gravel	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, loamy	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ra	Rahm silt loam, occasionally flooded	Rahm	97	135	44	19	4.5	9.0
		Petrolia	3	145	40	20	4.8	9.6
RdG	Rodman sandy loam, 40 to 60 percent slopes	Rodman	100	---	---	---	0.0	0.0
RoA	Rossmoyne silt loam, 0 to 2 percent slopes	Rossmoyne	100	135	47	61	4.5	9.0
RoB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6
		Cincinnati, eroded	10	115	40	52	3.8	7.6
		Avonburg	8	130	44	59	4.3	8.6
		Wakeland	4	145	44	20	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Dearborn County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RxB	Russell-Fincastle silt loams, 1 to 4 percent slopes	Russell	57	155	54	70	5.1	10.2
		Fincastle	40	165	54	74	5.4	10.8
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
St	Stonelick sandy loam, frequently flooded	Stonelick	100	100	35	14	3.3	6.6
SwB2	Switzerland silt loam, 2 to 6 percent slopes, eroded	Switzerland	100	135	47	54	4.5	9.0
SwC2	Switzerland silt loam, 6 to 12 percent slopes, eroded	Switzerland	100	125	44	50	4.1	8.2
SwC3	Switzerland silt loam, 6 to 12 percent slopes, severely eroded	Switzerland, severely eroded	100	120	42	48	4.0	8.0
SwD2	Switzerland silt loam, 12 to 18 percent slopes, eroded	Switzerland	100	110	39	44	3.6	7.2
Ud	Udorthents, loamy	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WbB2	Weisburg silt loam, 2 to 6 percent slopes, eroded	Weisburg	100	125	44	56	4.1	8.2
WbC2	Weisburg silt loam, 6 to 12 percent slopes, eroded	Weisburg	100	115	40	52	3.8	7.6
WbC3	Weisburg silt loam, 6 to 12 percent slopes, severely eroded	Weisburg, severely eroded	100	100	35	45	3.3	6.6
WhA	Wheeling silt loam, 0 to 2 percent slopes	Wheeling	97	155	54	62	5.1	10.2