

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 Decatur County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
AvB	Avonburg silt loam, 2 to 4 percent slopes	Avonburg	90	135	46	61	4.5	9.0
Cg	Chagrin loam, frequently flooded	Chagrin	100	105	37	0	0.0	0.0
Ch	Chagrin variant silt loam, frequently flooded	Chagrin variant	100	90	32	0	0.0	0.0
CkB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
CkC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati, eroded	85	105	37	47	3.5	7.0
CkC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	90	100	35	45	3.3	6.6
Cm	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	85	155	47	62	5.1	10.2
CnG	Corydon-Rock outcrop complex, 15 to 35 percent slopes	Corydon	60	0	0	0	0.0	0.0
		Rock outcrop	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CrA	Crosby silt loam, 0 to 2 percent slopes	Crosby	85	140	46	63	4.6	9.2
Cy	Cyclone silt loam, 0 to 2 percent slopes	Cyclone	85	190	56	76	6.3	12.6
FcA	Fincastle silt loam, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
FcB	Fincastle silt loam, 2 to 4 percent slopes	Fincastle	90	150	49	68	5.0	10.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Decatur County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FoA	Fox loam, 0 to 2 percent slopes	Fox	80	100	35	50	3.3	6.6
FoB	Fox loam, 2 to 6 percent slopes	Fox	80	100	35	50	3.3	6.6
GfD	Grayford silt loam, 10 to 20 percent slopes	Grayford	100	105	37	42	3.5	7.0
GrC2	Grayford-Ryker silt loams, 4 to 10 percent slopes, eroded	Grayford	55	115	40	46	3.8	7.6
		Ryker	45	135	47	54	4.5	9.0
HeG	Hennepin loam, 35 to 60 percent slopes	Hennepin	100	---	---	---	0.0	0.0
HkD2	Hickory loam, 12 to 18 percent slopes, eroded	Hickory	100	110	39	44	3.6	7.2
HkE2	Hickory loam, 18 to 25 percent slopes, eroded	Hickory	100	---	---	---	3.1	6.2
HkF	Hickory loam, 25 to 50 percent slopes	Hickory	100	---	---	---	0.0	0.0
HlD3	Hickory clay loam, 12 to 18 percent slopes, severely eroded	Hickory, severely eroded	100	105	37	42	3.5	7.0
Lb	Lobdell silt loam, frequently flooded	Lobdell	100	110	39	0	0.0	0.0
MeA	Martinsville loam, 0 to 2 percent slopes	Martinsville	100	140	49	56	4.6	9.2
MeB2	Martinsville loam, 2 to 6 percent slopes, eroded	Martinsville	100	135	47	54	4.5	9.0
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
MmC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami, eroded	85	130	46	59	4.3	8.6

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Decatur County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MmD2	Miami silt loam, well drained, 12 to 18 percent slopes, eroded	Miami, well drained, eroded	92	115	40	52	3.8	7.6
MoC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
MoD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	90	110	39	50	3.6	7.2
Mr	Milford silty clay	Milford	100	155	44	62	5.1	10.2
Ms	Millsdale silty clay loam, 0 to 2 percent slopes	Millsdale	90	130	35	52	4.3	8.6
MtA	Milton silt loam, 0 to 2 percent slopes	Milton	100	100	35	40	3.3	6.6
MtB2	Milton silt loam, 2 to 6 percent slopes, eroded	Milton	100	95	33	38	3.1	6.2
My	Montgomery silty clay, gravelly substratum	Montgomery	100	155	44	62	5.1	10.2
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
OcB	Ockley silt loam, 2 to 6 percent slopes	Ockley	90	135	47	68	4.5	9.0
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Or	Orrville silt loam, frequently flooded	Orrville	90	130	42	0	0.0	0.0
RoG	Rodman gravelly sandy loam, 35 to 60 percent slopes	Rodman	100	0	0	0	0.0	0.0
RsB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Decatur County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RuB	Russell silt loam, 1 to 5 percent slopes	Russell	90	155	54	70	5.1	10.2
So	Sloan silt loam, frequently flooded	Sloan	100	140	39	0	0.0	0.0
Sr	Starks silt loam	Starks	90	165	54	66	5.4	10.8
St	Stonelick fine sandy loam, frequently flooded	Stonelick	100	90	32	0	0.0	0.0
Ud	Udorthents-Pits complex	Udorthents	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pits	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Usl	Udorthents, rubbish	Udorthents, rubbish	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WmB	Williamstown silt loam, 1 to 5 percent slopes	Williamstown	100	145	51	65	4.8	9.6
XnA	Xenia silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Xenia	85	155	54	70	5.1	10.2
XnB	Xenia silt loam, 2 to 4 percent slopes	Xenia	90	155	54	70	5.1	10.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.