

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 De Kalb County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BaA	Blount silt loam, 0 to 2 percent slopes	Blount	85	140	46	63	4.6	9.2
BaB2	Blount silt loam, 1 to 4 percent slopes, eroded	Blount	85	135	44	61	4.5	9.0
BlA	Blount loam, 0 to 2 percent slopes	Blount	85	140	46	63	4.6	9.2
BlB	Blount loam, 2 to 6 percent slopes	Blount	85	140	46	63	4.6	9.2
Bn	Bono silty clay	Bono	100	150	42	60	5.0	10.0
BoB	Boyer sandy loam, 1 to 6 percent slopes	Boyer	85	100	35	50	3.3	6.6
BoC	Boyer sandy loam, 6 to 12 percent slopes	Boyer	85	90	32	45	3.0	6.0
CrA	Conover loam, 0 to 3 percent slopes	Conover	90	160	53	64	5.3	10.6
Em	Eel loam, frequently flooded	Eel	90	120	42	0	0.0	0.0
GnB2	Glynwood loam, 2 to 6 percent slopes, eroded	Glynwood	85	125	44	56	4.1	8.2
HaA	Haskins loam, 0 to 3 percent slopes	Haskins	90	160	53	72	5.3	10.6
HdB	Hillsdale fine sandy loam, 2 to 10 percent slopes	Hillsdale	100	115	40	46	3.8	7.6
Hw	Houghton muck, drained	Houghton, drained	75	165	44	66	5.4	10.8
Id	Landes fine sandy loam, frequently flooded	Landes	95	110	39	0	0.0	0.0
Mc	Martisco muck, undrained	Martisco, undrained	100	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 De Kalb County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MfB	Metea loamy sand, 2 to 6 percent slopes	Metea	100	110	39	44	3.6	7.2
MoC2	Morley silt loam, 6 to 12 percent slopes, eroded	Morley	100	115	40	52	3.8	7.6
MoD2	Morley silt loam, 12 to 18 percent slopes, eroded	Morley	100	100	35	45	3.3	6.6
MoE2	Morley silt loam, 18 to 30 percent slopes, eroded	Morley	100	---	---	---	0.0	0.0
MrC3	Morley silty clay loam, 6 to 12 percent slopes, severely eroded	Morley, severely eroded	100	105	37	47	3.5	7.0
MrD3	Morley silty clay loam, 12 to 18 percent slopes, severely eroded	Morley, severely eroded	100	90	32	41	3.0	6.0
OdB	Ormas loamy sand, 0 to 6 percent slopes	Ormas	100	100	35	50	3.3	6.6
OhB	Oshtemo sandy loam, 0 to 6 percent slopes	Oshtemo	100	110	39	55	3.6	7.2
Pe	Pewamo silty clay	Pewamo	100	155	44	62	5.1	10.2
RaB	Rawson sandy loam, 2 to 6 percent slopes	Rawson	90	145	51	65	4.8	9.6
Re	Rensselaer loam	Rensselaer	100	175	51	70	5.8	11.6
Se	Sebewa loam, disintegration moraine, 0 to 1 percent slopes	Sebewa, drained	85	130	35	65	4.3	8.6
SrB2	Strawn loam, 2 to 6 percent slopes, eroded	Strawn	90	140	49	56	4.6	9.2
SrC2	Strawn loam, 6 to 12 percent slopes, eroded	Strawn	100	130	46	52	4.3	8.6

COMPONENT CROP YIELDS (Majors Only)--Continued  
 De Kalb County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
StC3	Strawn clay loam, 6 to 12 percent slopes, severely eroded	Strawn, severely eroded	100	125	44	50	4.1	8.2
StD3	Strawn clay loam, 12 to 18 percent slopes, severely eroded	Strawn, severely eroded	100	110	39	44	3.6	7.2
Ud	Udorthents, loamy	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wallkill silt loam	Wallkill	100	165	47	66	5.4	10.8
Wt	Whitaker silt loam	Whitaker	90	155	51	62	5.1	10.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.