

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BdhAH—Bellcreek silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration					
Bellcreek	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
BdlC2—Belmore loam, 6 to 12 percent slopes, eroded					
Belmore	75	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BdmA—Belmore silt loam, 0 to 1 percent slopes					
Belmore	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BdmB2—Belmore silt loam, 1 to 5 percent slopes, eroded					
Belmore	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BdsAN—Benadum silt loam, drained, 0 to 1 percent slopes					
Benadum, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.05	Dusty	0.05
BdsAU—Benadum silt loam, undrained, 0 to 1 percent slopes					
Benadum, undrained	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.05	Dusty	0.05
BgmA—Blount silt loam, ground moraine, 0 to 2 percent slopes					
Blount, ground moraine	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BleA—Blount silt loam, end moraine, 0 to 2 percent slopes					
Blount, end moraine	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BmlA—Blount-Del Rey silt loams, 0 to 1 percent slopes					
Blount	55	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Del rey	30	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CdgC3—Casco sandy clay loam, 6 to 15 percent slopes, severely eroded					
Casco, severely eroded	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Slope	0.96	Slope	0.37
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CudA—Crosby silt loam, 0 to 2 percent slopes					
Crosby	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DdxA—Digby-Haney silt loams, 0 to 1 percent slopes					
Digby	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Haney	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EdxA—Eldean silt loam, 0 to 2 percent slopes					
Eldean	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.78	Sand content	0.78
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EdxB2—Eldean silt loam, 2 to 6 percent slopes, eroded					
Eldean	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.78	Sand content	0.78
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EdxC2—Eldean silt loam, 6 to 12 percent slopes, eroded					
Eldean	75	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.78	Sand content	0.78
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EdxD2—Eldean silt loam, 12 to 18 percent slopes, eroded					
Eldean	75	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Slope	1.00
		Sand content	0.78	Sand content	0.78
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EdxE2—Eldean silt loam, 18 to 35 percent slopes, eroded					
Eldean	75	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Sand content	0.78	Sand content	0.78
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FexB2—Fox loam, 2 to 6 percent slopes, eroded					
Fox	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FexC2—Fox loam, 6 to 12 percent slopes, eroded					
Fox	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FgoB2—Fox-Muncie complex, 2 to 6 percent slopes, eroded					
Fox	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Muncie	35	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FgoC2--Fox-Muncie complex, 6 to 12 percent slopes, eroded					
Fox	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Muncie	35	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FgrC3--Fox-Muncie clay loams, 6 to 12 percent slopes, severely eroded					
Fox, severely eroded	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Muncie, severely eroded	35	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FgrD3--Fox-Muncie clay loams, 12 to 18 percent slopes, severely eroded					
Fox, severely eroded	40	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Too sandy	1.00
		Too sandy	1.00	Slope	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Muncie, severely eroded	35	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GlnAH--Gessie-Eel silt loams, 0 to 1 percent slopes, frequently flooded, brief duration					
Gessie	50	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Eel	35	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GlpC2--Glynwood clay loam, 6 to 12 percent slopes, eroded					
Glynwood	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GlpC3—Glynwood clay loam, 6 to 12 percent slopes, severely eroded					
Glynwood	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GlqC2—Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded					
Glynwood	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GlrB2—Glynwood silt loam, 1 to 4 percent slopes, eroded					
Glynwood	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GlyB3—Glynwood-Mississinewa clay loams, 2 to 6 percent slopes, severely eroded					
Glynwood, severely eroded	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mississinewa, severely eroded	30	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GlyC3—Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded					
Glynwood	70	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mississinewa	15	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Water gathering surface	0.40
		Water gathering surface	0.40	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HtbAN—Houghton muck, drained, 0 to 1 percent slopes					
Houghton, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Seepage	0.22	Seepage	0.22
HtbAU—Houghton muck, undrained, 0 to 1 percent slopes					
Houghton, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Seepage	0.22	Seepage	0.22

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LdfAH—Lash loam, 0 to 1 percent slopes, frequently flooded, brief duration					
Lash	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LneAW—Lickcreek silt loam, 0 to 3 percent slopes, occasionally flooded, very brief duration					
Lickcreek	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LshC3—Losantville clay loam, 5 to 10 percent slopes, severely eroded					
Losantville, severely eroded	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.37	Dusty	0.04
		Dusty	0.04	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
LshD3—Losantville clay loam, 10 to 15 percent slopes, severely eroded					
Losantville, severely eroded	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LteE—Lybrand-Belmore loams, 15 to 30 percent slopes					
Lybrand	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.78	Wetness	0.78
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Belmore	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LteG—Lybrand-Belmore loams, 30 to 50 percent slopes					
Lybrand	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.78	Wetness	0.78
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Belmore	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MecA—Martinsville loam, 0 to 2 percent slopes					
Martinsville	80	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MecB—Martinsville loam, 2 to 6 percent slopes					
Martinsville	80	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MmcB2--Miami loam, 2 to 6 percent slopes, eroded					
Miami	80	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MmcC2--Miami loam, 6 to 12 percent slopes, eroded					
Miami	80	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MoeB2--Miamian silt loam, New Castle Till Plain, 2 to 6 percent slopes, eroded					
Miamian, eroded	90	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MoeC2--Miamian loam, 5 to 10 percent slopes, eroded					
Miamian	80	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.37	Dusty	0.04
		Dusty	0.04	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
MorA--Milford mucky silty clay, pothole, 0 to 1 percent slopes					
Milford, pothole	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MphA—Milford silty clay loam, stratified sandy substratum, 0 to 1 percent slopes					
Milford	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MprA—Milford silty clay loam, till substratum, 0 to 1 percent slopes					
Milford	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MryA—Millgrove silty clay loam, 0 to 1 percent slopes					
Millgrove	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
MumD2—Morley silt loam, 10 to 15 percent slopes, eroded					
Morley	80	Very limited		Somewhat limited	
		Slope	1.00	Wetness	0.97
		Wetness	0.97	Slope	0.84
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MvbD3—Morley-Mississinewa clay loams, 10 to 15 percent slopes, severely eroded					
Morley, severely eroded	55	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mississinewa, severely eroded	25	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MvxA—Mountpleasant silt loam, 0 to 2 percent slopes					
Mountpleasant	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MvxB2—Mountpleasant silt loam, 2 to 6 percent slopes, eroded					
Mountpleasant	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MvxC2—Mountpleasant silt loam, 6 to 12 percent slopes, eroded					
Mountpleasant	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MwzAN—Muskego muck, drained, 0 to 1 percent slopes					
Muskego, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.05	Dusty	0.05
MwzAU—Muskego muck, undrained, 0 to 1 percent slopes					
Muskego, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.05	Dusty	0.05
ObxA—Ockley silt loam, 0 to 2 percent slopes					
Ockley	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ObxB2—Ockley silt loam, 2 to 6 percent slopes, eroded					
Ockley	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PgaA—Pella silty clay loam, 0 to 1 percent slopes					
Pella	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PkKA—Pewamo silty clay loam, 0 to 1 percent slopes					
Pewamo	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pmg—Pits, gravel					
Pits, gravel	80	Not rated		Not rated	
Pml—Pits, quarry					
Pits, quarry	80	Not rated		Not rated	
ReyA—Rensselaer loam, 0 to 1 percent slopes					
Rensselaer	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RroAH—Ross-Lash loams, 0 to 1 percent slopes, frequently flooded, brief duration					
Ross	50	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Lash	35	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RrwB—Rawson loam, 1 to 5 percent slopes					
Rawson	80	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SgmAH—Shoals silt loam, 0 to 1 percent slopes, frequently flooded, brief duration					
Shoals	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SmsAH—Sloan silt loam, 0 to 1 percent slopes, frequently flooded, brief duration					
Sloan	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SnIA—Southwest silt loam, 0 to 1 percent slopes					
Southwest	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SvsE2—Strawn-Belmore loams, 15 to 30 percent slopes, eroded					
Strawn	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Belmore	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SvsG—Strawn-Belmore loams, 30 to 50 percent slopes					
Strawn	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Belmore	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ThrA—Treaty silty clay loam, 0 to 1 percent slopes					
Treaty	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Uam—Udorthents, loamy					
Udorthents, loamy	80	Somewhat limited		Somewhat limited	
		Wetness	0.50	Wetness	0.50
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UccA—Urban land-Crosby-Treaty complex, 0 to 2 percent slopes					
Urban land	45	Not rated		Not rated	
Crosby	20	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Treaty	15	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ucu—Udorthents, loamy-skeletal					
Udorthents, loamy-skeletal	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.79	Unstable excavation walls	0.79
		Sand content	0.78	Sand content	0.78

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UdmA—Urban land-Blount-Pewamo complex, 0 to 2 percent slopes					
Urban land	45	Not rated		Not rated	
Blount	20	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pewamo	15	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UemB—Urban land-Fox complex, 1 to 6 percent slopes					
Urban land	45	Not rated		Not rated	
Fox	30	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UetB—Urban land-Glynwood complex, 2 to 6 percent slopes					
Urban land	45	Not rated		Not rated	
Glynwood	30	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UfuA—Urban land-Millgrove complex, 0 to 1 percent slopes					
Urban land	45	Not rated		Not rated	
Millgrove	30	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
UhaB—Urban land-Wawaka-Miami complex, 1 to 6 percent slopes					
Urban land	40	Not rated		Not rated	
Wawaka	20	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Miami	15	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
W—Water					
Water	100	Not rated		Not rated	
WbgB3—Wapahani clay loam, 1 to 5 percent slopes, severely eroded					
Wapahani, severely eroded	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WbgC3—Wapahani clay loam, 5 to 10 percent slopes, severely eroded					
Wapahani, severely eroded	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.37	Dusty	0.03
		Dusty	0.03	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		

Selected Soil Interpretations--Delaware County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WdrA—Wawaka silt loam, 0 to 2 percent slopes					
Wawaka	75	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WdrB2—Wawaka silt loam, 2 to 6 percent slopes, eroded					
Wawaka	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WdrC2—Wawaka silt loam, 6 to 12 percent slopes, eroded					
Wawaka	75	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Dusty	0.04
		Dusty	0.04	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WonA—Williamstown silt loam, 0 to 2 percent slopes					
Williamstown	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Delaware County, Indiana
 Survey Area Data: Version 18, Sep 8, 2014