

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BdhAH	Bellcreek silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bellcreek	80	125	33	0	0.0	0.0
		Sloan	10	140	39	0	0.0	0.0
		Milford, stratified sandy substratum	5	160	46	64	5.3	10.6
		Shoals	5	130	42	0	0.0	0.0
BdlC2	Belmore loam, 6 to 12 percent slopes, eroded	Belmore	75	130	46	52	4.3	8.6
		Miami	5	130	46	59	4.3	8.6
		Miamian	5	115	40	52	3.8	7.6
		Mountpleasant	5	115	40	58	3.8	7.6
		Wawaka	5	130	46	52	4.3	8.6
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6
BdmA	Belmore silt loam, 0 to 1 percent slopes	Belmore	80	145	51	58	4.8	9.6
		Wawaka	10	145	51	58	4.8	9.6
		Digby	5	155	51	62	5.1	10.2
		Haney	5	145	51	58	4.8	9.6
BdmB2	Belmore silt loam, 1 to 5 percent slopes, eroded	Belmore	80	140	49	56	4.6	9.2
		Digby	5	155	51	62	5.1	10.2
		Haney	5	145	51	58	4.8	9.6
		Miamian	5	140	49	63	4.6	9.2
		Wawaka	5	140	49	56	4.6	9.2
BdsAN	Benadum silt loam, drained, 0 to 1 percent slopes	Benadum, drained	80	165	47	66	5.4	10.8
		Benadum, undrained	5	0	0	0	0.0	0.0
		Muskego, drained	5	135	33	54	4.5	9.0
		Pella	5	175	51	70	5.8	11.6
		Southwest	5	165	47	66	5.4	10.8

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BdsAU	Benadum silt loam, undrained, 0 to 1 percent slopes	Benadum, undrained	85	0	0	0	0.0	0.0
		Muskego, undrained	10	0	0	0	0.0	0.0
		Milford	5	0	0	0	0.0	0.0
BgmA	Blount silt loam, ground moraine, 0 to 2 percent slopes	Blount, ground moraine	85	140	46	63	4.6	9.2
		Pewamo, ground moraine	9	160	46	64	5.3	10.6
		Glynwood, ground moraine	6	130	46	59	4.3	8.6
BleA	Blount silt loam, end moraine, 0 to 2 percent slopes	Blount, end moraine	85	140	46	63	4.6	9.2
		Glynwood, end moraine	9	130	46	59	4.3	8.6
		Pewamo, end moraine	6	160	46	64	5.3	10.6
BmlA	Blount-Del Rey silt loams, 0 to 1 percent slopes	Blount	55	140	46	63	4.6	9.2
		Del Rey	30	140	46	56	4.6	9.2
		Glynwood	5	125	44	56	4.1	8.2
		Milford	5	160	46	64	5.3	10.6
		Pewamo	5	160	46	64	5.3	10.6
Cdgc3	Casco sandy clay loam, 6 to 15 percent slopes, severely eroded	Casco, severely eroded	80	100	35	50	3.3	6.6
		Fox	5	95	33	48	3.1	6.2
		Millgrove	5	175	51	70	5.8	11.6
		Sloan	5	140	39	0	0.0	0.0
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CudA	Crosby silt loam, 0 to 2 percent slopes	Crosby	80	140	46	63	4.6	9.2
		Del Rey	5	140	46	56	4.6	9.2
		Miamian	5	140	49	63	4.6	9.2
		Treaty	5	185	54	74	6.1	12.2
		Williamstown	5	145	51	65	4.8	9.6
DdxA	Digby-Haney silt loams, 0 to 1 percent slopes	Digby	45	155	51	62	5.1	10.2
		Haney	40	145	51	58	4.8	9.6
		Belmore	5	140	49	56	4.6	9.2
		Millgrove	5	175	51	70	5.8	11.6
		Williamstown	5	145	51	65	4.8	9.6
EdxA	Eldean silt loam, 0 to 2 percent slopes	Eldean	85	100	35	50	3.3	6.6
		Ockley	5	145	51	73	4.8	9.6
		Westland	5	175	51	88	5.8	11.6
		Sleeth	3	145	47	73	4.8	9.6
		Thackery	2	135	47	68	4.5	9.0
EdxB2	Eldean silt loam, 2 to 6 percent slopes, eroded	Eldean	80	95	33	48	3.1	6.2
		Digby	5	155	51	62	5.1	10.2
		Haney	5	145	51	58	4.8	9.6
		Mountpleasant	5	125	44	63	4.1	8.2
		Muncie	5	105	37	53	3.5	7.0
EdxC2	Eldean silt loam, 6 to 12 percent slopes, eroded	Eldean	75	85	30	43	2.8	5.6
		Casco, severly eroded	5	100	35	50	3.3	6.6
		Millgrove	5	175	51	70	5.8	11.6
		Mountpleasant	5	115	40	58	3.8	7.6
		Muncie, severly eroded	5	95	33	48	3.1	6.2
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EdxD2	Eldean silt loam, 12 to 18 percent slopes, eroded	Eldean	75	70	25	35	2.3	4.6
		Casco, severly eroded	5	100	35	50	3.3	6.6
		Millgrove	5	175	51	70	5.8	11.6
		Mountpleasant	5	115	40	58	3.8	7.6
		Muncie, severly eroded	5	80	28	40	2.6	5.2
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6
EdxE2	Eldean silt loam, 18 to 35 percent slopes, eroded	Eldean	75	---	---	---	0.0	0.0
		Belmore	5	---	---	---	0.0	0.0
		Lybrand	5	---	---	---	0.0	0.0
		Millgrove	5	175	51	70	5.8	11.6
		Sloan	5	140	39	0	0.0	0.0
		Strawn	5	---	---	---	0.0	0.0
FexB2	Fox loam, 2 to 6 percent slopes, eroded	Fox, eroded	80	95	33	48	3.1	6.2
		Ockley	8	135	47	68	4.5	9.0
		Fox, till substratum	6	100	35	50	3.3	6.6
		Westland, drained	6	160	46	80	5.3	10.6
FexC2	Fox loam, 6 to 12 percent slopes, eroded	Fox	80	85	30	43	2.8	5.6
		Casco, severly eroded	5	100	35	50	3.3	6.6
		Millgrove	5	175	51	70	5.8	11.6
		Ockley	5	130	46	65	4.3	8.6
		Sloan	5	140	39	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FgoB2	Fox-Muncie complex, 2 to 6 percent slopes, eroded	Fox	40	95	33	48	3.1	6.2
		Muncie	35	115	40	58	3.8	7.6
		Martinsville	11	145	51	58	4.8	9.6
		Rawson	9	150	53	68	5.0	10.0
		Ockley	5	130	46	65	4.3	8.6
FgoC2	Fox-Muncie complex, 6 to 12 percent slopes, eroded	Fox	40	85	30	43	2.8	5.6
		Muncie	35	105	37	53	3.5	7.0
		Belmore	5	130	46	52	4.3	8.6
		Lybrand	5	105	37	47	3.5	7.0
		Martinsville	5	145	51	58	4.8	9.6
		Ockley	5	130	46	65	4.3	8.6
		Rawson	5	150	53	68	5.0	10.0
FgrC3	Fox-Muncie clay loams, 6 to 12 percent slopes, severely eroded	Fox, severely eroded	40	80	28	40	2.6	5.2
		Muncie, severely eroded	35	95	33	48	3.1	6.2
		Casco, severly eroded	5	100	35	50	3.3	6.6
		Lybrand	5	105	37	47	3.5	7.0
		Martinsville	5	145	51	58	4.8	9.6
		Morley, severly eroded	5	105	37	47	3.5	7.0
		Rawson	5	150	53	68	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FgrD3	Fox-Muncie clay loams, 12 to 18 percent slopes, severely eroded	Fox, severely eroded	40	65	23	33	2.1	4.2
		Muncie, severely eroded	35	80	28	40	2.6	5.2
		Belmore	5	130	46	52	4.3	8.6
		Casco, severely eroded	5	100	35	50	3.3	6.6
		Lybrand	5	---	---	---	0.0	0.0
		Morley, severely eroded	5	90	32	41	3.0	6.0
		Rawson	5	150	53	68	5.0	10.0
GlnAH	Gessie-Eel silt loams, 0 to 1 percent slopes, frequently flooded, brief duration	Gessie	50	120	42	0	0.0	0.0
		Eel	35	120	42	0	0.0	0.0
		Lash	5	115	40	0	0.0	0.0
		Shoals	5	130	42	0	0.0	0.0
		Sloan	5	140	39	0	0.0	0.0
GlpC2	Glynwood clay loam, 6 to 12 percent slopes, eroded	Glynwood	85	115	40	52	3.8	7.6
		Blount	8	140	46	63	4.6	9.2
		Morley	7	120	42	54	4.0	8.0
GlpC3	Glynwood clay loam, 6 to 12 percent slopes, severely eroded	Glynwood	85	105	37	47	3.5	7.0
		Blount	8	140	46	63	4.6	9.2
		Pewamo	7	160	46	64	5.3	10.6
GlcC2	Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded	Glynwood	85	115	40	52	3.8	7.6
		Blount	8	140	46	63	4.6	9.2
		Pewamo	7	160	46	64	5.3	10.6

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GlrB2	Glynwood silt loam, 1 to 4 percent slopes, eroded	Glynwood	80	125	44	56	4.1	8.2
		Blount	13	140	46	63	4.6	9.2
		Pewamo	7	160	46	64	5.3	10.6
GlyB3	Glynwood-Mississinewa clay loams, 2 to 6 percent slopes, severely eroded	Glynwood, severely eroded	50	115	40	52	3.8	7.6
		Mississinewa, severely eroded	30	115	40	52	3.8	7.6
		Glynwood	7	125	44	56	4.1	8.2
		Blount	5	140	46	63	4.6	9.2
		Morley, severly eroded	5	105	37	47	3.5	7.0
		Pewamo	3	160	46	64	5.3	10.6
GlyC3	Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded	Glynwood	70	105	37	47	3.5	7.0
		Mississinewa	15	120	42	54	4.0	8.0
		Blount	8	140	46	63	4.6	9.2
		Morley	7	120	42	54	4.0	8.0
HtbAN	Houghton muck, drained, 0 to 1 percent slopes	Houghton, drained	75	155	40	62	5.1	10.2
		Benadum, drained	5	165	47	66	5.4	10.8
		Houghton, undrained	5	0	0	0	0.0	0.0
		Muskego, drained	5	135	33	54	4.5	9.0
		Pella	5	175	51	70	5.8	11.6
		Milford	3	160	46	64	5.3	10.6
		Pewamo	2	160	46	64	5.3	10.6

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HtbAU	Houghton muck, undrained, 0 to 1 percent slopes	Houghton, undrained	75	0	0	0	0.0	0.0
		Benadum, undrained	10	0	0	0	0.0	0.0
		Muskego, undrained	10	0	0	0	0.0	0.0
		Milford	3	0	0	0	0.0	0.0
		Sloan	2	0	0	0	0.0	0.0
LdfAH	Lash loam, 0 to 1 percent slopes, frequently flooded, brief duration	Lash	85	115	40	0	0.0	0.0
		Gessie	5	120	42	0	0.0	0.0
		Ross	5	135	47	0	0.0	0.0
		Sloan	5	140	39	0	0.0	0.0
LneAW	Lickcreek silt loam, 0 to 3 percent slopes, occasionally flooded, very brief duration	Lickcreek	80	145	51	20	4.8	9.6
		Fox	5	95	33	48	3.1	6.2
		Gessie	5	120	42	0	0.0	0.0
		Ross	5	135	47	0	0.0	0.0
		Sloan	5	140	39	0	0.0	0.0
LshC3	Losantville clay loam, 6 to 12 percent slopes, severely eroded	Losantville, severely eroded	85	105	37	47	3.5	7.0
		Miamian, eroded	7	125	44	56	4.1	8.2
		Crosby	5	140	46	63	4.6	9.2
		Treaty	3	185	54	74	6.1	12.2
LshD3	Losantville clay loam, 10 to 15 percent slopes, severely eroded	Losantville, severely eroded	80	90	32	41	3.0	6.0
		Miamian	5	130	46	59	4.3	8.6
		Shoals	5	130	42	0	0.0	0.0
		Southwest	5	165	47	66	5.4	10.8
		Strawn	5	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
LteE	Lybrand-Belmore loams, 15 to 30 percent slopes	Lybrand	45	---	---	---	0.0	0.0
		Belmore	30	---	---	---	0.0	0.0
		Casco, severely eroded	5	100	35	50	3.3	6.6
		Eldean	5	---	---	---	0.0	0.0
		Morley	5	100	35	45	3.3	6.6
		Muncie	5	105	37	53	3.5	7.0
		Sloan	5	140	39	0	0.0	0.0
LteG	Lybrand-Belmore loams, 30 to 50 percent slopes	Lybrand	45	---	---	---	0.0	0.0
		Belmore	30	---	---	---	0.0	0.0
		Eldean	10	---	---	---	0.0	0.0
		Morley	5	100	35	45	3.3	6.6
		Muncie	5	90	32	45	3.0	6.0
		Sloan	3	140	39	0	0.0	0.0
		Shoals	2	130	42	0	0.0	0.0
MecA	Martinsville loam, 0 to 2 percent slopes	Martinsville	80	145	51	58	4.8	9.6
		Digby	5	155	51	62	5.1	10.2
		Haney	5	145	51	58	4.8	9.6
		Wawaka	5	145	51	58	4.8	9.6
		Williamstown	5	145	51	65	4.8	9.6
MecB	Martinsville loam, 2 to 6 percent slopes	Martinsville	80	145	51	58	4.8	9.6
		Digby	5	155	51	62	5.1	10.2
		Haney	5	145	51	58	4.8	9.6
		Rawson	5	150	53	68	5.0	10.0
		Wawaka	5	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MmcB2	Miami loam, 2 to 6 percent slopes, eroded	Miami	80	140	49	63	4.6	9.2
		Crosby	5	140	46	63	4.6	9.2
		Wapahani, severly eroded	5	125	44	56	4.1	8.2
		Wawaka	5	140	49	56	4.6	9.2
		Williamstown	5	145	51	65	4.8	9.6
MmcC2	Miami loam, 6 to 12 percent slopes, eroded	Miami	80	130	46	59	4.3	8.6
		Belmore	5	130	46	52	4.3	8.6
		Southwest	5	165	47	66	5.4	10.8
		Wapahani, severly eroded	5	125	44	56	4.1	8.2
		Wawaka	5	130	46	52	4.3	8.6
MoeB2	Miamian silt loam, New Castle Till Plain, 2 to 6 percent slopes, eroded	Miamian, eroded	90	125	44	56	4.1	8.2
		Crosby	5	140	46	63	4.6	9.2
		Treaty	5	185	54	74	6.1	12.2
MoeC2	Miamian loam, 5 to 10 percent slopes, eroded	Miamian	80	115	40	52	3.8	7.6
		Belmore	5	130	46	52	4.3	8.6
		Losantville, severly eroded	5	90	32	41	3.0	6.0
		Mountpleasant	5	115	40	58	3.8	7.6
		Southwest	5	165	47	66	5.4	10.8
MorA	Milford mucky silty clay, pothole, 0 to 1 percent slopes	Milford, pothole	75	80	18	32	2.6	5.2
		Pella	10	140	39	56	4.6	9.2
		Benadum, drained	5	130	35	52	4.3	8.6
		Muskego, undrained	5	0	0	0	0.0	0.0
		Southwest	5	130	35	52	4.3	8.6

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MphA	Milford silty clay loam, stratified sandy substratum, 0 to 1 percent slopes	Milford	80	160	46	64	5.3	10.6
		Bellcreek	5	125	33	0	0.0	0.0
		Millgrove	5	175	51	70	5.8	11.6
		Pella	5	175	51	70	5.8	11.6
		Pewamo	5	160	46	64	5.3	10.6
MprA	Milford silty clay loam, till substratum, 0 to 1 percent slopes	Milford	75	160	46	64	5.3	10.6
		Pewamo	7	160	46	64	5.3	10.6
		Milford	5	160	46	64	5.3	10.6
		Pella	5	175	51	70	5.8	11.6
		Benadum, drained	3	165	47	66	5.4	10.8
		Muskego, drained	3	135	33	54	4.5	9.0
		Houghton, undrained	2	0	0	0	0.0	0.0
MryA	Millgrove silty clay loam, 0 to 1 percent slopes	Millgrove	80	175	51	70	5.8	11.6
		Digby	5	155	51	62	5.1	10.2
		Haney	5	145	51	58	4.8	9.6
		Milford, stratified sandy substratum	5	160	46	64	5.3	10.6
		Sloan	5	140	39	0	0.0	0.0
MumD2	Morley silt loam, 10 to 15 percent slopes, eroded	Morley	80	100	35	45	3.3	6.6
		Lybrand	5	---	---	---	0.0	0.0
		Mississinewa, severly eroded	5	90	32	41	3.0	6.0
		Muncie	5	105	37	53	3.5	7.0
		Shoals	3	130	42	0	0.0	0.0
		Sloan	2	140	39	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Mvbd3	Morley-Mississinewa clay loams, 10 to 15 percent slopes, severely eroded	Morley, severely eroded	55	90	32	41	3.0	6.0
		Mississinewa, severely eroded	25	90	32	41	3.0	6.0
		Lybrand	5	---	---	---	0.0	0.0
		Muncie, severly eroded	5	80	28	40	2.6	5.2
		Southwest	5	165	47	66	5.4	10.8
		Shoals	3	130	42	0	0.0	0.0
		Sloan	2	140	39	0	0.0	0.0
MvxA	Mountpleasant silt loam, 0 to 2 percent slopes	Mountpleasant	80	130	46	65	4.3	8.6
		Belmore	5	145	51	58	4.8	9.6
		Crosby	5	140	46	63	4.6	9.2
		Eldean	5	100	35	50	3.3	6.6
		Miamian	5	125	44	56	4.1	8.2
MvxB2	Mountpleasant silt loam, 2 to 6 percent slopes, eroded	Mountpleasant	80	125	44	63	4.1	8.2
		Belmore	5	145	51	58	4.8	9.6
		Crosby	5	140	46	63	4.6	9.2
		Eldean	5	85	30	43	2.8	5.6
		Miamian	5	140	49	63	4.6	9.2
MvxC2	Mountpleasant silt loam, 6 to 12 percent slopes, eroded	Mountpleasant	80	115	40	58	3.8	7.6
		Belmore	5	130	46	52	4.3	8.6
		Eldean	5	70	25	35	2.3	4.6
		Miamian	5	115	40	52	3.8	7.6
		Southwest	5	165	47	66	5.4	10.8

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MwzAN	Muskego muck, drained, 0 to 1 percent slopes	Muskego, drained	80	135	33	54	4.5	9.0
		Benadum, drained	5	165	47	66	5.4	10.8
		Houghton, drained	5	155	40	62	5.1	10.2
		Milford	5	160	46	64	5.3	10.6
		Muskego, undrained	5	0	0	0	0.0	0.0
MwzAU	Muskego muck, undrained, 0 to 1 percent slopes	Muskego, undrained	75	0	0	0	0.0	0.0
		Benadum, undrained	10	0	0	0	0.0	0.0
		Houghton, undrained	10	0	0	0	0.0	0.0
		Milford	3	0	0	0	0.0	0.0
		Sloan	2	0	0	0	0.0	0.0
ObxA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
		Fox	5	95	33	48	3.1	6.2
		Wawaka	5	145	51	58	4.8	9.6
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6
ObxB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley	85	130	46	65	4.3	8.6
		Fox	5	85	30	43	2.8	5.6
		Wawaka	5	140	49	56	4.6	9.2
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PgaA	Pella silty clay loam, 0 to 1 percent slopes	Pella	75	175	51	70	5.8	11.6
		Milford	10	160	46	64	5.3	10.6
		Millgrove	5	175	51	70	5.8	11.6
		Treaty	5	185	54	74	6.1	12.2
		Pewamo	3	160	46	64	5.3	10.6
		Benadum, drained	2	165	47	66	5.4	10.8
PkkA	Pewamo silty clay loam, 0 to 1 percent slopes	Pewamo	85	160	46	64	5.3	10.6
		Blount	9	140	46	63	4.6	9.2
		Minster	6	155	44	62	5.1	10.2
Pmg	Pits, gravel	Pits, gravel	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pits, quarry	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, loamy-skeletal	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Casco, severely eroded	3	100	35	50	3.3	6.6
		Fox	2	95	33	48	3.1	6.2
Pml	Pits, quarry	Pits, quarry	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pits, gravel	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, loamy	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Mississinewa, severely eroded	3	105	37	47	3.5	7.0
		Wapahani, severely eroded	2	135	47	61	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ReyA	Rensselaer loam, 0 to 1 percent slopes	Rensselaer	85	175	51	70	5.8	11.6
		Sloan	5	140	39	0	0.0	0.0
		Treaty	5	185	54	74	6.1	12.2
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6
RroAH	Ross-Lash loams, 0 to 1 percent slopes, frequently flooded, brief duration	Ross	50	135	47	0	0.0	0.0
		Lash	35	115	40	0	0.0	0.0
		Gessie	5	120	42	0	0.0	0.0
		Lickcreek	5	145	51	20	4.8	9.6
		Sloan	5	140	39	0	0.0	0.0
RrwB	Rawson loam, 1 to 5 percent slopes	Rawson	80	150	53	68	5.0	10.0
		Glynwood	7	125	44	56	4.1	8.2
		Blount	5	140	46	63	4.6	9.2
		Martinsville	5	145	51	58	4.8	9.6
		Mississinewa, severly eroded	3	105	37	47	3.5	7.0
SgmAH	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Sloan	4	145	40	20	4.8	9.6
		Genesee	2	120	42	0	0.0	0.0
SmsAH	Sloan silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Sloan	80	140	39	0	0.0	0.0
		Bellcreek	5	125	33	0	0.0	0.0
		Lash	5	115	40	0	0.0	0.0
		Shoals	5	130	42	0	0.0	0.0
		Southwest	5	165	47	66	5.4	10.8

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Sn1A	Southwest silt loam, 0 to 1 percent slopes	Southwest	80	165	47	66	5.4	10.8
		Benadum	10	165	47	66	5.4	10.8
		Shoals	5	130	42	0	0.0	0.0
		Sloan	5	140	39	0	0.0	0.0
SvsE2	Strawn-Belmore loams, 15 to 30 percent slopes, eroded	Strawn	45	---	---	---	0.0	0.0
		Belmore	30	---	---	---	0.0	0.0
		Casco, severly eroded	5	100	35	50	3.3	6.6
		Eldean	5	---	---	---	0.0	0.0
		Millgrove	5	175	51	70	5.8	11.6
		Sloan	5	140	39	0	0.0	0.0
		Wawaka	5	130	46	52	4.3	8.6
SvsG	Strawn-Belmore loams, 30 to 50 percent slopes	Strawn	45	---	---	---	0.0	0.0
		Belmore	30	---	---	---	0.0	0.0
		Eldean	5	---	---	---	0.0	0.0
		Millgrove	5	175	51	70	5.8	11.6
		Shoals	5	130	42	0	0.0	0.0
		Sloan	5	140	39	0	0.0	0.0
		Wawaka	5	130	46	52	4.3	8.6
ThrA	Treaty silty clay loam, 0 to 1 percent slopes	Treaty, drained	80	185	54	74	6.1	12.2
		Crosby	5	140	46	63	4.6	9.2
		Pella, drained	5	175	51	70	5.8	11.6
		Rensselaer, drained	5	175	51	70	5.8	11.6
		Southwest, drained	5	165	47	66	5.4	10.8

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Uam	Udorthents, loamy	Udorthents, loamy	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Mississinewa, severly eroded	5	115	40	52	3.8	7.6
		Udorthents, loamy-skeletal	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Urban land	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wapahani, severly eroded	5	135	47	61	4.5	9.0
UccA	Urban land-Crosby-Treaty complex, 0 to 2 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Crosby	20	0	0	0	0.0	0.0
		Treaty	15	0	0	0	0.0	0.0
		Miami	5	0	0	0	0.0	0.0
		Pella	5	0	0	0	0.0	0.0
		Rensselaer	5	0	0	0	0.0	0.0
		Udorthents, loamy	5	0	0	0	0.0	0.0
Ucu	Udorthents, loamy-skeletal	Udorthents, loamy-skeletal	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Casco, severly eroded	5	100	35	50	3.3	6.6
		Pits, gravel	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, loamy	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Urban land	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UdmA	Urban land-Blount-Pewamo complex, 0 to 2 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Blount	20	0	0	0	0.0	0.0
		Pewamo	15	0	0	0	0.0	0.0
		Del Rey	5	0	0	0	0.0	0.0
		Glynwood	5	0	0	0	0.0	0.0
		Milford	5	0	0	0	0.0	0.0
		Udorthents, loamy	5	0	0	0	0.0	0.0
UemB	Urban land-Fox complex, 1 to 6 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Fox	30	0	0	0	0.0	0.0
		Martinsville	5	0	0	0	0.0	0.0
		Ockley	5	0	0	0	0.0	0.0
		Ross	5	0	0	0	0.0	0.0
		Udorthents, loamy	5	0	0	0	0.0	0.0
		Udorthents, loamy-skeletal	5	0	0	0	0.0	0.0
UetB	Urban land-Glynwood complex, 2 to 6 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Glynwood	30	0	0	0	0.0	0.0
		Blount	5	0	0	0	0.0	0.0
		Mississinewa, severly eroded	5	0	0	0	0.0	0.0
		Morley	5	0	0	0	0.0	0.0
		Rawson	5	0	0	0	0.0	0.0
		Udorthents, loamy	5	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UfuA	Urban land-Millgrove complex, 0 to 1 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Millgrove	30	0	0	0	0.0	0.0
		Digby	5	0	0	0	0.0	0.0
		Milford	5	0	0	0	0.0	0.0
		Muskego	5	0	0	0	0.0	0.0
		Sloan	5	0	0	0	0.0	0.0
		Udorthents, loamy	5	0	0	0	0.0	0.0
UhaB	Urban land-Wawaka-Miami complex, 1 to 6 percent slopes	Urban land	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wawaka	20	0	0	0	0.0	0.0
		Miami	15	0	0	0	0.0	0.0
		Belmore	5	0	0	0	0.0	0.0
		Crosby	5	0	0	0	0.0	0.0
		Udorthents, loamy	5	0	0	0	0.0	0.0
		Wapahani, severly eroded	5	0	0	0	0.0	0.0
		Williamstown	5	0	0	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WbgB3	Wapahani clay loam, 1 to 5 percent slopes, severely eroded	Wapahani, severely eroded	85	135	47	61	4.5	9.0
		Miami	10	140	49	63	4.6	9.2
		Crosby	5	140	46	63	4.6	9.2
WbgC3	Wapahani clay loam, 5 to 10 percent slopes, severely eroded	Wapahani, severely eroded	80	125	44	56	4.1	8.2
		Belmore	5	130	46	52	4.3	8.6
		Miami	5	140	49	63	4.6	9.2
		Shoals	5	130	42	0	0.0	0.0
		Southwest	5	165	47	66	5.4	10.8

COMPONENT CROP YIELDS (RV)--Continued
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WdrA	Wawaka silt loam, 0 to 2 percent slopes	Wawaka	75	145	51	73	4.8	9.6
		Belmore	10	145	51	58	4.8	9.6
		Miami	5	140	49	63	4.6	9.2
		Williamstown	5	145	51	65	4.8	9.6
		Crosby	3	140	46	63	4.6	9.2
		Southwest	2	165	47	66	5.4	10.8
WdrB2	Wawaka silt loam, 2 to 6 percent slopes, eroded	Wawaka	80	140	49	70	4.6	9.2
		Belmore	5	140	49	56	4.6	9.2
		Miami	5	130	46	59	4.3	8.6
		Williamstown	5	145	51	65	4.8	9.6
		Crosby	3	140	46	63	4.6	9.2
		Southwest	2	165	47	66	5.4	10.8
WdrC2	Wawaka silt loam, 6 to 12 percent slopes, eroded	Wawaka	75	130	46	65	4.3	8.6
		Belmore	5	130	46	52	4.3	8.6
		Casco, severly eroded	5	100	35	50	3.3	6.6
		Miami	5	145	51	65	4.8	9.6
		Shoals	5	130	42	0	0.0	0.0
		Southwest	5	165	47	66	5.4	10.8
WonA	Williamstown silt loam, 0 to 2 percent slopes	Williamstown	80	145	51	65	4.8	9.6
		Crosby	5	140	46	63	4.6	9.2
		Haney	5	145	51	58	4.8	9.6
		Miami	5	140	49	63	4.6	9.2
		Wawaka	5	145	51	58	4.8	9.6