

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Delaware County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
BdhAH	Bellcreek silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	129	35	3	0.2	0.4
BdlC2	Belmore loam, 6 to 12 percent slopes, eroded	130	45	53	4.3	8.6
BdmA	Belmore silt loam, 0 to 1 percent slopes	146	51	58	4.8	9.6
BdmB2	Belmore silt loam, 1 to 5 percent slopes, eroded	141	49	56	4.6	9.2
BdsAN	Benadum silt loam, drained, 0 to 1 percent slopes	156	44	65	5.3	10.7
BdsAU	Benadum silt loam, undrained, 0 to 1 percent slopes	---	---	---	0.0	0.0
BgmA	Blount silt loam, ground moraine, 0 to 2 percent slopes	141	46	62	4.6	9.2
BleA	Blount silt loam, end moraine, 0 to 2 percent slopes	140	46	63	4.6	9.2
BmlA	Blount-Del Rey silt loams, 0 to 1 percent slopes	141	45	60	4.6	9.2
CdgC3	Casco sandy clay loam, 6 to 15 percent slopes, severely eroded	108	37	47	3.2	6.3
CudA	Crosby silt loam, 0 to 2 percent slopes	143	46	62	4.6	9.2
DdxA	Digby-Haney silt loams, 0 to 1 percent slopes	151	51	61	5.0	10.1
EdxA	Eldean silt loam, 0 to 2 percent slopes	108	37	50	3.3	6.7
EdxB2	Eldean silt loam, 2 to 6 percent slopes, eroded	103	36	47	3.2	6.3
EdxC2	Eldean silt loam, 6 to 12 percent slopes, eroded	96	33	42	2.9	5.7

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Delaware County, Indiana

EdxD2	Eldean silt loam, 12 to 18 percent slopes, eroded	84	29	35	2.4	4.7
EdxE2	Eldean silt loam, 18 to 35 percent slopes, eroded	---	---	---	0.0	0.1
FexB2	Fox loam, 2 to 6 percent slopes, eroded	102	35	48	3.1	6.3
FexC2	Fox loam, 6 to 12 percent slopes, eroded	95	32	40	2.7	5.4
FgoB2	Fox-Muncie complex, 2 to 6 percent slopes, eroded	114	40	49	3.3	6.7
FgoC2	Fox-Muncie complex, 6 to 12 percent slopes, eroded	104	36	44	3.0	6.1
FgrC3	Fox-Muncie clay loams, 6 to 12 percent slopes, severely eroded	96	33	42	2.8	5.6
FgrD3	Fox-Muncie clay loams, 12 to 18 percent slopes, severely eroded	78	27	34	2.3	4.6
GlnAH	Gessie-Eel silt loams, 0 to 1 percent slopes, frequently flooded, brief duration	121	42	0	0.0	0.0
GlpC2	Glynwood clay loam, 6 to 12 percent slopes, eroded	117	41	52	3.8	7.6
GlpC3	Glynwood clay loam, 6 to 12 percent slopes, severely eroded	112	38	47	3.5	7.0
GlcC2	Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded	120	41	52	3.8	7.6
GlrB2	Glynwood silt loam, 1 to 4 percent slopes, eroded	129	44	56	4.1	8.3
GlyB3	Glynwood-Mississinewa clay loams, 2 to 6 percent slopes, severely eroded	118	41	52	3.8	7.6
GlyC3	Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded	111	39	48	3.5	7.1

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Delaware County, Indiana

HtbAN	Houghton muck, drained, 0 to 1 percent slopes	148	39	61	5.1	10.1
HtbAU	Houghton muck, undrained, 0 to 1 percent slopes	---	---	---	0.0	0.0
LdfAH	Lash loam, 0 to 1 percent slopes, frequently flooded, brief duration	118	41	0	0.0	0.0
LneAW	Lickcreek silt loam, 0 to 3 percent slopes, occasionally flooded, very brief duration	141	49	20	0.2	0.5
LshC3	Losantville clay loam, 6 to 12 percent slopes, severely eroded	111	38	47	3.5	7.0
LshD3	Losantville clay loam, 10 to 15 percent slopes, severely eroded	93	32	38	2.9	5.7
LteE	Lybrand-Belmore loams, 15 to 30 percent slopes	---	---	---	0.1	0.1
LteG	Lybrand-Belmore loams, 30 to 50 percent slopes	---	---	---	0.0	0.1
MecA	Martinsville loam, 0 to 2 percent slopes	146	51	58	4.8	9.6
MecB	Martinsville loam, 2 to 6 percent slopes	146	51	58	4.8	9.6
MmcB2	Miami loam, 2 to 6 percent slopes, eroded	140	49	63	4.6	9.2
MmcC2	Miami loam, 6 to 12 percent slopes, eroded	132	46	58	4.3	8.6
MoeB2	Miamian silt loam, New Castle Till Plain, 2 to 6 percent slopes, eroded	129	44	56	4.1	8.2
MoeC2	Miamian loam, 5 to 10 percent slopes, eroded	117	40	51	3.8	7.6
MorA	Milford mucky silty clay, pothole, 0 to 1 percent slopes	87	20	33	2.7	5.3
MphA	Milford silty clay loam, stratified sandy substratum, 0 to 1 percent slopes	160	45	61	5.0	10.1

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Delaware County, Indiana

MprA	Milford silty clay loam, till substratum, 0 to 1 percent slopes	157	45	64	5.3	10.6
MryA	Millgrove silty clay loam, 0 to 1 percent slopes	170	50	66	5.5	11.0
MumD2	Morley silt loam, 10 to 15 percent slopes, eroded	96	33	43	3.1	6.2
MvbD3	Morley-Mississinewa clay loams, 10 to 15 percent slopes, severely eroded	91	31	38	2.8	5.7
MvxA	Mountpleasant silt loam, 0 to 2 percent slopes	130	45	64	4.3	8.6
MvxB2	Mountpleasant silt loam, 2 to 6 percent slopes, eroded	126	44	61	4.1	8.2
MvxC2	Mountpleasant silt loam, 6 to 12 percent slopes, eroded	116	40	56	3.8	7.6
MwzAN	Muskego muck, drained, 0 to 1 percent slopes	132	33	54	4.5	9.0
MwzAU	Muskego muck, undrained, 0 to 1 percent slopes	---	---	---	0.0	0.0
ObxA	Ockley silt loam, 0 to 2 percent slopes	134	47	66	4.5	9.0
ObxB2	Ockley silt loam, 2 to 6 percent slopes, eroded	129	45	64	4.3	8.6
PgaA	Pella silty clay loam, 0 to 1 percent slopes	173	50	70	5.8	11.6
Pkka	Pewamo silty clay loam, 0 to 1 percent slopes	158	45	65	5.3	10.6
Pmg	Pits, gravel	---	---	---	0.0	0.0
Pml	Pits, quarry	---	---	---	0.0	0.0
ReyA	Rensselaer loam, 0 to 1 percent slopes	173	50	66	5.5	11.0
RroAH	Ross-Lash loams, 0 to 1 percent slopes, frequently flooded, brief duration	128	44	1	0.0	0.0
RrwB	Rawson loam, 1 to 5 percent slopes	146	51	67	5.0	10.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Delaware County, Indiana

SgmAH	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	42	1	0.0	0.0
SmsAH	Sloan silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	139	39	3	0.2	0.5
SnIA	Southwest silt loam, 0 to 1 percent slopes	162	47	59	4.9	9.7
SvsE2	Strawn-Belmore loams, 15 to 30 percent slopes, eroded	---	---	---	0.1	0.2
SvsG	Strawn-Belmore loams, 30 to 50 percent slopes	---	---	---	0.1	0.1
ThrA	Treaty silty clay loam, 0 to 1 percent slopes	181	53	74	6.1	12.2
Uam	Udorthents, loamy	---	---	---	0.1	0.1
UccA	Urban land-Crosby-Treaty complex, 0 to 2 percent slopes	0	0	0	0.0	0.0
Ucu	Udorthents, loamy-skeletal	---	---	---	0.0	0.1
UdmA	Urban land-Blount-Pewamo complex, 0 to 2 percent slopes	0	0	0	0.0	0.0
UemB	Urban land-Fox complex, 1 to 6 percent slopes	0	0	0	0.0	0.0
UetB	Urban land-Glynwood complex, 2 to 6 percent slopes	0	0	0	0.0	0.0
UfuA	Urban land-Millgrove complex, 0 to 1 percent slopes	0	0	0	0.0	0.0
UhaB	Urban land-Wawaka-Miami complex, 1 to 6 percent slopes	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
WbgB3	Wapahani clay loam, 1 to 5 percent slopes, severely eroded	136	47	61	4.5	9.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
Delaware County, Indiana

WbgC3	Wapahani clay loam, 5 to 10 percent slopes, severely eroded	128	44	53	3.9	7.8
WdrA	Wawaka silt loam, 0 to 2 percent slopes	145	50	70	4.8	9.6
WdrB2	Wawaka silt loam, 2 to 6 percent slopes, eroded	140	49	68	4.6	9.2
WdrC2	Wawaka silt loam, 6 to 12 percent slopes, eroded	131	45	60	4.1	8.2
WonA	Williamstown silt loam, 0 to 2 percent slopes	145	50	65	4.8	9.6