

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
AvB2	Avonburg silt loam, 2 to 6 percent slopes, eroded	Avonburg	90	140	47	63	4.6	9.2
BbA	Birkbeck silt loam, 0 to 2 percent slopes	Birkbeck	90	160	56	64	5.3	10.6
BbB1	Birkbeck silt loam, 2 to 6 percent slopes, slightly eroded	Birkbeck	90	160	56	64	5.3	10.6
BbB2	Birkbeck silt loam, 2 to 6 percent slopes, moderately eroded	Birkbeck	90	155	54	62	5.1	10.2
Bp	Borrow pits	Borrow pits	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Br	Brookston silt loam	Brookston	100	185	54	74	6.1	12.2
By	Brookston silty clay loam, 0 to 2 percent slopes	Brookston	95	175	51	70	5.8	11.6
CcB1	Cincinnati silt loam, 2 to 6 percent slopes, slightly eroded	Cincinnati	100	135	47	61	4.5	9.0
CcB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
CcC1	Cincinnati silt loam, 6 to 12 percent slopes, slightly eroded	Cincinnati	100	125	44	56	4.1	8.2
CcC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati, eroded	85	105	37	47	3.5	7.0
CcD1	Cincinnati silt loam, 12 to 18 percent slopes, slightly eroded	Cincinnati	100	120	42	48	4.0	8.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CcD2	Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded	Cincinnati	100	115	40	46	3.8	7.6
CcE1	Cincinnati silt loam, 18 to 25 percent slopes, slightly eroded	Cincinnati	100	---	---	---	3.3	6.6
CcE2	Cincinnati silt loam, 18 to 25 percent slopes, moderately eroded	Cincinnati	100	---	---	---	3.1	6.2
CcF2	Cincinnati silt loam, 25 to 45 percent slopes, eroded	Cincinnati	100	---	---	---	0.0	0.0
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	90	100	35	45	3.3	6.6
CnD3	Cincinnati soils, 12 to 18 percent slopes, severely eroded	Cincinnati, severely eroded	100	110	39	44	3.6	7.2
CnE3	Cincinnati soils, 18 to 25 percent slopes, severely eroded	Cincinnati, severely eroded	100	---	---	---	3.0	6.0
Co	Cope silt loam	Cope	100	185	54	83	6.1	12.2
Cp	Cope silty clay loam	Cope	100	185	54	83	6.1	12.2
CrA	Crosby silt loam, 0 to 2 percent slopes	Crosby	85	140	46	63	4.6	9.2
CrB1	Crosby silt loam, 2 to 4 percent slopes, slightly eroded	Crosby, eroded	85	140	46	63	4.6	9.2
CrB2	Crosby silt loam, 2 to 4 percent slopes, eroded	Crosby, eroded	85	135	44	61	4.5	9.0
De	Delmar silt loam	Delmar	90	175	51	79	5.8	11.6
Ee	Eel loam	Eel	90	120	42	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Es	Eel silt loam	Eel	90	120	42	0	0.0	0.0
FaB	Fairmount silty clay loam, 2 to 6 percent slopes	Fairmount	100	75	26	34	2.5	5.0
FaC	Fairmount silty clay loam, 6 to 12 percent slopes	Fairmount	100	65	23	29	2.1	4.2
FaD	Fairmount silty clay loam, 12 to 18 percent slopes	Fairmount	100	50	18	23	1.7	3.4
FaE	Fairmount silty clay loam, 18 to 25 percent slopes	Fairmount	100	---	---	---	1.2	2.4
FaF	Fairmount silty clay loam, 25 to 35 percent slopes	Fairmount	100	---	---	---	0.0	0.0
FaG	Fairmount silty clay loam, 35 to 50 percent slopes	Fairmount	100	---	---	---	0.0	0.0
FcA	Fincastle silt loam, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
FcB1	Fincastle silt loam, 2 to 6 percent slopes, slightly eroded	Fincastle	90	165	54	74	5.4	10.8
FcB2	Fincastle silt loam, 2 to 6 percent slopes, moderately eroded	Fincastle	90	160	53	72	5.3	10.6
FeA	Fincastle-Crosby silt loams, 0 to 2 percent slopes	Fincastle	55	165	54	74	5.4	10.8
		Crosby	30	140	46	63	4.6	9.2
FeB	Fincastle and Crosby silt loams, 2 to 6 percent slopes	Fincastle	45	165	54	74	5.4	10.8
		Crosby	45	140	46	63	4.6	9.2
FeB2	Fincastle and Crosby silt loams, 2 to 6 percent slopes, eroded	Fincastle	45	160	53	72	5.3	10.6
		Crosby	45	135	44	61	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FmA	Fox loam, 0 to 2 percent slopes	Fox	80	100	35	50	3.3	6.6
FmB1	Fox loam, 2 to 6 percent slopes, slightly eroded	Fox	100	100	35	50	3.3	6.6
FmB2	Fox loam, 2 to 6 percent slopes, moderately eroded	Fox	100	95	33	48	3.1	6.2
FmC2	Fox loam, 6 to 12 percent slopes, moderately eroded	Fox	100	85	30	43	2.8	5.6
FnA	Fox silt loam, 0 to 2 percent slopes	Fox	85	100	35	50	3.3	6.6
FnB1	Fox silt loam, 2 to 6 percent slopes, slightly eroded	Fox	100	100	35	50	3.3	6.6
FnB2	Fox silt loam, 2 to 6 percent slopes, moderately eroded	Fox	100	95	33	48	3.1	6.2
FnC2	Fox silt loam, 6 to 12 percent slopes, moderately eroded	Fox	100	85	30	43	2.8	5.6
FnD1	Fox silt loam, 12 to 18 percent slopes, slightly eroded	Fox	100	75	26	38	2.5	5.0
FnD2	Fox silt loam, 12 to 18 percent slopes, moderately eroded	Fox	100	70	25	35	2.3	4.6
FoB2	Fox silt loam, kames, 2 to 6 percent slopes, moderately eroded	Fox, kames	100	95	33	48	3.1	6.2
FoC2	Fox silt loam, kames, 6 to 12 percent slopes, moderately eroded	Fox, kames	100	85	30	43	2.8	5.6
FpC3	Fox soils, 6 to 12 percent slopes, severely eroded	Fox, severely eroded	100	80	28	40	2.6	5.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FrC3	Fox soils, kames, 6 to 12 percent slopes, severely eroded	Fox, kames	100	80	28	40	2.6	5.2
FsD2	Fox and Rodman loams, 12 to 18 percent slopes, moderately eroded	Fox	50	70	25	35	2.3	4.6
		Rodman	50	40	14	20	1.3	2.6
FtD2	Fox and Rodman loams, kames, 12 to 18 percent slopes, moderately eroded	Fox, kames	50	70	25	35	2.3	4.6
		Rodman, kames	50	40	14	20	1.3	2.6
FtE2	Fox and Rodman loams, kames, 18 to 25 percent slopes, moderately eroded	Fox, kames	50	---	---	---	1.8	3.6
		Rodman, kames	50	---	---	---	0.8	1.6
FvD3	Fox and Rodman soils, 12 to 18 percent slopes, severely eroded	Fox, severely eroded	50	65	23	33	2.1	4.2
		Rodman, severely eroded	50	30	11	15	1.0	2.0
FxD3	Fox and Rodman soils, kames, 12 to 18 percent slopes, severely eroded	Fox, kames, severely eroded	50	65	23	33	2.1	4.2
		Rodman, kames, severely eroded	50	30	11	15	1.0	2.0
Ge	Genesee fine sandy loam	Genesee	90	115	40	0	0.0	0.0
Gg	Genesee gravelly loam	Genesee	90	115	40	0	0.0	0.0
Gm	Genesee loam	Genesee	90	120	42	0	0.0	0.0
Go	Genesee loam, high bottom	Genesee, high bottom	90	135	47	19	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Gs	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Genesee	90	120	42	0	0.0	0.0
Gt	Genesee silt loam, 0 to 2 percent slopes, occasionally flooded	Genesee	85	125	44	18	4.1	8.2
Gv	Gravel pits	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HeF1	Hennepin loam, 25 to 35 percent slopes, slightly eroded	Hennepin	100	---	---	---	0.0	0.0
HeF2	Hennepin loam, 25 to 35 percent slopes, moderately eroded	Hennepin	100	---	---	---	0.0	0.0
HeG1	Hennepin loam, 35 to 50 percent slopes, slightly eroded	Hennepin	100	---	---	---	0.0	0.0
HeG2	Hennepin loam, 35 to 50 percent slopes, moderately eroded	Hennepin	100	---	---	---	0.0	0.0
Ho	Homer silt loam	Homer	90	110	35	55	3.6	7.2
Ko	Kokomo silty clay loam, 0 to 2 percent slopes	Kokomo	90	170	49	68	5.6	11.2
Ma	Made land	Made land	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MbA	Manlove silt loam, 0 to 2 percent slopes	Manlove	100	160	56	72	5.3	10.6
MbB1	Manlove silt loam, 2 to 6 percent slopes, slightly eroded	Manlove	100	160	56	72	5.3	10.6
MbB2	Manlove silt loam, 2 to 6 percent slopes, moderately eroded	Manlove	100	155	54	70	5.1	10.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
McA	Martinsville silt loam, 0 to 2 percent slopes	Martinsville	100	140	49	56	4.6	9.2
McB1	Martinsville silt loam, 2 to 6 percent slopes, slightly eroded	Martinsville	100	140	49	56	4.6	9.2
McB2	Martinsville silt loam, 2 to 6 percent slopes, moderately eroded	Martinsville	100	135	47	54	4.5	9.0
McC2	Martinsville silt loam, 6 to 12 percent slopes, moderately eroded	Martinsville	100	125	44	50	4.1	8.2
McD2	Martinsville silt loam, 12 to 18 percent slopes, moderately eroded	Martinsville	100	110	39	44	3.6	7.2
MmA	Miami silt loam, 0 to 2 percent slopes	Miami	100	145	51	58	4.8	9.6
MmB1	Miami silt loam, 2 to 6 percent slopes, slightly eroded	Miami	90	145	51	65	4.8	9.6
MmB2	Miami silt loam, 2 to 6 percent slopes, moderately eroded	Miami	90	140	49	63	4.6	9.2
MmC1	Miami silt loam, 6 to 12 percent slopes, slightly eroded	Miami	90	135	47	61	4.5	9.0
MmC2	Miami silt loam, 6 to 12 percent slopes, moderately eroded	Miami	90	130	46	59	4.3	8.6
MmD1	Miami silt loam, 12 to 18 percent slopes, slightly eroded	Miami	90	120	42	54	4.0	8.0
MmD2	Miami silt loam, 12 to 18 percent slopes, moderately eroded	Miami	90	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MmE1	Miami silt loam, 18 to 25 percent slopes, slightly eroded	Miami	90	---	---	---	3.5	7.0
MmE2	Miami silt loam, 18 to 25 percent slopes, moderately eroded	Miami	90	---	---	---	3.3	6.6
MsB3	Miami soils, 2 to 6 percent slopes, severely eroded	Miami, shallow subsoil, severely eroded	90	135	47	61	4.5	9.0
MsC3	Miami soils, 6 to 12 percent slopes, severely eroded	Miami, shallow subsoil, severely eroded	90	125	44	56	4.1	8.2
MsD3	Miami soils, 12 to 18 percent slopes, severely eroded	Miami, shallow subsoil, severely eroded	90	110	39	50	3.6	7.2
MsE3	Miami soils, 18 to 25 percent slopes, severely eroded	Miami, shallow subsoil, severely eroded	90	---	---	---	3.1	6.2
MtB1	Milton silt loam, 2 to 6 percent slopes, slightly eroded	Milton	100	100	35	40	3.3	6.6
MtB2	Milton silt loam, 2 to 6 percent slopes, moderately eroded	Milton	100	95	33	38	3.1	6.2
Nn	Nineveh loam	Nineveh	100	110	39	55	3.6	7.2
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	100	135	47	68	4.5	9.0
OcB1	Ockley silt loam, 2 to 6 percent slopes, slightly eroded	Ockley	100	135	47	68	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OcB2	Ockley silt loam, 2 to 6 percent slopes, moderately eroded	Ockley	100	130	46	65	4.3	8.6
OcC2	Ockley silt loam, 6 to 12 percent slopes, moderately eroded	Ockley	100	120	42	60	4.0	8.0
OkB3	Ockley soils, 2 to 6 percent slopes, severely eroded	Ockley, severely eroded	100	125	44	63	4.1	8.2
OkC3	Ockley soils, 6 to 12 percent slopes, severely eroded	Ockley, severely eroded	100	115	40	58	3.8	7.6
ReA	Reesville silt loam, 0 to 2 percent slopes	Reesville	90	170	56	77	5.6	11.2
ReA2	Reesville silt loam, 0 to 2 percent slopes, moderately eroded	Reesville	90	165	54	74	5.4	10.8
ReB2	Reesville silt loam, 2 to 6 percent slopes, moderately eroded	Reesville	90	165	54	74	5.4	10.8
RgD2	Rodman gravelly loam, 12 to 18 percent slopes, moderately eroded	Rodman	100	35	12	18	1.2	2.4
RgE1	Rodman gravelly loam, 18 to 25 percent slopes, slightly eroded	Rodman	100	---	---	---	0.7	1.4
RgE2	Rodman gravelly loam, 18 to 25 percent slopes, moderately eroded	Rodman	100	---	---	---	0.7	1.4
RgF2	Rodman gravelly loam, 25 to 50 percent slopes, eroded	Rodman	100	0	0	0	0.0	0.0
Ro	Ross silt loam	Ross	100	140	49	20	4.6	9.2
RsA	Russell silt loam, 0 to 2 percent slopes	Russell	100	155	54	70	5.1	10.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RsB1	Russell silt loam, 2 to 6 percent slopes, slightly eroded	Russell	100	155	54	70	5.1	10.2
RsB2	Russell silt loam, 2 to 6 percent slopes, eroded	Russell, eroded	85	150	53	68	5.0	10.0
RsC1	Russell silt loam, 6 to 12 percent slopes, slightly eroded	Russell	100	145	51	65	4.8	9.6
RsC2	Russell silt loam, 6 to 12 percent slopes, moderately eroded	Russell	100	140	49	63	4.6	9.2
RsD1	Russell silt loam, 12 to 18 percent slopes, slightly eroded	Russell	100	130	46	59	4.3	8.6
RsD2	Russell silt loam, 12 to 18 percent slopes, moderately eroded	Russell	100	125	44	56	4.1	8.2
RsE1	Russell silt loam, 18 to 25 percent slopes, slightly eroded	Russell	100	---	---	---	3.8	7.6
RsE2	Russell silt loam, 18 to 25 percent slopes, moderately eroded	Russell	100	---	---	---	3.6	7.2
RtB3	Russell soils, 2 to 6 percent slopes, severely eroded	Russell, thin solum, severely eroded	100	145	51	65	4.8	9.6
RtC3	Russell soils, 6 to 12 percent slopes, severely eroded	Russell, thin solum, severely eroded	100	135	47	61	4.5	9.0
RtD3	Russell soils, 12 to 18 percent slopes, severely eroded	Russell, thin solum, severely eroded	100	120	42	54	4.0	8.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RtE3	Russell soils, 18 to 25 percent slopes, severely eroded	Russell, thin solum, severely eroded	100	---	---	---	3.5	7.0
RuA	Russell and Miami silt loams, 0 to 2 percent slopes	Russell	50	155	54	70	5.1	10.2
		Miami	50	145	51	65	4.8	9.6
RuB1	Russell and Miami silt loams, 2 to 6 percent slopes, slightly eroded	Russell	50	155	54	70	5.1	10.2
		Miami	50	145	51	65	4.8	9.6
RuB2	Russell and Miami silt loams, 2 to 6 percent slopes, moderately eroded	Russell	50	150	53	68	5.0	10.0
		Miami	50	140	49	63	4.6	9.2
RuC1	Russell and Miami silt loams, 6 to 12 percent slopes, slightly eroded	Russell	50	145	51	65	4.8	9.6
		Miami	50	135	47	61	4.5	9.0
RuC2	Russell and Miami silt loams, 6 to 12 percent slopes, moderately eroded	Russell	50	140	49	63	4.6	9.2
		Miami	50	130	46	59	4.3	8.6
RvB3	Russell and Miami soils, 2 to 6 percent slopes, severely eroded	Russell, severely eroded	50	145	51	65	4.8	9.6
		Miami, severely eroded	50	135	47	61	4.5	9.0
RvC3	Russell and Miami soils, 6 to 12 percent slopes, severely eroded	Russell, severely eroded	50	135	47	61	4.5	9.0
		Miami, severely eroded	50	125	44	56	4.1	8.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Rw	Riverwash	Riverwash	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
Sn	Sloan silt loam	Sloan	100	140	39	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
We	Westland silt loam	Westland	100	165	47	83	5.4	10.8
WhA	Whitaker silt loam, 0 to 2 percent slopes	Whitaker	90	155	51	62	5.1	10.2
WhB	Whitaker silt loam, 2 to 6 percent slopes	Whitaker	90	155	51	62	5.1	10.2
WnB2	Wynn silt loam, 2 to 6 percent slopes, moderately eroded	Wynn	100	95	33	38	3.1	6.2
WnC2	Wynn silt loam, 6 to 12 percent slopes, moderately eroded	Wynn	100	85	30	34	2.8	5.6
WnD2	Wynn silt loam, 12 to 25 percent slopes, moderately eroded	Wynn	100	70	25	28	2.3	4.6
WyC3	Wynn soils, 6 to 12 percent slopes, severely eroded	Wynn, severely eroded	100	75	26	30	2.5	5.0
XeA	Xenia silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Xenia	85	155	54	70	5.1	10.2
XeB1	Xenia silt loam, 2 to 6 percent slopes, slightly eroded	Xenia	100	155	54	70	5.1	10.2
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
XnA	Xenia and Celina silt loams, 0 to 2 percent slopes	Xenia	50	155	54	70	5.1	10.2
		Celina	50	130	46	59	4.3	8.6
XnB1	Xenia and Celina silt loams, 2 to 6 percent slopes, slightly eroded	Xenia	50	155	54	70	5.1	10.2
		Celina	50	130	46	59	4.3	8.6
XnB2	Xenia and Celina silt loams, 2 to 6 percent slopes, moderately eroded	Xenia	50	150	53	68	5.0	10.0
		Celina	50	125	44	56	4.1	8.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.