

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fayette County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	145	48	65	4.8	9.6
AvB2	Avonburg silt loam, 2 to 6 percent slopes, eroded	140	47	63	4.6	9.2
BbA	Birkbeck silt loam, 0 to 2 percent slopes	160	56	64	5.3	10.6
BbB1	Birkbeck silt loam, 2 to 6 percent slopes, slightly eroded	160	56	64	5.3	10.6
BbB2	Birkbeck silt loam, 2 to 6 percent slopes, moderately eroded	155	54	62	5.1	10.2
Bp	Borrow pits	0	0	0	0	0
Br	Brookston silt loam	185	54	74	6.1	12.2
By	Brookston silty clay loam, 0 to 2 percent slopes	173	50	70	5.8	11.6
CcB1	Cincinnati silt loam, 2 to 6 percent slopes, slightly eroded	135	47	61	4.5	9
CcB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	116	41	51	3.8	7.6
CcC1	Cincinnati silt loam, 6 to 12 percent slopes, slightly eroded	125	44	56	4.1	8.2
CcC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	106	37	47	3.5	7
CcD1	Cincinnati silt loam, 12 to 18 percent slopes, slightly eroded	120	42	48	4	8
CcD2	Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded	115	40	46	3.8	7.6
CcE1	Cincinnati silt loam, 18 to 25 percent slopes, slightly eroded	0	0	0	0	0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fayette County, Indiana

CcE2	Cincinnati silt loam, 18 to 25 percent slopes, moderately eroded	0	0	0	0	0
CcF2	Cincinnati silt loam, 25 to 45 percent slopes, eroded	0	0	0	0	0
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	99	35	44	3.3	6.6
CnD3	Cincinnati soils, 12 to 18 percent slopes, severely eroded	110	39	44	3.6	7.2
CnE3	Cincinnati soils, 18 to 25 percent slopes, severely eroded	0	0	0	0	0
Co	Cope silt loam	185	54	83	6.1	12.2
Cp	Cope silty clay loam	185	54	83	6.1	12.2
CrA	Crosby silt loam, 0 to 2 percent slopes	143	46	63	4.6	9.2
CrB1	Crosby silt loam, 2 to 4 percent slopes, slightly eroded	143	46	63	4.6	9.2
CrB2	Crosby silt loam, 2 to 4 percent slopes, eroded	139	45	60	4.5	9
De	Delmar silt loam	175	51	79	5.8	11.6
Ee	Eel loam	120	42	0	0	0
Es	Eel silt loam	120	42	0	0	0
FaB	Fairmount silty clay loam, 2 to 6 percent slopes	75	26	34	2.5	5
FaC	Fairmount silty clay loam, 6 to 12 percent slopes	65	23	29	2.1	4.2
FaD	Fairmount silty clay loam, 12 to 18 percent slopes	50	18	23	1.7	3.4
FaE	Fairmount silty clay loam, 18 to 25 percent slopes	0	0	0	0	0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fayette County, Indiana

FaF	Fairmount silty clay loam, 25 to 35 percent slopes	0	0	0	0	0
FaG	Fairmount silty clay loam, 35 to 50 percent slopes	0	0	0	0	0
FcA	Fincastle silt loam, 0 to 2 percent slopes	166	54	74	5.4	10.8
FcB1	Fincastle silt loam, 2 to 6 percent slopes, slightly eroded	165	54	74	5.4	10.8
FcB2	Fincastle silt loam, 2 to 6 percent slopes, moderately eroded	160	53	72	5.3	10.6
FeA	Fincastle-Crosby silt loams, 0 to 2 percent slopes	156	51	72	5.3	10.5
FeB	Fincastle and Crosby silt loams, 2 to 6 percent slopes	153	50	72	5.2	10.4
FeB2	Fincastle and Crosby silt loams, 2 to 6 percent slopes, eroded	148	48	69	5.1	10.2
FmA	Fox loam, 0 to 2 percent slopes	109	38	50	3.3	6.7
FmB1	Fox loam, 2 to 6 percent slopes, slightly eroded	100	35	50	3.3	6.6
FmB2	Fox loam, 2 to 6 percent slopes, moderately eroded	95	33	48	3.1	6.2
FmC2	Fox loam, 6 to 12 percent slopes, moderately eroded	85	30	43	2.8	5.6
FnA	Fox silt loam, 0 to 2 percent slopes	107	37	50	3.3	6.6
FnB1	Fox silt loam, 2 to 6 percent slopes, slightly eroded	100	35	50	3.3	6.6
FnB2	Fox silt loam, 2 to 6 percent slopes, moderately eroded	95	33	48	3.1	6.2
FnC2	Fox silt loam, 6 to 12 percent slopes, moderately eroded	85	30	43	2.8	5.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fayette County, Indiana

FnD1	Fox silt loam, 12 to 18 percent slopes, slightly eroded	75	26	38	2.5	5
FnD2	Fox silt loam, 12 to 18 percent slopes, moderately eroded	70	25	35	2.3	4.6
FoB2	Fox silt loam, kames, 2 to 6 percent slopes, moderately eroded	95	33	48	3.1	6.2
FoC2	Fox silt loam, kames, 6 to 12 percent slopes, moderately eroded	85	30	43	2.8	5.6
FpC3	Fox soils, 6 to 12 percent slopes, severely eroded	80	28	40	2.6	5.2
FrC3	Fox soils, kames, 6 to 12 percent slopes, severely eroded	80	28	40	2.6	5.2
FsD2	Fox and Rodman loams, 12 to 18 percent slopes, moderately eroded	55	19	31	2.1	4.1
FtD2	Fox and Rodman loams, kames, 12 to 18 percent slopes, moderately eroded	55	19	31	2.1	4.1
FtE2	Fox and Rodman loams, kames, 18 to 25 percent slopes, moderately eroded	0	0	0	0	0
FvD3	Fox and Rodman soils, 12 to 18 percent slopes, severely eroded	48	17	28	1.9	3.7
FxD3	Fox and Rodman soils, kames, 12 to 18 percent slopes, severely eroded	48	17	28	1.9	3.7
Ge	Genesee fine sandy loam	115	40	0	0	0
Gg	Genesee gravelly loam	115	40	0	0	0
Gm	Genesee loam	120	42	0	0	0
Go	Genesee loam, high bottom	135	47	19	0	0
Gs	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	1	0	0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fayette County, Indiana

Gt	Genesee silt loam, 0 to 2 percent slopes, occasionally flooded	127	44	18	0	0
Gv	Gravel pits	0	0	0	0	0
HeF1	Hennepin loam, 25 to 35 percent slopes, slightly eroded	0	0	0	0	0
HeF2	Hennepin loam, 25 to 35 percent slopes, moderately eroded	0	0	0	0	0
HeG1	Hennepin loam, 35 to 50 percent slopes, slightly eroded	0	0	0	0	0
HeG2	Hennepin loam, 35 to 50 percent slopes, moderately eroded	0	0	0	0	0
Ho	Homer silt loam	110	35	55	3.6	7.2
Ko	Kokomo silty clay loam, 0 to 2 percent slopes	167	49	69	5.6	11.2
Ma	Made land	0	0	0	0	0
MbA	Manlove silt loam, 0 to 2 percent slopes	160	56	72	5.3	10.6
MbB1	Manlove silt loam, 2 to 6 percent slopes, slightly eroded	160	56	72	5.3	10.6
MbB2	Manlove silt loam, 2 to 6 percent slopes, moderately eroded	155	54	70	5.1	10.2
McA	Martinsville silt loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
McB1	Martinsville silt loam, 2 to 6 percent slopes, slightly eroded	140	49	56	4.6	9.2
McB2	Martinsville silt loam, 2 to 6 percent slopes, moderately eroded	135	47	54	4.5	9
McC2	Martinsville silt loam, 6 to 12 percent slopes, moderately eroded	125	44	50	4.1	8.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fayette County, Indiana

McD2	Martinsville silt loam, 12 to 18 percent slopes, moderately eroded	110	39	44	3.6	7.2
MmA	Miami silt loam, 0 to 2 percent slopes	145	51	58	4.8	9.6
MmB1	Miami silt loam, 2 to 6 percent slopes, slightly eroded	145	51	65	4.8	9.6
MmB2	Miami silt loam, 2 to 6 percent slopes, moderately eroded	140	49	63	4.6	9.2
MmC1	Miami silt loam, 6 to 12 percent slopes, slightly eroded	135	47	61	4.5	9
MmC2	Miami silt loam, 6 to 12 percent slopes, moderately eroded	130	46	59	4.3	8.6
MmD1	Miami silt loam, 12 to 18 percent slopes, slightly eroded	120	42	54	4	8
MmD2	Miami silt loam, 12 to 18 percent slopes, moderately eroded	115	40	52	3.8	7.6
MmE1	Miami silt loam, 18 to 25 percent slopes, slightly eroded	0	0	0	0	0
MmE2	Miami silt loam, 18 to 25 percent slopes, moderately eroded	0	0	0	0	0
MsB3	Miami soils, 2 to 6 percent slopes, severely eroded	135	47	61	4.5	9
MsC3	Miami soils, 6 to 12 percent slopes, severely eroded	125	44	56	4.1	8.2
MsD3	Miami soils, 12 to 18 percent slopes, severely eroded	110	39	50	3.6	7.2
MsE3	Miami soils, 18 to 25 percent slopes, severely eroded	0	0	0	0	0
MtB1	Milton silt loam, 2 to 6 percent slopes, slightly eroded	100	35	40	3.3	6.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fayette County, Indiana

MtB2	Milton silt loam, 2 to 6 percent slopes, moderately eroded	95	33	38	3.1	6.2
Nn	Nineveh loam	110	39	55	3.6	7.2
OcA	Ockley silt loam, 0 to 2 percent slopes	135	47	68	4.5	9
OcB1	Ockley silt loam, 2 to 6 percent slopes, slightly eroded	135	47	68	4.5	9
OcB2	Ockley silt loam, 2 to 6 percent slopes, moderately eroded	130	46	65	4.3	8.6
OcC2	Ockley silt loam, 6 to 12 percent slopes, moderately eroded	120	42	60	4	8
OkB3	Ockley soils, 2 to 6 percent slopes, severely eroded	125	44	63	4.1	8.2
OkC3	Ockley soils, 6 to 12 percent slopes, severely eroded	115	40	58	3.8	7.6
ReA	Reesville silt loam, 0 to 2 percent slopes	171	56	76	5.6	11.2
ReA2	Reesville silt loam, 0 to 2 percent slopes, moderately eroded	165	54	74	5.4	10.8
ReB2	Reesville silt loam, 2 to 6 percent slopes, moderately eroded	165	54	74	5.4	10.8
RgD2	Rodman gravelly loam, 12 to 18 percent slopes, moderately eroded	35	12	18	1.2	2.4
RgE1	Rodman gravelly loam, 18 to 25 percent slopes, slightly eroded	0	0	0	0	0
RgE2	Rodman gravelly loam, 18 to 25 percent slopes, moderately eroded	0	0	0	0	0
RgF2	Rodman gravelly loam, 25 to 50 percent slopes, eroded	0	0	0	0	0
Ro	Ross silt loam	140	49	20	0	0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fayette County, Indiana

RsA	Russell silt loam, 0 to 2 percent slopes	155	54	70	5.1	10.2
RsB1	Russell silt loam, 2 to 6 percent slopes, slightly eroded	155	54	70	5.1	10.2
RsB2	Russell silt loam, 2 to 6 percent slopes, eroded	150	52	67	5	10
RsC1	Russell silt loam, 6 to 12 percent slopes, slightly eroded	145	51	65	4.8	9.6
RsC2	Russell silt loam, 6 to 12 percent slopes, moderately eroded	140	49	63	4.6	9.2
RsD1	Russell silt loam, 12 to 18 percent slopes, slightly eroded	130	46	59	4.3	8.6
RsD2	Russell silt loam, 12 to 18 percent slopes, moderately eroded	125	44	56	4.1	8.2
RsE1	Russell silt loam, 18 to 25 percent slopes, slightly eroded	0	0	0	0	0
RsE2	Russell silt loam, 18 to 25 percent slopes, moderately eroded	0	0	0	0	0
RtB3	Russell soils, 2 to 6 percent slopes, severely eroded	145	51	65	4.8	9.6
RtC3	Russell soils, 6 to 12 percent slopes, severely eroded	135	47	61	4.5	9
RtD3	Russell soils, 12 to 18 percent slopes, severely eroded	120	42	54	4	8
RtE3	Russell soils, 18 to 25 percent slopes, severely eroded	0	0	0	0	0
RuA	Russell and Miami silt loams, 0 to 2 percent slopes	150	53	69	5.1	10.1
RuB1	Russell and Miami silt loams, 2 to 6 percent slopes, slightly eroded	150	53	69	5.1	10.1

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fayette County, Indiana

RuB2	Russell and Miami silt loams, 2 to 6 percent slopes, moderately eroded	145	51	66	4.9	9.8
RuC1	Russell and Miami silt loams, 6 to 12 percent slopes, slightly eroded	140	49	64	4.7	9.4
RuC2	Russell and Miami silt loams, 6 to 12 percent slopes, moderately eroded	135	47	62	4.6	9.1
RvB3	Russell and Miami soils, 2 to 6 percent slopes, severely eroded	140	49	64	4.7	9.4
RvC3	Russell and Miami soils, 6 to 12 percent slopes, severely eroded	130	46	60	4.4	8.8
Rw	Riverwash	0	0	0	0	0
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	42	1	0	0
Sn	Sloan silt loam	140	39	0	0	0
W	Water	0	0	0	0	0
We	Westland silt loam	165	47	83	5.4	10.8
WhA	Whitaker silt loam, 0 to 2 percent slopes	156	51	63	5.1	10.2
WhB	Whitaker silt loam, 2 to 6 percent slopes	155	51	62	5.1	10.2
WnB2	Wynn silt loam, 2 to 6 percent slopes, moderately eroded	95	33	38	3.1	6.2
WnC2	Wynn silt loam, 6 to 12 percent slopes, moderately eroded	85	30	34	2.8	5.6
WnD2	Wynn silt loam, 12 to 25 percent slopes, moderately eroded	70	25	28	2.3	4.6
WyC3	Wynn soils, 6 to 12 percent slopes, severely eroded	75	26	30	2.5	5

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fayette County, Indiana

XeA	Xenia silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	156	54	69	5.1	10.2
XeB1	Xenia silt loam, 2 to 6 percent slopes, slightly eroded	155	54	70	5.1	10.2
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	153	53	67	5	10
XnA	Xenia and Celina silt loams, 0 to 2 percent slopes	143	50	67	4.9	9.8
XnB1	Xenia and Celina silt loams, 2 to 6 percent slopes, slightly eroded	143	50	67	4.9	9.8
XnB2	Xenia and Celina silt loams, 2 to 6 percent slopes, moderately eroded	138	48	65	4.8	9.6