

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BbhA—Bartle silt loam, 0 to 2 percent slopes					
Bartle	83	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BcrAQ—Beanblossom silt loam, 1 to 3 percent slopes, rarely flooded					
Beanblossom	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
BcrAW—Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration					
Beanblossom	89	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EgeAZ—Birds silt loam, undrained, 0 to 1 percent slopes, frequently flooded, very brief duration					
Birds, undrained	95	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BlvAW—Kintner loam, 1 to 3 percent slopes, occasionally flooded, very brief duration					
Kintner	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.05	Dusty	0.05
BuoA—Bromer silt loam, 0 to 2 percent slopes					
Bromer	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CcaG—Caneyville-Rock outcrop complex, 25 to 60 percent slopes					
Caneyville	53	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Unstable excavation walls	0.31	Unstable excavation walls	0.31
		Dusty	0.06	Dusty	0.06
Rock outcrop	15	Not rated		Not rated	

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CkkB2—Cincinnati silt loam, 2 to 6 percent slopes, eroded					
Cincinnati	80	Somewhat limited		Somewhat limited	
		Wetness	0.96	Wetness	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CldC2—Cincinnati-Blocher silt loams, 6 to 12 percent slopes, eroded					
Cincinnati	42	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Blocher	34	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ConC3—Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded					
Coolville, severely eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rarden, severely eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CtwB—Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes					
Crider	39	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.12	Unstable excavation walls	0.12
		Dusty	0.06	Dusty	0.06
Bedford	29	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Navilleton	28	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.06	Unstable excavation walls	0.06
		Dusty	0.06	Dusty	0.06
CwaAQ—Cuba silt loam, 0 to 2 percent slopes, rarely flooded					
Cuba	92	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EepB—Elkinsville silt loam, 2 to 6 percent slopes					
Elkinsville	85	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EepGQ—Elkinsville silt loam, 25 to 60 percent slopes, rarely flooded					
Elkinsville	86	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GgbG—Gilwood-Brownstown silt loams, 25 to 75 percent slopes					
Gilwood	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Brownstown	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.18	Large stones	0.18
		Dusty	0.06	Dusty	0.06
GgfE2—Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded					
Gilwood	42	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays	36	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GmaG—Gnawbone-Kurtz silt loams, 20 to 60 percent slopes					
Gnawbone	55	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Kurtz	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcbAQ—Hatfield silty clay loam, 0 to 2 percent slopes, rarely flooded					
Hatfield	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcgAH—Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Haymond	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcgAV—Haymond silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration					
Haymond	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HcgAW—Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Haymond	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HufAK—Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Huntington	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
KxkC2—Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded					
Knobcreek	37	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.35
		Unstable excavation walls	0.35	Dusty	0.06
		Dusty	0.06	Slope	0.04
Navilleton	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.04	Unstable excavation walls	0.04

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxIC3—Knobcreek-Haggatt-Caneyville complex, 6 to 12 percent slopes, severely eroded					
Knobcreek, severely eroded	33	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.48
		Unstable excavation walls	0.48	Dusty	0.06
		Dusty	0.06	Slope	0.04
Haggatt, severely eroded	26	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04
Caneyville, severely eroded	24	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04
KxIE3—Knobcreek-Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded					
Knobcreek, severely eroded	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.48	Unstable excavation walls	0.48
		Dusty	0.06	Dusty	0.06
Haggatt, severely eroded	22	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Caneyville, severely eroded	21	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxmE2—Knobcreek-Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded					
Knobcreek	33	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.35	Unstable excavation walls	0.35
		Dusty	0.06	Dusty	0.06
Haggatt	22	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.06	Dusty	0.06
Caneyville	20	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
KxoC2—Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded					
Knobcreek, karst	29	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.35
		Unstable excavation walls	0.35	Dusty	0.06
		Dusty	0.06	Slope	0.04
Navilleton, karst	28	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.18	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.04
		Unstable excavation walls	0.04		
Haggatt, karst	27	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.28
		Unstable excavation walls	0.28	Dusty	0.06
		Dusty	0.06	Slope	0.04

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxpD2—Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded					
Knobcreek, karst	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.35	Unstable excavation walls	0.35
		Dusty	0.06	Dusty	0.06
Haggatt, karst	31	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.06	Dusty	0.06
Caneyville, karst	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
LpoAK—Lindside silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Lindside	82	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
McngQ—Markland silt loam, 18 to 50 percent slopes, rarely flooded					
Markland, rarely flooded	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Unstable excavation walls	0.10	Unstable excavation walls	0.10
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
McpC3—Markland silty clay loam, 6 to 12 percent slopes, severely eroded					
Markland, severely eroded	61	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
McuDQ—Markland silty clay loam, 12 to 25 percent slopes, severely eroded, rarely flooded					
Markland, severely eroded	70	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MhuA—McGary silt loam, 0 to 2 percent slopes					
Mcgary	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.18	Unstable excavation walls	0.18
		Dusty	0.06	Dusty	0.06
MhyB2—Gatton silt loam, 2 to 6 percent slopes, eroded					
Gatton	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NaaA—Nabb silt loam, 0 to 2 percent slopes					
Nabb	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NaaB2—Nabb silt loam, 2 to 6 percent slopes, eroded					
Nabb	78	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NbhAK—Newark silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Newark	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PcrA—Pekin silt loam, 0 to 2 percent slopes					
Pekin	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PcrB2—Pekin silt loam, 2 to 6 percent slopes, eroded					
Pekin	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PhaA—Peoga silt loam, 0 to 1 percent slopes					
Peoga	83	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pml—Pits, quarry					
Pits, quarry	85	Not rated		Not rated	
Ppu—Pits, sand and gravel					
Pits, sand and gravel	80	Not rated		Not rated	

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RctD3—Rarden-Coolville complex, 12 to 22 percent slopes, severely eroded					
Rarden, severely eroded	40	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Coolville, severely eroded	19	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ScbA—Sciotoville silt loam, 0 to 2 percent slopes					
Sciotoville	70	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ScbB2—Sciotoville silt loam, 2 to 6 percent slopes, eroded					
Sciotoville	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SceB2—Scottsburg silt loam, 2 to 4 percent slopes, eroded					
Scottsburg	96	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SfyB—Shircliff silt loam, 2 to 6 percent slopes					
Shircliff	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SoaB—Spickert silt loam, 2 to 6 percent slopes					
Spickert	95	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SodB—Spickert silt loam, terrace, 1 to 4 percent slopes					
Spickert	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SoIC2—Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded					
Spickert	44	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays	32	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
StaAQ—Steff silt loam, 0 to 2 percent slopes, rarely flooded					
Steff	86	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
StdAQ—Stendal silt loam, 0 to 2 percent slopes, rarely flooded					
Stendal	88	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Uaa—Udorthents, cut and filled					
Udorthents	90	Not rated		Not rated	
UaoAK—Udifluvents, cut and filled-Urban land complex, 0 to 2 percent slopes, occasionally flooded, brief duration					
Udifluvents, cut and filled	65	Not rated		Not rated	
Urban land	25	Not rated		Not rated	
UedA—Urban land-Aquents, clayey substratum, complex, lake plain, 0 to 3 percent slopes					
Urban land	60	Not rated		Not rated	
Aquents, clayey substratum	25	Not rated		Not rated	
UndAY—Urban land-Udifluvents complex, leveed, 0 to 2 percent slopes					
Urban land	65	Not rated		Not rated	
Udifluvents	25	Not rated		Not rated	
UneC—Urban land-Udarents, clayey substratum, complex, hills, 2 to 12 percent slopes					
Urban land	45	Not rated		Not rated	
Udarents, clayey substratum	30	Not rated		Not rated	

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UngB—Urban land-Udarents, fragipan substratum, complex, till plain, 0 to 12 percent slopes					
Urban land	45	Not rated		Not rated	
Udarents, fragipan substratum	30	Not rated		Not rated	
UnkB—Urban land-Udarents, silty substratum, complex, terrace, 0 to 6 percent slopes					
Urban land	45	Not rated		Not rated	
Udarents, silty substratum	30	Not rated		Not rated	
UnIC—Urban land-Udarents, hard bedrock substratum, complex, hills, 2 to 15 percent slopes					
Urban land	45	Not rated		Not rated	
Udarents, hard bedrock substratum	35	Not rated		Not rated	
UnpA—Urban land-Udarents, loamy substratum, complex, terrace, 0 to 3 percent slopes					
Urban land	45	Not rated		Not rated	
Udarents, loamy substratum	30	Not rated		Not rated	
UnrD—Urban land-Udarents, soft bedrock substratum, complex, hills, 6 to 20 percent slopes					
Urban land	50	Not rated		Not rated	
Udarents, soft bedrock substratum	32	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	
WaaAV—Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration					
Wakeland	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WaaAW—Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wakeland	82	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhdD2—Wellrock-Gnawbone-Spickert, soft bedrock substratum, silt loams, 6 to 18 percent slopes, eroded					
Wellrock	33	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gnawbone	31	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Spickert, soft bedrock substratum	25	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WokAV—Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration					
Wilbur	78	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Floyd County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WokAW—Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wilbur	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WomAK—Wilhite silty clay loam, 0 to 1 percent slopes, occasionally flooded, brief duration					
Wilhite	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Floyd County, Indiana
 Survey Area Data: Version 19, Sep 9, 2014