

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	95	145	49	58	4.8	9.6
		Peoga	3	150	46	60	5.0	10.0
		Pekin	2	140	49	56	4.6	9.2
BcrAQ	Beanblossom silt loam, 1 to 3 percent slopes, rarely flooded	Beanblossom	90	145	51	58	4.8	9.6
		Beanblossom	5	105	37	15	3.5	7.0
		Wilbur	5	150	53	60	5.0	10.0
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	89	105	37	15	3.5	7.0
		Beanblossom, frequently flooded	6	100	35	14	3.3	6.6
		Wilbur, occasionally flooded	5	140	49	20	4.6	9.2
BgeAZ	Birds silt loam, undrained, 0 to 1 percent slopes, frequently flooded, very brief duration	Birds, undrained	95	0	0	0	0.0	0.0
		Wakeland	5	0	0	0	0.0	0.0
BlvAW	Kintner loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Kintner	95	115	40	16	3.8	7.6
		Kintner, frequently flooded	5	110	39	15	3.6	7.2
BuoA	Bromer silt loam, 0 to 2 percent slopes	Bromer	85	145	49	58	4.8	9.6
		Bedford	10	130	46	59	4.3	8.6
		Laconia, frequently ponded	5	160	46	64	5.3	10.6

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	Caneyville	53	0	0	0	0.0	0.0
		Rock outcrop	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Crider	12	0	0	0	0.0	0.0
		Haggatt	10	0	0	0	0.0	0.0
		Corydon	5	0	0	0	0.0	0.0
		Knobcreek	5	0	0	0	0.0	0.0
CkkB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
		Nabb, eroded	10	115	40	52	3.8	7.6
		Blocher, eroded	5	135	47	54	4.5	9.0
CldC2	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, eroded	Cincinnati	42	120	42	54	4.0	8.0
		Blocher	34	125	44	50	4.1	8.2
		Cincinnati	10	95	33	43	3.1	6.2
		Blocher	8	115	40	46	3.8	7.6
		Wakeland	5	135	40	19	4.5	9.0
		Bonnell	1	90	32	36	3.0	6.0
ConC3	Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded	Coolville, severely eroded	45	85	30	34	2.8	5.6
		Rarden, severely eroded	45	65	23	26	2.1	4.2
		Coolville	5	95	33	38	3.1	6.2
		Stonehead	5	120	42	48	4.0	8.0
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	Crider	39	150	53	60	5.0	10.0
		Bedford	29	130	46	59	4.3	8.6
		Navilleton	28	150	53	60	5.0	10.0
		Knobcreek, eroded	4	125	44	50	4.1	8.2

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CwaAQ	Cuba silt loam, 0 to 2 percent slopes, rarely flooded	Cuba	92	140	49	56	4.6	9.2
		Steff	5	140	49	56	4.6	9.2
		Cuba, occasionally flooded	3	125	44	18	4.1	8.2
EepB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	85	150	53	60	5.0	10.0
		Pekin	10	130	46	52	4.3	8.6
		Elkinsville	5	135	47	54	4.5	9.0
EepGQ	Elkinsville silt loam, 25 to 60 percent slopes, rarely flooded	Elkinsville	86	---	---	---	0.0	0.0
		Millstone	14	---	---	---	0.0	0.0
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	Gilwood	45	---	---	---	0.0	0.0
		Brownstown	35	---	---	---	0.0	0.0
		Wrays	10	100	35	40	3.3	6.6
		Brownstown, shallow	3	---	---	---	0.0	0.0
		Gilwood	3	80	28	32	2.6	5.2
		Beanblossom, occasionally flooded	2	105	37	15	3.5	7.0
		Rock outcrop	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	Gilwood	42	---	---	---	2.0	4.0
		Wrays	36	105	37	42	3.5	7.0
		Brownstown	6	---	---	---	0.0	0.0
		Knobcreek	5	110	39	44	3.6	7.2
		Beanblossom	4	105	37	15	3.5	7.0
		Gilwood	3	---	---	---	1.8	3.6
		Spickert	2	110	39	50	3.6	7.2
		Wrays	2	100	35	40	3.3	6.6

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes	Gnawbone	55	---	---	---	0.0	0.0
		Kurtz	35	---	---	---	0.0	0.0
		Wellrock	5	110	39	44	3.6	7.2
		Beanblossom, occasionally flooded	5	105	37	15	3.5	7.0
HcbAQ	Hatfield silty clay loam, 0 to 2 percent slopes, rarely flooded	Hatfield	80	135	46	54	4.5	9.0
		Sciotoville	15	130	46	52	4.3	8.6
		Ginat	5	160	46	64	5.3	10.6
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	85	120	42	0	0.0	0.0
		Kintner, occasionally flooded	10	115	40	16	3.8	7.6
		Wilbur, frequently flooded	5	125	44	0	0.0	0.0
HcgAV	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Haymond	85	130	46	18	4.3	8.6
		Wirt	10	105	37	15	3.5	7.0
		Wilbur	5	125	44	18	4.1	8.2
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Haymond	80	135	47	19	4.5	9.0
		Kintner, occasionally flooded	14	115	40	16	3.8	7.6
		Wilbur, occasionally flooded	4	140	49	20	4.6	9.2
		Haymond, frequently flooded	2	120	42	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HufAK	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded	Huntington, occasionally flooded	85	135	47	19	4.5	9.0
		Nolin, occasionally flooded	7	125	44	18	4.1	8.2
		Lindside, occasionally flooded	5	125	44	18	4.1	8.2
		Huntington, frequently flooded	2	115	40	0	0.0	0.0
		Newark, occasionally flooded	1	135	44	19	4.5	9.0
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	Knobcreek	37	125	44	50	4.1	8.2
		Navilleton	35	135	47	54	4.5	9.0
		Haggatt	10	75	26	34	2.5	5.0
		Crider	8	135	47	54	4.5	9.0
		Bedford	5	110	39	50	3.6	7.2
		Caneyville	3	55	19	25	1.8	3.6
		Kintner, occasionally flooded	2	115	40	16	3.8	7.6
KxlC3	Knobcreek-Haggatt-Caneyville complex, 6 to 12 percent slopes, severely eroded	Knobcreek, severely eroded	33	120	42	48	4.0	8.0
		Haggatt, severely eroded	26	80	28	36	2.6	5.2
		Caneyville, severely eroded	24	60	21	24	2.0	4.0
		Navilleton	10	130	46	52	4.3	8.6
		Crider	5	130	46	52	4.3	8.6
		Kintner, occasionally flooded	2	115	40	16	3.8	7.6

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
KxlE3	Knobcreek-Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded	Knobcreek, severely eroded	35	105	37	42	3.5	7.0
		Haggatt, severely eroded	22	65	23	29	2.1	4.2
		Caneyville, severely eroded	21	45	16	18	1.5	3.0
		Crider	10	115	40	46	3.8	7.6
		Navilleton	10	130	46	52	4.3	8.6
		Kintner, occasionally flooded	2	115	40	16	3.8	7.6
KxmE2	Knobcreek-Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	Knobcreek	33	110	39	44	3.6	7.2
		Haggatt	22	75	26	34	2.5	5.0
		Caneyville	20	55	19	25	1.8	3.6
		Crider	15	135	47	54	4.5	9.0
		Kintner, occasionally flooded	10	115	40	16	3.8	7.6
KxoC2	Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded	Knobcreek, karst	29	125	44	50	4.1	8.2
		Navilleton, karst	28	135	47	54	4.5	9.0
		Haggatt, karst	27	90	32	41	3.0	6.0
		Caneyville, karst	9	70	25	32	2.3	4.6
		Crider, karst	5	145	51	58	4.8	9.6
		Haymond, frequently ponded, depression	2	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
KxpD2	Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded	Knobcreek, karst	35	110	39	44	3.6	7.2
		Haggatt, karst	31	75	26	34	2.5	5.0
		Caneyville, karst	30	55	19	25	1.8	3.6
		Haymond, frequently ponded, depression	4	145	51	58	4.8	9.6
LpoAK	Lindside silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Lindside	82	125	44	18	4.1	8.2
		Newark, occasionally flooded	10	135	44	19	4.5	9.0
		Huntington, occasionally flooded	8	135	47	19	4.5	9.0
McnGQ	Markland silt loam, 18 to 50 percent slopes, rarely flooded	Markland, rarely flooded	90	---	---	---	0.0	0.0
		Markland, severely eroded, rarely flooded	10	90	32	36	3.0	6.0
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	Markland, severely eroded	61	105	37	42	3.5	7.0
		Markland	18	115	40	46	3.8	7.6
		Percell	11	120	42	48	4.0	8.0
		Shircliff	5	125	44	50	4.1	8.2
		Markland	3	90	32	36	3.0	6.0
		Wilbur	2	140	49	20	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
McuDQ	Markland silty clay loam, 12 to 25 percent slopes, severely eroded, rarely flooded	Markland, severely eroded	70	90	32	36	3.0	6.0
		Markland	25	100	35	40	3.3	6.6
		Shircliff	5	100	35	40	3.3	6.6
MhuA	McGary silt loam, 0 to 2 percent slopes	McGary	90	140	46	56	4.6	9.2
		Shircliff, eroded	7	120	42	48	4.0	8.0
		Zipp, frequently ponded, depression	3	150	42	60	5.0	10.0
MhyB2	Gatton silt loam, 2 to 6 percent slopes, eroded	Gatton	90	125	44	56	4.1	8.2
		Sonora	10	145	51	58	4.8	9.6
NaaA	Nabb silt loam, 0 to 2 percent slopes	Nabb	85	130	46	59	4.3	8.6
		Avonburg	15	145	49	65	4.8	9.6
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb	78	125	44	56	4.1	8.2
		Cincinnati	10	130	46	59	4.3	8.6
		Avonburg	8	140	47	63	4.6	9.2
		Wakeland	4	145	44	20	4.8	9.6
NbhAK	Newark silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Newark	80	135	44	19	4.5	9.0
		Lindside, occasionally flooded	15	125	44	18	4.1	8.2
		Wilhite, frequently ponded	5	130	35	18	4.3	8.6

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PcrA	Pekin silt loam, 0 to 2 percent slopes	Pekin	95	140	49	56	4.6	9.2
		Bartle	3	145	49	58	4.8	9.6
		Peoga	2	150	46	60	5.0	10.0
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	85	135	47	54	4.5	9.0
		Bartle	5	145	49	58	4.8	9.6
		Elkinsville	5	140	49	56	4.6	9.2
		Pekin	5	140	49	56	4.6	9.2
PhaA	Peoga silt loam, 0 to 1 percent slopes	Peoga	83	150	46	60	5.0	10.0
		Peoga, undrained	10	0	0	0	0.0	0.0
		Dubois	5	135	46	61	4.5	9.0
		Bartle	2	145	49	58	4.8	9.6
Pml	Pits, quarry	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ppu	Pits, sand and gravel	Pits, sand and gravel	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, loamy	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RctD3	Rarden-Coolville complex, 12 to 22 percent slopes, severely eroded	Rarden, severely eroded	40	50	18	20	1.7	3.4
		Coolville, severely eroded	19	70	25	28	2.3	4.6
		Rarden	14	60	21	24	2.0	4.0
		Deam	13	---	---	---	0.0	0.0
		Coolville	7	80	28	32	2.6	5.2
		Stonehead	7	130	46	52	4.3	8.6
ScbA	Sciotoville silt loam, 0 to 2 percent slopes	Sciotoville	70	130	46	52	4.3	8.6
		Elkinsville	10	150	53	60	5.0	10.0
		Hatfield	10	135	46	54	4.5	9.0
		Millstone	4	135	47	54	4.5	9.0
		Very deep, loamy soil	4	140	49	56	4.6	9.2
		Sciotoville	2	120	42	48	4.0	8.0
ScbB2	Sciotoville silt loam, 2 to 6 percent slopes, eroded	Sciotoville	75	135	47	54	4.5	9.0
		Elkinsville	10	140	49	56	4.6	9.2
		Elkinsville	10	130	46	52	4.3	8.6
		Millstone	5	135	47	54	4.5	9.0
SceB2	Scottsburg silt loam, 2 to 4 percent slopes, eroded	Scottsburg	96	135	47	54	4.5	9.0
		Deputy	2	120	42	48	4.0	8.0
		Trappist	2	105	37	42	3.5	7.0
SfyB	Shircliff silt loam, 2 to 6 percent slopes	Shircliff	90	125	44	50	4.1	8.2
		McGary	6	140	46	56	4.6	9.2
		Markland, eroded	4	100	35	40	3.3	6.6

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SoaB	Spickert silt loam, 2 to 6 percent slopes	Spickert	95	125	44	56	4.1	8.2
		Wrays	5	125	44	50	4.1	8.2
SodB	Spickert silt loam, terrace, 1 to 4 percent slopes	Spickert	90	125	44	56	4.1	8.2
		Bartle	10	135	46	54	4.5	9.0
SolC2	Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded	Spickert	44	110	39	50	3.6	7.2
		Wrays	32	120	42	48	4.0	8.0
		Gilwood	10	75	26	30	2.5	5.0
		Spickert	7	95	33	43	3.1	6.2
		Wrays	5	115	40	46	3.8	7.6
		Wrays	2	105	37	42	3.5	7.0
StaAQ	Steff silt loam, 0 to 2 percent slopes, rarely flooded	Steff	86	140	49	56	4.6	9.2
		Stendal	10	150	49	60	5.0	10.0
		Cuba	2	140	49	56	4.6	9.2
		Steff, occasionally flooded	2	130	46	18	4.3	8.6
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded	Stendal	88	150	49	60	5.0	10.0
		Bonnie	5	160	46	64	5.3	10.6
		Steff	4	140	49	56	4.6	9.2
		Stendal	3	140	46	20	4.6	9.2
Uaa	Udorthents, cut and filled	Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Urban land	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UneC	Urban land-Udarents, clayey substratum, complex, hills, 2 to 12 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, clayey substratum	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Crider	10	0	0	0	0.0	0.0
		Bedford	5	0	0	0	0.0	0.0
		Navilleton	5	0	0	0	0.0	0.0
		Knobcreek	3	0	0	0	0.0	0.0
		Haggatt	2	0	0	0	0.0	0.0
UngB	Urban land-Udarents, fragipan substratum, complex, till plain, 0 to 12 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, fragipan substratum	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Avonburg	5	0	0	0	0.0	0.0
		Cincinnati	4	0	0	0	0.0	0.0
		Nabb	4	0	0	0	0.0	0.0
		Blocher	3	0	0	0	0.0	0.0
		Jennings	3	0	0	0	0.0	0.0
		Deputy	2	0	0	0	0.0	0.0
		Scottsburg	2	0	0	0	0.0	0.0
		Trappist	2	0	0	0	0.0	0.0
UnkB	Urban land-Udarents, silty substratum, complex, terrace, 0 to 6 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, silty substratum	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pekin	11	0	0	0	0.0	0.0
		Bartle	8	0	0	0	0.0	0.0
		Wakeland	4	0	0	0	0.0	0.0
		Beanblossom	2	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Un1C	Urban land-Udarents, hard bedrock substratum, complex, hills, 2 to 15 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, hard bedrock substratum	35	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Spickert	8	0	0	0	0.0	0.0
		Wrays	5	0	0	0	0.0	0.0
		Gilwood	4	0	0	0	0.0	0.0
		Spickert	3	0	0	0	0.0	0.0
UnpA	Urban land-Udarents, loamy substratum, complex, terrace, 0 to 3 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, loamy substratum	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Elkinsville	10	0	0	0	0.0	0.0
		Millstone	8	0	0	0	0.0	0.0
		Sciotoville	4	0	0	0	0.0	0.0
		Hatfield	3	0	0	0	0.0	0.0
UnrD	Urban land-Udarents, soft bedrock substratum, complex, hills, 6 to 20 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, soft bedrock substratum	32	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rarden	8	0	0	0	0.0	0.0
		Coolville	5	0	0	0	0.0	0.0
		Stonehead	3	0	0	0	0.0	0.0
		Deam	2	0	0	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WaaAV	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Wakeland	83	140	42	20	4.6	9.2
		Birds	10	140	39	20	4.6	9.2
		Wilbur	7	125	44	18	4.1	8.2

COMPONENT CROP YIELDS (RV)--Continued
 Floyd County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wakeland	82	145	44	20	4.8	9.6
		Birds	10	155	44	22	5.1	10.2
		Wilbur	5	140	49	20	4.6	9.2
		Wakeland, frequently flooded	3	140	42	20	4.6	9.2
WhdD2	Wellrock-Gnawbone-Spickert, soft bedrock substratum, silt loams, 6 to 18 percent slopes, eroded	Wellrock	33	105	37	42	3.5	7.0
		Gnawbone	31	75	26	30	2.5	5.0
		Spickert, soft bedrock substratum	25	115	40	52	3.8	7.6
		Coolville	9	80	28	32	2.6	5.2
		Very deep, loamy colluvial soil	2	125	44	50	4.1	8.2
WokAV	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Wilbur	78	135	47	19	4.5	9.0
		Haymond	12	120	42	17	4.0	8.0
		Wakeland	10	130	39	18	4.3	8.6
WokAW	Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wilbur	83	140	49	20	4.6	9.2
		Wakeland	10	145	44	20	4.8	9.6
		Wilbur	5	125	44	18	4.1	8.2
		Haymond	2	135	47	19	4.5	9.0
WomAK	Wilhite silty clay loam, 0 to 1 percent slopes, occasionally flooded, brief duration	Wilhite	85	130	35	18	4.3	8.6
		Newark	10	135	44	19	4.5	9.0
		Birds	5	145	40	20	4.8	9.6