NON-IRRIGATED COMPONENT CROP YIELDS (RV)
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AbfA	Adeland silt loam, 0 to 2 percent slopes	Adeland	97	105	33	42	3.5	7.0
		Mahalasville	3	175	51	70	5.8	11.6
AbhAI	Adrian muck, 0 to 1 percent slopes, frequently flooded, long duration	Adrian, undrained	90	0	0	0	0.0	0.0
		Sloan, undrained	6	0	0	0	0.0	0.0
		Beaucoup, undrained	4	0	0	0	0.0	0.0
AjaAI	Allison silt loam, 0 to 2 percent slopes, frequently flooded, long duration	Allison	97	120	42	0	0.0	0.0
		Beaucoup	3	125	33	0	0.0	0.0
ApkA	Angatoka silt loam, outwash substratum, 0 to 2 percent slopes	Angatoka, outwash substratum	100	140	49	70	4.6	9.2
AplA	Angatoka silt loam, 0 to 2 percent slopes	Angatoka	100	155	54	70	5.1	10.2
AplB2	Angatoka silt loam, 2 to 6 percent slopes, eroded	Angatoka	95	150	53	68	5.0	10.0
		Yeddo	5	170	56	68	5.6	11.2
AplC2	Angatoka silt loam, 6 to 12 percent slopes, eroded	Angatoka	98	140	49	63	4.6	9.2
		Miami	2	130	46	59	4.3	8.6
AzqA	Ayrshire loam, 0 to 2 percent slopes	Ayrshire	90	155	51	62	5.1	10.2
		Ragsdale	10	190	56	76	6.3	12.6
BcgAI	Battleground silt loam, 0 to 2 percent slopes, frequently flooded, long duration	Battleground	87	115	40	0	0.0	0.0
		Pinevillage	9	110	39	44	3.6	7.2
		Stonelick	4	80	28	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BhyA	Birkbeck silt loam, 0 to 2 percent slopes	Birkbeck	97	160	56	72	5.3	10.6
		Ragsdale	3	190	56	76	6.3	12.6
BhyB2	Birkbeck silt loam, 2 to 6 percent slopes, eroded	Birkbeck	98	155	54	70	5.1	10.2
		Ragsdale	2	190	56	76	6.3	12.6
BvlAK	Brouillett silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Brouillett	80	150	49	21	5.0	10.0
		Lash	10	115	40	16	3.8	7.6
		Sloan	10	145	40	20	4.8	9.6
CbaA	Camden silt loam, 0 to 2 percent slopes	Camden	85	155	54	62	5.1	10.2
		Rockfield	10	155	54	70	5.1	10.2
		Starks	5	165	54	66	5.4	10.8
CbaB2	Camden silt loam, 2 to 6 percent slopes, eroded	Camden	85	145	51	58	4.8	9.6
		Rockfield	10	150	53	68	5.0	10.0
		Starks	5	165	54	66	5.4	10.8
CfrG	Cates channery silt loam, 25 to 75 percent slopes	Cates	85	---	---	---	0.0	0.0
		Berks	10	---	---	---	0.0	0.0
		Eel	5	115	40	16	3.8	7.6
ChqA	Chalmers silty clay loam, 0 to 1 percent slopes	Chalmers	97	175	51	70	5.8	11.6
		Pella	3	165	47	66	5.4	10.8
CnaB	Coloma loamy sand, 2 to 6 percent slopes	Coloma	100	85	30	34	2.8	5.6
CnaC	Coloma loamy sand, 6 to 15 percent slopes	Coloma	100	75	26	30	2.5	5.0

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CsuA	Crane silt loam, 0 to 2 percent slopes	Crane	95	155	51	78	5.1	10.2
		Westland	3	155	44	78	5.1	10.2
		Wea	2	135	47	68	4.5	9.0
CudA	Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes	Crosby	93	155	51	70	5.1	10.2
		Williamstown, eroded	5	140	49	63	4.6	9.2
		Treaty, drained	2	185	54	83	6.1	12.2
DpbA	Drummer silty clay loam, 0 to 1 percent slopes	Drummer	97	190	56	76	6.3	12.6
		Pella	3	165	47	66	5.4	10.8
EcoA	Edwardsville silt loam, 0 to 2 percent slopes	Edwardsville	97	180	60	72	5.9	11.8
		Ragsdale	3	165	47	66	5.4	10.8
EdeAK	Eel and Beckville soils, 0 to 2 percent slopes, occasionally flooded, brief duration	Eel	52	125	44	18	4.1	8.2
		Beckville	45	115	40	16	3.8	7.6
		Sloan	3	115	30	0	0.0	0.0
EmdA	Elston sandy loam, 0 to 2 percent slopes	Elston	100	120	42	48	4.0	8.0
EmdB	Elston sandy loam, 2 to 6 percent slopes	Elston	100	125	44	50	4.1	8.2
FamB	Fairpoint gravelly clay loam, 0 to 6 percent slopes	Fairpoint	100	110	39	44	3.6	7.2
FdbA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
		Cyclone	10	190	56	76	6.3	12.6
		Mahalasville	5	175	51	70	5.8	11.6

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FdbB	Fincastle silt loam, 2 to 4 percent slopes	Fincastle	94	165	54	74	5.4	10.8
		Treaty	3	165	47	66	5.4	10.8
		Williamstown	3	130	46	59	4.3	8.6
FdnA	Fincastle-Starks silt loams, 0 to 2 percent slopes	Fincastle	62	165	54	74	5.4	10.8
		Starks	35	160	53	64	5.3	10.6
		Treaty	2	185	54	74	6.1	12.2
		Mahalasville	1	175	51	70	5.8	11.6
GcaAK	Genesee soils, 0 to 2 percent slopes, occasionally flooded, brief duration	Genesee	91	125	44	18	4.1	8.2
		Beckville	3	105	37	15	3.5	7.0
		Eel	3	115	40	16	3.8	7.6
		Sloan	3	115	30	0	0.0	0.0
JcfG	Judyville fine sandy loam, 25 to 70 percent slopes	Judyville	94	---	---	---	0.0	0.0
		Shallow to bedrock soils	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Eel	2	115	40	16	3.8	7.6
KnqD2	Kendallville silt loam, 12 to 18 percent slopes, eroded	Kendallville	96	115	40	52	3.8	7.6
		Ockley	4	105	37	53	3.5	7.0
LbrA	Lafayette silt loam, 0 to 2 percent slopes	Lafayette	88	175	58	88	5.8	11.6
		Waupecan	10	145	51	73	4.8	9.6
		Mahalaland	2	155	44	78	5.1	10.2
LdxAK	Landes fine sandy loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Landes	85	115	40	16	3.8	7.6
		Sloan	10	115	30	0	0.0	0.0
		Shoals	5	125	40	18	4.1	8.2

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
LfuAI	Lash fine sandy loam, 0 to 2 percent slopes, frequently flooded, long duration	Lash	97	95	33	0	0.0	0.0
		Sloan	3	115	30	0	0.0	0.0
LfzB2	Lauramie silt loam, 2 to 6 percent slopes, eroded	Lauramie	92	145	51	58	4.8	9.6
		Wea	7	130	46	65	4.3	8.6
		Severely eroded soils, severely eroded	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LugA	Loudonville silt loam, 0 to 2 percent slopes	Loudonville	86	115	40	46	3.8	7.6
		Bedrock less than 20 inches	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bedrock 60 to 80 inches	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LugB2	Loudonville silt loam, 2 to 6 percent slopes, eroded	Loudonville	85	110	39	44	3.6	7.2
		Bedrock less than 20 inches	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Severely eroded soils, severely eroded	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bedrock 60 to 80 inches	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LugC2	Loudonville silt loam, 6 to 12 percent slopes, eroded	Loudonville	85	100	35	40	3.3	6.6
		Bedrock 60 to 80 inches	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Severely eroded soils, severely eroded	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bedrock less than 20 inches	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
LuhC	Loudonville silt loam, 4 to 12 percent slopes, stony	Loudonville	85	100	35	40	3.3	6.6
		Mitiwanga	10	115	37	46	3.8	7.6
		Mahalasville, bedrock substratum	3	155	44	62	5.1	10.2
		Severely eroded soils, severely eroded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MamA	Mahalasville silty clay loam, 0 to 2 percent slopes	Mahalasville	67	175	51	70	5.8	11.6
		Pella	15	175	51	70	5.8	11.6
		Treaty	15	185	54	74	6.1	12.2
		Starks	2	165	54	66	5.4	10.8
		Mahalaland	1	175	51	88	5.8	11.6
MaoA	Mahalaland silty clay loam, 0 to 1 percent slopes	Mahalaland	94	175	51	88	5.8	11.6
		Waupecan	6	165	58	83	5.4	10.8
MapA	Mahalasville silty clay loam, bedrock substratum, 0 to 1 percent slopes	Mahalasville, bedrock substratum	100	165	47	66	5.4	10.8
MecB2	Martinsville loam, 2 to 6 percent slopes, eroded	Martinsville	90	140	49	56	4.6	9.2
		Whitaker	5	145	47	58	4.8	9.6
		Severely eroded soils, severely eroded	4	125	44	50	4.1	8.2
		Rensselaer	1	165	47	66	5.4	10.8
MjuA	Mellott silt loam, 0 to 2 percent slopes	Mellott	90	155	54	62	5.1	10.2
		Toronto	10	150	49	68	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MqlG	Minnehaha silt loam, 35 to 75 percent slopes	Minnehaha	100	---	---	---	0.0	0.0
MrcA	Mitiwanga silt loam, 0 to 2 percent slopes	Mitiwanga	76	120	39	48	4.0	8.0
		Loudonville	10	105	37	42	3.5	7.0
		Ockley	10	125	44	63	4.1	8.2
		Mahalasville, bedrock substratum	4	155	44	62	5.1	10.2
ObmB2	Octagon silt loam, 2 to 6 percent slopes, eroded	Octagon	90	145	51	65	4.8	9.6
		Severely eroded soils, severely eroded	7	115	40	52	3.8	7.6
		Chalmers	3	165	47	66	5.4	10.8
ObmC2	Octagon silt loam, 6 to 12 percent slopes, eroded	Octagon	90	135	47	61	4.5	9.0
		Severely eroded soils, severely eroded	8	115	40	52	3.8	7.6
		Chalmers	2	165	47	66	5.4	10.8
ObxA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
		Fox	5	95	33	48	3.1	6.2
		Wawaka	5	145	51	58	4.8	9.6
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6
ObxB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley, eroded	85	130	46	65	4.3	8.6
		Ockley, eroded, till substratum	5	130	46	65	4.3	8.6
		Sleeth	5	145	47	73	4.8	9.6
		Westland	5	175	51	88	5.8	11.6

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ObxC2	Ockley silt loam, 6 to 12 percent slopes, eroded	Ockley	90	120	42	60	4.0	8.0
		Severely eroded soils	3	115	40	46	3.8	7.6
		Soils underlain with dense till	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Soils underlain with bedrock	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Westland	2	155	44	78	5.1	10.2
ObxD2	Ockley silt loam, 12 to 18 percent slopes, eroded	Ockley	85	105	37	53	3.5	7.0
		Ockley, Severly Eroded	12	115	40	46	3.8	7.6
		Westland	3	155	44	78	5.1	10.2
Pg	Pits, gravel	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PgaA	Pella silty clay loam, 0 to 1 percent slopes	Pella	100	175	51	70	5.8	11.6
PnwBQ	Pinevillage gravelly sandy loam, 2 to 8 percent slopes, rarely flooded	Pinevillage	100	100	35	40	3.3	6.6
PvsA	Princeton fine sandy loam, 0 to 2 percent slopes	Princeton	90	135	47	54	4.5	9.0
		Ayrshire	10	145	47	58	4.8	9.6
PvsB2	Princeton fine sandy loam, 2 to 6 percent slopes, eroded	Princeton	90	130	46	52	4.3	8.6
		Severely eroded soils	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PvsC2	Princeton fine sandy loam, 6 to 12 percent slopes, eroded	Princeton	90	120	42	48	4.0	8.0
		Severely eroded soils	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RbfA	Ragsdale silty clay loam, 0 to 2 percent slopes	Ragsdale	90	190	56	76	6.3	12.6
		Fincastle	5	165	54	74	5.4	10.8
		Reesville	5	170	56	77	5.6	11.2
RbuB2	Rainsville silt loam, 2 to 6 percent slopes, eroded	Rainsville	94	140	49	63	4.6	9.2
		Ockley	3	120	42	60	4.0	8.0
		Rainsville	3	130	46	59	4.3	8.6
RbuC2	Rainsville silt loam, 6 to 12 percent slopes, eroded	Rainsville	97	130	46	59	4.3	8.6
		Severely eroded soils	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RdvA	Raub silt loam, 0 to 2 percent slopes	Raub	93	175	58	79	5.8	11.6
		Chalmers	7	165	47	66	5.4	10.8
RetA	Rensselaer silty clay loam, 0 to 1 percent slopes	Rensselaer	95	175	51	70	5.8	11.6
		Pella	5	165	47	66	5.4	10.8
RosAK	Rockmill silt loam, 0 to 1 percent slopes, occasionally flooded, brief duration	Rockmill, drained	100	135	37	19	4.5	9.0
RqaE	Rodman sandy loam, 18 to 25 percent slopes	Rodman	95	---	---	---	0.8	1.6
		Eel	3	115	40	16	3.8	7.6
		Beckville	2	105	37	15	3.5	7.0
RqaG	Rodman sandy loam, 25 to 50 percent slopes	Rodman	95	---	---	---	0.0	0.0
		Eel	3	115	40	16	3.8	7.6
		Beckville	2	105	37	15	3.5	7.0

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RtxAK	Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Rossburg	100	135	47	19	4.5	9.0
RuxA	Raub-Brenton complex, 0 to 2 percent slopes	Raub	56	175	58	79	5.8	11.6
		Brenton	36	175	58	70	5.8	11.6
		Chalmers	4	165	47	66	5.4	10.8
		Drummer	4	165	47	66	5.4	10.8
RyfA	Rush silt loam, 0 to 2 percent slopes	Rush	97	155	54	78	5.1	10.2
		Mahalaland	3	155	44	78	5.1	10.2
RyfB2	Rush silt loam, 2 to 6 percent slopes, eroded	Rush	97	150	53	75	5.0	10.0
		Mahalaland	3	155	44	78	5.1	10.2
RywB2	Russell silt loam, 2 to 6 percent slopes, eroded	Russell, eroded	85	150	53	68	5.0	10.0
		Williamstown, eroded	10	140	49	63	4.6	9.2
		Fincastle	3	165	54	74	5.4	10.8
		Treaty	2	185	54	74	6.1	12.2
RywC2	Russell silt loam, 6 to 12 percent slopes, eroded	Russell	95	140	49	63	4.6	9.2
		Severely eroded soils	5	115	40	52	3.8	7.6
RywD2	Russell silt loam, 12 to 18 percent slopes, eroded	Russell	87	125	44	56	4.1	8.2
		Strawn	8	---	---	---	3.1	6.2
		Severely eroded soils	5	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RzcE	Russell-Strawn complex, 18 to 25 percent slopes	Russell	60	---	---	---	3.5	7.0
		Strawn	40	---	---	---	3.5	7.0
SldAK	Shoals silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Shoals	90	135	44	19	4.5	9.0
		Sloan	4	130	35	18	4.3	8.6
		Beckville	3	115	40	16	3.8	7.6
		Eel	3	125	44	18	4.1	8.2
SlyA	Silverwood silt loam, 0 to 2 percent slopes	Silverwood	97	105	37	53	3.5	7.0
		Sleeth	3	135	44	68	4.5	9.0
SlyB2	Silverwood silt loam, 2 to 6 percent slopes, eroded	Silverwood	95	100	35	50	3.3	6.6
		Severely eroded soils	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SlzA	Silverwood loam, 0 to 2 percent slopes	Silverwood	97	105	37	53	3.5	7.0
		Sleeth	3	135	44	68	4.5	9.0
SlzB2	Silverwood loam, 2 to 6 percent slopes, eroded	Silverwood	95	100	35	50	3.3	6.6
		Severely eroded soils	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SlzC2	Silverwood loam, 6 to 12 percent slopes, eroded	Silverwood	95	90	32	45	3.0	6.0
		Severely eroded soils	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SlzD2	Silverwood loam, 12 to 18 percent slopes, eroded	Silverwood	95	75	26	38	2.5	5.0
		Severely eroded soils	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SngA	Sleeth silt loam, 0 to 2 percent slopes	Sleeth	75	145	47	73	4.8	9.6
		Sleeth, till substratum	15	135	44	68	4.5	9.0
		Westland	10	155	44	78	5.1	10.2
SnlAP	Southwest silt loam, 0 to 1 percent slopes, ponded, brief duration	Southwest	90	130	35	52	4.3	8.6
		Treaty	10	150	42	60	5.0	10.0
SobAI	Sloan and Beaucoup soils, 0 to 1 percent slopes, frequently flooded, long duration	Sloan	60	125	33	0	0.0	0.0
		Beaucoup	40	125	33	0	0.0	0.0
SseB2	St. Charles silt loam, 2 to 6 percent slopes, eroded	St. Charles	93	140	49	56	4.6	9.2
		Rush	7	130	46	65	4.3	8.6
SteA	Starks silt loam, 0 to 2 percent slopes	Starks	90	165	54	66	5.4	10.8
		Mahalasville	10	165	47	66	5.4	10.8
SvqE	Strawn loam, 18 to 25 percent slopes	Strawn	90	---	---	---	3.5	7.0
		Severely eroded soils	5	115	40	52	3.8	7.6
		Shoals	5	125	40	18	4.1	8.2
SvqG	Strawn loam, 25 to 70 percent slopes	Strawn	90	---	---	---	0.0	0.0
		Rodman	5	---	---	---	0.0	0.0
		Shoals	5	145	47	20	4.8	9.6
SwdE	Strawn-Rodman complex, 18 to 25 percent slopes	Strawn	75	---	---	---	3.5	7.0
		Rodman	25	---	---	---	0.8	1.6

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SwdG	Strawn-Rodman complex, 25 to 50 percent slopes	Strawn	75	---	---	---	0.0	0.0
		Rodman	25	---	---	---	0.0	0.0
TfdA	Throckmorton silt loam, 0 to 2 percent slopes	Throckmorton	95	155	54	70	5.1	10.2
		Chalmers	3	165	47	66	5.4	10.8
		Drummer	2	165	47	66	5.4	10.8
TfdB	Throckmorton silt loam, 2 to 4 percent slopes	Throckmorton	97	155	54	70	5.1	10.2
		Drummer	3	165	47	66	5.4	10.8
ThrA	Treaty silty clay loam, 0 to 1 percent slopes	Treaty, drained	80	185	54	74	6.1	12.2
		Crosby	5	140	46	63	4.6	9.2
		Pella, drained	5	175	51	70	5.8	11.6
		Rensselaer, drained	5	175	51	70	5.8	11.6
		Southwest, drained	5	165	47	66	5.4	10.8
TlxA	Toronto silt loam, 0 to 2 percent slopes	Toronto	97	170	56	77	5.6	11.2
		Treaty	3	165	47	66	5.4	10.8
TmcA	Totanang silt loam, 0 to 2 percent slopes	Totanang	87	155	54	78	5.1	10.2
		Soils underlain with dense till	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Mahalaland	3	155	44	78	5.1	10.2
UbyE	Udorthents, loamy, 3 to 30 percent slopes	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Uea	Urban land	Urban land	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WkmA	Waupecan silt loam, 0 to 2 percent slopes	Waupecan	87	165	58	83	5.4	10.8
		Octagon	10	125	44	56	4.1	8.2
		Mahalaland	3	155	44	78	5.1	10.2
WkmB2	Waupecan silt loam, 2 to 6 percent slopes, eroded	Waupecan	95	160	56	80	5.3	10.6
		Lafayette	3	155	51	78	5.1	10.2
		Severely eroded soils, severely eroded	2	135	47	54	4.5	9.0
WmnA	Waynetown silt loam, 0 to 2 percent slopes	Waynetown	85	165	54	83	5.4	10.8
		Fincastle	8	165	54	74	5.4	10.8
		Mahalaland	7	175	51	88	5.8	11.6
WmpA	Wea loam, 0 to 2 percent slopes	Wea	100	145	51	73	4.8	9.6
WmpB2	Wea loam, 2 to 6 percent slopes, eroded	Wea	97	140	49	70	4.6	9.2
		Severely eroded soils, severely eroded	3	135	47	54	4.5	9.0
WqvA	Westland silty clay loam, 0 to 2 percent slopes	Westland, drained	70	170	49	85	5.6	11.2
		Mahalaland, drained	15	175	51	88	5.8	11.6
		Treaty, drained	9	185	54	74	6.1	12.2
		Sleeth	6	145	47	73	4.8	9.6
WsuA	Whitaker loam, 0 to 2 percent slopes	Whitaker	93	155	51	62	5.1	10.2
		Crosby	4	130	42	59	4.3	8.6
		Rensselaer	3	165	47	66	5.4	10.8

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WtaA	Whitaker silt loam, 0 to 2 percent slopes	Whitaker	90	155	51	62	5.1	10.2
		Rensselaer	5	175	51	70	5.8	11.6
		Sleeth	3	145	47	73	4.8	9.6
		Martinsville, till substratum	2	145	51	58	4.8	9.6
WufB2	Williamstown silt loam, 2 to 6 percent slopes, eroded	Williamstown	82	140	49	63	4.6	9.2
		Crosby	15	130	42	59	4.3	8.6
		Typic Argiaquolls	3	Not Rated	54	74	Not Rated	Not Rated
WvaA	Wingate silt loam,0 to 2 percent slopes	Wingate	97	160	56	64	5.3	10.6
		Treaty	3	165	47	66	5.4	10.8
WvaB2	Wingate silt loam, 2 to 6 percent slopes, eroded	Wingate	95	155	54	62	5.1	10.2
		Severely eroded soils	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
XabA	Xenia silt loam, 0 to 2 percent slopes	Xenia	90	150	53	68	5.0	10.0
		Ragsdale	5	190	56	76	6.3	12.6
		Treaty	5	185	54	74	6.1	12.2
XabB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0
		Fincastle	5	165	54	74	5.4	10.8
		Russell, eroded	5	150	53	68	5.0	10.0
		Treaty	5	185	54	74	6.1	12.2

COMPONENT CROP YIELDS (RV)--Continued
Fountain County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
XfuB2	Miami-Rainsville complex, 2 to 6 percent slopes, eroded	Miami	60	140	49	63	4.6	9.2
		Rainsville	30	140	49	63	4.6	9.2
		Crosby	3	140	46	63	4.6	9.2
		Fincastle	3	165	54	74	5.4	10.8
		Miami, severely eroded	3	135	47	61	4.5	9.0
		Typic Argiaquolls	1	Not Rated	54	74	Not Rated	Not Rated
XfuC2	Miami-Rainsville complex, 6 to 12 percent slopes, eroded	Miami	65	130	46	59	4.3	8.6
		Rainsville	25	130	46	59	4.3	8.6
		Miami, severely eroded	4	125	44	56	4.1	8.2
		Crosby	2	140	46	63	4.6	9.2
		Fincastle	2	165	54	74	5.4	10.8
		Rainsville, severely eroded	1	135	47	61	4.5	9.0
		Typic Argiaquolls	1	Not Rated	54	74	Not Rated	Not Rated
YedA	Yeddo silt loam, 0 to 2 percent slopes	Yeddo	90	170	56	68	5.6	11.2
		Birkbeck	7	135	47	61	4.5	9.0
		Ragsdale	3	165	47	66	5.4	10.8