

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Fountain County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AbfA	Adeland silt loam, 0 to 2 percent slopes	105	33	42	3.5	7.0
AbhAI	Adrian muck, 0 to 1 percent slopes, frequently flooded, long duration	0	0	0	0.0	0.0
AjaAI	Allison silt loam, 0 to 2 percent slopes, frequently flooded, long duration	120	42	0	0.0	0.0
ApkA	Angatoka silt loam, outwash substratum, 0 to 2 percent slopes	140	49	70	4.6	9.2
AplA	Angatoka silt loam, 0 to 2 percent slopes	155	54	70	5.1	10.2
AplB2	Angatoka silt loam, 2 to 6 percent slopes, eroded	150	53	68	5.0	10.0
AplC2	Angatoka silt loam, 6 to 12 percent slopes, eroded	140	49	63	4.6	9.2
AzqA	Ayrshire loam, 0 to 2 percent slopes	155	51	62	5.1	10.2
BcgAI	Battleground silt loam, 0 to 2 percent slopes, frequently flooded, long duration	115	40	0	0.0	0.0
BhyA	Birkbeck silt loam, 0 to 2 percent slopes	160	56	72	5.3	10.6
BhyB2	Birkbeck silt loam, 2 to 6 percent slopes, eroded	155	54	70	5.1	10.2
BvlAK	Brouillett silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	150	49	21	0.0	0.0
CbaA	Camden silt loam, 0 to 2 percent slopes	156	54	63	5.1	10.2
CbaB2	Camden silt loam, 2 to 6 percent slopes, eroded	145	51	58	4.8	9.6
CfrG	Cates channery silt loam, 25 to 75 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Fountain County, Indiana

ChqA	Chalmers silty clay loam, 0 to 1 percent slopes	175	51	70	5.8	11.6
CnaB	Coloma loamy sand, 2 to 6 percent slopes	85	30	34	2.8	5.6
CnaC	Coloma loamy sand, 6 to 15 percent slopes	75	26	30	2.5	5.0
CsuA	Crane silt loam, 0 to 2 percent slopes	155	51	78	5.1	10.2
CudA	Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes	155	51	70	5.1	10.2
DpbA	Drummer silty clay loam, 0 to 1 percent slopes	189	56	76	6.3	12.6
EcoA	Edwardsville silt loam, 0 to 2 percent slopes	180	60	72	5.9	11.8
EdeAK	Eel and Beckville soils, 0 to 2 percent slopes, occasionally flooded, brief duration	120	42	17	0.0	0.0
EmdA	Elston sandy loam, 0 to 2 percent slopes	120	42	48	4.0	8.0
EmdB	Elston sandy loam, 2 to 6 percent slopes	125	44	50	4.1	8.2
FamB	Fairpoint gravelly clay loam, 0 to 6 percent slopes	110	39	44	3.6	7.2
FdbA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	168	54	73	5.4	10.8
FdbB	Fincastle silt loam, 2 to 4 percent slopes	165	54	74	5.4	10.8
FdnA	Fincastle-Starks silt loams, 0 to 2 percent slopes	164	54	71	5.4	10.8
GcaAK	Genesee soils, 0 to 2 percent slopes, occasionally flooded, brief duration	125	44	18	0.0	0.0
JcfG	Judyville fine sandy loam, 25 to 70 percent slopes	0	0	0	0.0	0.0
KnqD2	Kendallville silt loam, 12 to 18 percent slopes, eroded	115	40	52	3.8	7.6
LbrA	Lafayette silt loam, 0 to 2 percent slopes	175	58	88	5.8	11.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Fountain County, Indiana

LdxAK	Landes fine sandy loam, 0 to 2 percent slopes, occasionally flooded, brief duration	115	40	16	0.0	0.0
LfuAI	Lash fine sandy loam, 0 to 2 percent slopes, frequently flooded, long duration	95	33	0	0.0	0.0
LfzB2	Lauramie silt loam, 2 to 6 percent slopes, eroded	145	51	58	4.8	9.6
LugA	Loudonville silt loam, 0 to 2 percent slopes	115	40	46	3.8	7.6
LugB2	Loudonville silt loam, 2 to 6 percent slopes, eroded	110	39	44	3.6	7.2
LugC2	Loudonville silt loam, 6 to 12 percent slopes, eroded	100	35	40	3.3	6.6
LuhC	Loudonville silt loam, 4 to 12 percent slopes, stony	100	35	40	3.3	6.6
MamA	Mahalasville silty clay loam, 0 to 2 percent slopes	176	51	70	5.8	11.6
MaoA	Mahalaland silty clay loam, 0 to 1 percent slopes	174	51	87	5.8	11.6
MapA	Mahalasville silty clay loam, bedrock substratum, 0 to 1 percent slopes	165	47	66	5.4	10.8
MecB2	Martinsville loam, 2 to 6 percent slopes, eroded	140	49	56	4.6	9.2
MjuA	Mellott silt loam, 0 to 2 percent slopes	155	54	62	5.1	10.2
MqlG	Minnehaha silt loam, 35 to 75 percent slopes	0	0	0	0.0	0.0
MrcA	Mitiwanga silt loam, 0 to 2 percent slopes	120	39	48	4.0	8.0
ObmB2	Octagon silt loam, 2 to 6 percent slopes, eroded	145	51	65	4.8	9.6
ObmC2	Octagon silt loam, 6 to 12 percent slopes, eroded	135	47	61	4.5	9.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Fountain County, Indiana

ObxA	Ockley silt loam, 0 to 2 percent slopes	134	47	66	4.5	9.0
ObxB2	Ockley silt loam, 2 to 6 percent slopes, eroded	133	46	65	4.3	8.6
ObxC2	Ockley silt loam, 6 to 12 percent slopes, eroded	120	42	60	4.0	8.0
ObxD2	Ockley silt loam, 12 to 18 percent slopes, eroded	105	37	53	3.5	7.0
Pg	Pits, gravel	0	0	0	0.0	0.0
PgaA	Pella silty clay loam, 0 to 1 percent slopes	175	51	70	5.8	11.6
PnwBQ	Pinevillage gravelly sandy loam, 2 to 8 percent slopes, rarely flooded	100	35	40	3.3	6.6
PvsA	Princeton fine sandy loam, 0 to 2 percent slopes	135	47	54	4.5	9.0
PvsB2	Princeton fine sandy loam, 2 to 6 percent slopes, eroded	130	46	52	4.3	8.6
PvsC2	Princeton fine sandy loam, 6 to 12 percent slopes, eroded	120	42	48	4.0	8.0
RbfA	Ragsdale silty clay loam, 0 to 2 percent slopes	190	56	76	6.3	12.6
RbuB2	Rainsville silt loam, 2 to 6 percent slopes, eroded	140	49	63	4.6	9.2
RbuC2	Rainsville silt loam, 6 to 12 percent slopes, eroded	130	46	59	4.3	8.6
RdvA	Raub silt loam, 0 to 2 percent slopes	175	58	79	5.8	11.6
RetA	Rensselaer silty clay loam, 0 to 1 percent slopes	175	51	70	5.8	11.6
RosAK	Rockmill silt loam, 0 to 1 percent slopes, occasionally flooded, brief duration	135	37	19	0.0	0.0
RqaE	Rodman sandy loam, 18 to 25 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Fountain County, Indiana

RqaG	Rodman sandy loam, 25 to 50 percent slopes	0	0	0	0.0	0.0
RtxAK	Rosburg silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	135	47	19	0.0	0.0
RuxA	Raub-Brenton complex, 0 to 2 percent slopes	174	54	75	5.8	11.6
RyfA	Rush silt loam, 0 to 2 percent slopes	155	54	78	5.1	10.2
RyfB2	Rush silt loam, 2 to 6 percent slopes, eroded	150	53	75	5.0	10.0
RywB2	Russell silt loam, 2 to 6 percent slopes, eroded	150	52	67	5.0	10.0
RywC2	Russell silt loam, 6 to 12 percent slopes, eroded	140	49	63	4.6	9.2
RywD2	Russell silt loam, 12 to 18 percent slopes, eroded	125	44	56	4.1	8.2
RzcE	Russell-Strawn complex, 18 to 25 percent slopes	0	0	0	0.0	0.0
SldAK	Shoals silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	134	43	19	0.0	0.0
SlyA	Silverwood silt loam, 0 to 2 percent slopes	105	37	53	3.5	7.0
SlyB2	Silverwood silt loam, 2 to 6 percent slopes, eroded	100	35	50	3.3	6.6
SlzA	Silverwood loam, 0 to 2 percent slopes	105	37	53	3.5	7.0
SlzB2	Silverwood loam, 2 to 6 percent slopes, eroded	100	35	50	3.3	6.6
SlzC2	Silverwood loam, 6 to 12 percent slopes, eroded	90	32	45	3.0	6.0
SlzD2	Silverwood loam, 12 to 18 percent slopes, eroded	75	26	38	2.5	5.0
SngA	Sleeth silt loam, 0 to 2 percent slopes	145	47	73	4.8	9.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Fountain County, Indiana

SnIAP	Southwest silt loam, 0 to 1 percent slopes, ponded, brief duration	132	36	52	4.3	8.6
SobAI	Sloan and Beaucoup soils, 0 to 1 percent slopes, frequently flooded, long duration	125	33	0	0.0	0.0
SseB2	St. Charles silt loam, 2 to 6 percent slopes, eroded	140	49	56	4.6	9.2
SteA	Starks silt loam, 0 to 2 percent slopes	165	54	66	5.4	10.8
SvqE	Strawn loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
SvqG	Strawn loam, 25 to 70 percent slopes	0	0	0	0.0	0.0
SwdE	Strawn-Rodman complex, 18 to 25 percent slopes	0	0	0	0.0	0.0
SwdG	Strawn-Rodman complex, 25 to 50 percent slopes	0	0	0	0.0	0.0
TfdA	Throckmorton silt loam, 0 to 2 percent slopes	156	54	69	5.1	10.2
TfdB	Throckmorton silt loam, 2 to 4 percent slopes	155	54	70	5.1	10.2
ThrA	Treaty silty clay loam, 0 to 1 percent slopes	181	53	74	6.1	12.2
TlxA	Toronto silt loam, 0 to 2 percent slopes	170	56	77	5.6	11.2
Tmca	Totanang silt loam, 0 to 2 percent slopes	155	54	78	5.1	10.2
UbyE	Udorthents, loamy, 3 to 30 percent slopes	0	0	0	0.0	0.0
Uea	Urban land	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
WkmA	Waupecan silt loam, 0 to 2 percent slopes	165	58	83	5.4	10.8
Wkmb2	Waupecan silt loam, 2 to 6 percent slopes, eroded	160	56	80	5.3	10.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Fountain County, Indiana

WmnA	Waynetown silt loam, 0 to 2 percent slopes	166	54	82	5.4	10.8
WmpA	Wea loam, 0 to 2 percent slopes	145	51	73	4.8	9.6
WmpB2	Wea loam, 2 to 6 percent slopes, eroded	140	49	70	4.6	9.2
WqvA	Westland silty clay loam, 0 to 2 percent slopes	171	50	84	5.6	11.2
WsuA	Whitaker loam, 0 to 2 percent slopes	155	51	62	5.1	10.2
WtaA	Whitaker silt loam, 0 to 2 percent slopes	156	51	63	5.1	10.2
WufB2	Williamstown silt loam, 2 to 6 percent slopes, eroded	140	49	63	4.6	9.2
WvaA	Wingate silt loam, 0 to 2 percent slopes	160	56	64	5.3	10.6
WvaB2	Wingate silt loam, 2 to 6 percent slopes, eroded	155	54	62	5.1	10.2
XabA	Xenia silt loam, 0 to 2 percent slopes	150	53	68	5.0	10.0
XabB2	Xenia silt loam, 2 to 6 percent slopes, eroded	153	53	67	5.0	10.0
XfuB2	Miami-Rainsville complex, 2 to 6 percent slopes, eroded	139	49	63	4.6	9.2
XfuC2	Miami-Rainsville complex, 6 to 12 percent slopes, eroded	129	45	58	4.3	8.6
Yeda	Yeddo silt loam, 0 to 2 percent slopes	170	56	68	5.6	11.2