

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 Franklin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AlA	Alvin sandy loam, 0 to 2 percent slopes	Alvin	100	115	40	46	3.8	7.6
AlB	Alvin sandy loam, 2 to 6 percent slopes	Alvin	100	115	40	46	3.8	7.6
AvA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
BnF	Bonnell loam, 25 to 50 percent slopes	Bonnell	100	---	---	---	0.0	0.0
BoC2	Bonnell silt loam, 6 to 12 percent slopes, eroded	Bonnell	100	110	39	44	3.6	7.2
BoD2	Bonnell silt loam, 12 to 18 percent slopes, eroded	Bonnell	100	95	33	38	3.1	6.2
BoE2	Bonnell silt loam, 18 to 25 percent slopes, eroded	Bonnell	100	---	---	---	2.6	5.2
BpD3	Bonnell clay loam, 12 to 18 percent slopes, severely eroded	Bonnell, severely eroded	100	90	32	36	3.0	6.0
BrC3	Bonnell silty clay loam, 6 to 12 percent slopes, severely eroded	Bonnell, severely eroded	100	100	35	40	3.3	6.6
Cbc2	Carmel silt loam, 6 to 12 percent slopes, eroded	Carmel	100	90	32	41	3.0	6.0
Ckb2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
Ckc2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati, eroded	85	105	37	47	3.5	7.0
Ckc3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	90	100	35	45	3.3	6.6
Cm	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	85	155	47	62	5.1	10.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Franklin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CoG	Corydon silty clay loam, 18 to 50 percent slopes	Corydon	100	---	---	---	0.0	0.0
Cy	Cyclone silt loam, 0 to 2 percent slopes	Cyclone	85	190	56	76	6.3	12.6
Db	Dearborn loam, frequently flooded	Dearborn	100	120	42	17	4.0	8.0
EbE2	Eden flaggy silty clay, 15 to 25 percent slopes, eroded	Eden	100	---	---	---	1.3	2.6
EdG	Eden flaggy silty clay, 25 to 50 percent slopes	Eden	85	---	---	---	0.0	0.0
EeD2	Edenton silt loam, 12 to 18 percent slopes, eroded	Edenton	100	85	30	34	2.8	5.6
ElA	Eldean loam, 0 to 2 percent slopes	Eldean	90	100	35	50	3.3	6.6
ElB	Eldean loam, 2 to 6 percent slopes	Eldean	100	100	35	50	3.3	6.6
FcB	Fincastle silt loam, 1 to 3 percent slopes	Fincastle	90	165	54	74	5.4	10.8
FfA	Fincastle-Reesville silt loams, 0 to 1 percent slopes	Fincastle	63	165	54	74	5.4	10.8
		Reesville	34	170	56	77	5.6	11.2
FxC3	Fox complex, 6 to 15 percent slopes, severely eroded	Fox, severely eroded	55	75	26	38	2.5	5.0
		Fox, severely eroded	45	80	28	40	2.6	5.2
Gd	Gessie loam, sandy substratum, rarely flooded	Gessie, sandy substratum	100	145	51	58	4.8	9.6
Ge	Gessie loam, sandy substratum, occasionally flooded	Gessie, sandy substratum	100	125	44	18	4.1	8.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Franklin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HeG	Hennepin loam, 25 to 60 percent slopes	Hennepin	100	---	---	---	0.0	0.0
Ht	Holton silt loam, occasionally flooded	Holton	97	130	39	18	4.3	8.6
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami	97	140	49	63	4.6	9.2
MmC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami	97	130	46	59	4.3	8.6
MmD2	Miami silt loam, well drained, 12 to 18 percent slopes, eroded	Miami, well drained, eroded	92	115	40	52	3.8	7.6
MoC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
MoD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	97	110	39	50	3.6	7.2
Mr	Milford silty clay loam	Milford	100	160	46	64	5.3	10.6
Mt	Moundhaven sandy loam, rarely flooded	Moundhaven	100	95	33	38	3.1	6.2
Mx	Moundhaven sandy loam, occasionally flooded	Moundhaven	100	75	26	11	2.5	5.0
OcA	Ockley loam, 0 to 2 percent slopes	Ockley	80	135	47	68	4.5	9.0
OcB2	Ockley loam, 2 to 6 percent slopes, eroded	Ockley	100	130	46	65	4.3	8.6
Og	Oldenburg silt loam, occasionally flooded	Oldenburg	100	125	44	18	4.1	8.2
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Franklin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Pg	Pits, gravel	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ph	Pits, quarries	Pits, quarries	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PrC	Princeton fine sandy loam, 4 to 12 percent slopes	Princeton	100	125	44	50	4.1	8.2
RkF	Rodman gravelly coarse sandy loam, 35 to 60 percent slopes	Rodman	100	0	0	0	0.0	0.0
Rm	Ross silt loam, rarely flooded	Ross	100	160	56	64	5.3	10.6
RsA	Rossmoyne silt loam, 0 to 2 percent slopes	Rossmoyne	100	135	47	61	4.5	9.0
RsB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6
RuB2	Russell silt loam, 2 to 6 percent slopes, eroded	Russell, eroded	85	150	53	68	5.0	10.0
RvA	Russell silt loam, bedrock substratum, 0 to 2 percent slopes	Russell, bedrock substratum	100	145	51	58	4.8	9.6
RvB	Russell silt loam, bedrock substratum, 2 to 6 percent slopes	Russell, bedrock substratum	100	145	51	58	4.8	9.6
SdB	Sidell silt loam, 1 to 4 percent slopes	Sidell	100	165	58	66	5.4	10.8
UaB	Uniontown silt loam, moderately wet, 2 to 8 percent slopes	Uniontown, moderately wet	100	145	51	58	4.8	9.6
UnD2	Uniontown silt loam, 15 to 25 percent slopes, eroded	Uniontown	100	115	40	46	3.8	7.6
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Franklin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WeB2	Weisburg silt loam, 2 to 6 percent slopes, eroded	Weisburg	100	125	44	56	4.1	8.2
WmB	Williamstown silt loam, 1 to 4 percent slopes	Williamstown	100	145	51	65	4.8	9.6
Wn	Wirt loam, occasionally flooded	Wirt	100	120	42	17	4.0	8.0
WoB	Woolper silty clay loam, 1 to 6 percent slopes	Woolper	100	140	49	56	4.6	9.2
WrB	Wynn silt loam, 1 to 6 percent slopes	Wynn	100	120	42	48	4.0	8.0
WrC2	Wynn silt loam, 6 to 12 percent slopes, eroded	Wynn	100	80	28	32	2.6	5.2
Wyc3	Wynn silty clay loam, 6 to 12 percent slopes, severely eroded	Wynn, severely eroded	100	75	26	30	2.5	5.0
XnA	Xenia silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Xenia	85	155	54	70	5.1	10.2
XnB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.