

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Franklin County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AIA	Alvin sandy loam, 0 to 2 percent slopes	115	40	46	3.8	7.6
AIB	Alvin sandy loam, 2 to 6 percent slopes	115	40	46	3.8	7.6
AvA	Avonburg silt loam, 0 to 2 percent slopes	145	48	65	4.8	9.6
BnF	Bonnell loam, 25 to 50 percent slopes	0	0	0	0.0	0.0
BoC2	Bonnell silt loam, 6 to 12 percent slopes, eroded	110	39	44	3.6	7.2
BoD2	Bonnell silt loam, 12 to 18 percent slopes, eroded	95	33	38	3.1	6.2
BoE2	Bonnell silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
BpD3	Bonnell clay loam, 12 to 18 percent slopes, severely eroded	90	32	36	3.0	6.0
BrC3	Bonnell silty clay loam, 6 to 12 percent slopes, severely eroded	100	35	40	3.3	6.6
CbC2	Carmel silt loam, 6 to 12 percent slopes, eroded	90	32	41	3.0	6.0
CkB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	116	41	51	3.8	7.6
CkC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	106	37	47	3.5	7.0
CkC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	99	35	44	3.3	6.6
Cm	Cobbsfork silt loam, 0 to 1 percent slopes	139	43	61	5.0	10.1
CoG	Corydon silty clay loam, 18 to 50 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Franklin County, Indiana

Cy	Cyclone silt loam, 0 to 2 percent slopes	185	56	77	6.3	12.6
Db	Dearborn loam, frequently flooded	120	42	17	0.0	0.0
EbE2	Eden flaggy silty clay, 15 to 25 percent slopes, eroded	0	0	0	0.0	0.0
EdG	Eden flaggy silty clay, 25 to 50 percent slopes	---	---	---	0.0	0.0
EeD2	Edenton silt loam, 12 to 18 percent slopes, eroded	85	30	34	2.8	5.6
EIA	Eldean loam, 0 to 2 percent slopes	103	36	50	3.3	6.6
EIB	Eldean loam, 2 to 6 percent slopes	100	35	50	3.3	6.6
FcB	Fincastle silt loam, 1 to 3 percent slopes	165	54	74	5.4	10.8
FfA	Fincastle-Reesville silt loams, 0 to 1 percent slopes	167	55	75	5.4	10.9
FxC3	Fox complex, 6 to 15 percent slopes, severely eroded	77	27	38	2.5	5.0
Gd	Gessie loam, sandy substratum, rarely flooded	145	51	58	4.8	9.6
Ge	Gessie loam, sandy substratum, occasionally flooded	125	44	18	0.0	0.0
HeG	Hennepin loam, 25 to 60 percent slopes	0	0	0	0.0	0.0
Ht	Holton silt loam, occasionally flooded	130	39	18	0.0	0.0
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	140	49	63	4.6	9.2
MmC2	Miami silt loam, 6 to 12 percent slopes, eroded	130	46	59	4.3	8.6
MmD2	Miami silt loam, well drained, 12 to 18 percent slopes, eroded	112	39	51	3.8	7.6
MoC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	121	42	54	4.0	8.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Franklin County, Indiana

MoD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	110	39	50	3.6	7.2
Mr	Milford silty clay loam	160	46	64	5.3	10.6
Mt	Moundhaven sandy loam, rarely flooded	95	33	38	3.1	6.2
Mx	Moundhaven sandy loam, occasionally flooded	75	26	11	0.0	0.0
OcA	Ockley loam, 0 to 2 percent slopes	132	46	67	4.5	8.9
OcB2	Ockley loam, 2 to 6 percent slopes, eroded	130	46	65	4.3	8.6
Og	Oldenburg silt loam, occasionally flooded	125	44	18	0.0	0.0
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
Pg	Pits, gravel	0	0	0	0.0	0.0
Ph	Pits, quarries	0	0	0	0.0	0.0
PrC	Princeton fine sandy loam, 4 to 12 percent slopes	125	44	50	4.1	8.2
RkF	Rodman gravelly coarse sandy loam, 35 to 60 percent slopes	0	0	0	0.0	0.0
Rm	Ross silt loam, rarely flooded	160	56	64	5.3	10.6
RsA	Rossmoyne silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
RsB2	Nabb silt loam, 2 to 6 percent slopes, eroded	117	41	50	3.6	7.3
RuB2	Russell silt loam, 2 to 6 percent slopes, eroded	150	52	67	5.0	10.0
RvA	Russell silt loam, bedrock substratum, 0 to 2 percent slopes	145	51	58	4.8	9.6
RvB	Russell silt loam, bedrock substratum, 2 to 6 percent slopes	145	51	58	4.8	9.6
SdB	Sidell silt loam, 1 to 4 percent slopes	165	58	66	5.4	10.8

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Franklin County, Indiana

UaB	Uniontown silt loam, moderately wet, 2 to 8 percent slopes	145	51	58	4.8	9.6
UnD2	Uniontown silt loam, 15 to 25 percent slopes, eroded	115	40	46	3.8	7.6
W	Water	0	0	0	0.0	0.0
WeB2	Weisburg silt loam, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
WmB	Williamstown silt loam, 1 to 4 percent slopes	145	51	65	4.8	9.6
Wn	Wirt loam, occasionally flooded	120	42	17	0.0	0.0
WoB	Woolper silty clay loam, 1 to 6 percent slopes	140	49	56	4.6	9.2
WrB	Wynn silt loam, 1 to 6 percent slopes	120	42	48	4.0	8.0
WrC2	Wynn silt loam, 6 to 12 percent slopes, eroded	80	28	32	2.6	5.2
WyC3	Wynn silty clay loam, 6 to 12 percent slopes, severely eroded	75	26	30	2.5	5.0
XnA	Xenia silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	156	54	69	5.1	10.2
XnB2	Xenia silt loam, 2 to 6 percent slopes, eroded	153	53	67	5.0	10.0