

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Fulton County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ad—Adrian muck, drained					
Adrian, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.50	Water gathering surface	0.50
Ah—Alganssee loamy sand, frequently flooded					
Alganssee	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
Bb—Barry loam					
Barry	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Fulton County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BIA—Blount loam, 0 to 2 percent slopes					
Blount	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Br—Brady sandy loam					
Brady	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
BsA—Branch loamy sand, 0 to 2 percent slopes					
Branch	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BtA—Brems loamy sand, 0 to 3 percent slopes					
Brems	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.90	Unstable excavation walls	0.90
ChB—Chelsea fine sand, 2 to 6 percent slopes					
Chelsea	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00

Selected Soil Interpretations--Fulton County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Co—Cohoctah fine sandy loam, occasionally flooded					
Cohoctah	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CrA—Crosier loam, 0 to 2 percent slopes					
Crosier	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ed—Edwards muck, drained					
Edwards, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gf—Gilford fine sandy loam					
Gilford	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33
Gh—Gilford fine sandy loam, loamy substratum					
Gilford	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Fulton County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Hh—Histosols-Aquolls complex, ponded					
Histosols, undrained	70	Not rated		Not rated	
Aquolls, undrained	30	Not rated		Not rated	
Hk—Homer fine sandy loam, 0 to 2 percent slopes					
Homer	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Hm—Houghton muck, drained					
Houghton, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
Ho—Houghton muck, undrained					
Houghton, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16

Selected Soil Interpretations--Fulton County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KoA--Kosciusko-Ormas complex, 0 to 2 percent slopes					
Kosciusko	55	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Ormas	30	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.17	Unstable excavation walls	0.17
KoB--Kosciusko-Ormas complex, 2 to 6 percent slopes					
Kosciusko	55	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Ormas	30	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.17	Unstable excavation walls	0.17
KoC--Kosciusko-Ormas complex, 6 to 12 percent slopes					
Kosciusko	55	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Ormas	30	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Unstable excavation walls	0.17
		Unstable excavation walls	0.17	Slope	0.04

Selected Soil Interpretations--Fulton County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MaA—Markton loamy sand, 0 to 2 percent slopes					
Markton	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MeA—Metea loamy sand, 0 to 2 percent slopes					
Metea	100	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MeB—Metea loamy sand, 2 to 6 percent slopes					
Metea	100	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MeC—Metea loamy sand, 6 to 12 percent slopes					
Metea	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MrB2—Glynwood loam, 2 to 6 percent slopes, eroded					
Glynwood	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MsC3—Morley clay loam, 6 to 12 percent slopes, severely eroded					
Morley, severely eroded	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Slope	0.04
		Dusty	0.04	Dusty	0.04
Mu—Morocco loamy sand					
Morocco	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00

Selected Soil Interpretations--Fulton County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mx—Muskego muck, drained					
Muskego, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Adsorption	0.25	Adsorption	0.25
Ne—Newton fine sandy loam					
Newton	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
OmA—Ormas loamy sand, 0 to 2 percent slopes					
Ormas	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.08	Unstable excavation walls	0.08
OmB—Ormas loamy sand, 2 to 6 percent slopes					
Ormas	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.08	Unstable excavation walls	0.08
Pe—Pewamo clay loam					
Pewamo	95	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pk—Pits, gravel					
Pits, gravel	100	Not rated		Not rated	

Selected Soil Interpretations--Fulton County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PIA--Plainfield sand, 0 to 2 percent slopes					
Plainfield	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
PIB--Plainfield sand, 2 to 6 percent slopes					
Plainfield	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
PIC--Plainfield sand, 6 to 12 percent slopes					
Plainfield	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	0.63	Slope	0.04
RIA--Riddles fine sandy loam, 0 to 2 percent slopes					
Riddles	100	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RIB2--Riddles fine sandy loam, 2 to 6 percent slopes, eroded					
Riddles	90	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RIC2--Riddles fine sandy loam, 6 to 12 percent slopes, eroded					
Riddles	90	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Fulton County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Se—Sebewa sandy clay loam					
Sebewa	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
Usl—Udorthents, rubbish					
Udorthents, rubbish	100	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	
Wa—Walkkill silt loam					
Walkkill	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
Wh—Washtenaw silt loam					
Washtenaw	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.40	Water gathering surface	0.40
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WkB—Wawasee fine sandy loam, 2 to 6 percent slopes					
Wawasee	90	Somewhat limited		Somewhat limited	
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WkC2—Wawasee fine sandy loam, 6 to 12 percent slopes, eroded					
Wawasee	90	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Fulton County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WkD--Wawasee fine sandy loam, 12 to 18 percent slopes					
Wawasee	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

### Data Source Information

Soil Survey Area: Fulton County, Indiana  
 Survey Area Data: Version 16, Sep 9, 2014