

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ad	Adrian muck, drained	Adrian, drained	75	145	44	58	4.8	9.6
Ah	Algansee loamy sand, frequently flooded	Algansee	90	80	21	0	0.0	0.0
Bb	Barry loam	Barry	100	175	51	70	5.8	11.6
BlA	Blount loam, 0 to 2 percent slopes	Blount	85	140	46	63	4.6	9.2
Br	Brady sandy loam	Brady	90	125	37	63	4.1	8.2
BsA	Branch loamy sand, 0 to 2 percent slopes	Branch	90	140	49	56	4.6	9.2
BtA	Brems loamy sand, 0 to 3 percent slopes	Brems	80	95	33	38	3.1	6.2
ChB	Chelsea fine sand, 2 to 6 percent slopes	Chelsea	100	85	30	34	2.8	5.6
Co	Cohoctah fine sandy loam, occasionally flooded	Cohoctah	100	125	33	18	4.1	8.2
CrA	Crosier loam, 0 to 2 percent slopes	Crosier	85	155	51	70	5.1	10.2
Ed	Edwards muck, drained	Edwards, drained	80	135	33	54	4.5	9.0
Gf	Gilford fine sandy loam, 0 to 2 percent slopes, gravelly subsoil	Gilford, gravelly subsoil	90	150	42	60	5.0	10.0
Gh	Gilford fine sandy loam, loamy substratum	Gilford	100	150	42	60	5.0	10.0
Hh	Histosols-Aquolls complex, ponded	Histosols, undrained	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Aquolls, undrained	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Hk	Homer fine sandy loam, 0 to 2 percent slopes	Homer	90	135	44	54	4.5	9.0
Hm	Houghton muck, drained	Houghton, drained	75	165	44	66	5.4	10.8
Ho	Houghton muck, disintegration moraine, 0 to 2 percent slopes	Houghton, undrained	85	0	0	0	0.0	0.0
KoA	Kosciusko-Ormas complex, 0 to 2 percent slopes	Kosciusko	55	110	39	55	3.6	7.2
		Ormas	30	100	35	50	3.3	6.6
KoB	Kosciusko-Ormas complex, 2 to 6 percent slopes	Kosciusko	55	110	39	55	3.6	7.2
		Ormas	30	100	35	50	3.3	6.6
KoC	Kosciusko-Ormas complex, 6 to 12 percent slopes	Kosciusko	55	100	35	50	3.3	6.6
		Ormas	30	90	32	45	3.0	6.0
MaA	Markton loamy sand, 0 to 2 percent slopes	Markton	90	130	39	52	4.3	8.6
MeA	Metea loamy sand, 0 to 2 percent slopes	Metea	100	115	40	46	3.8	7.6
MeB	Metea loamy sand, 2 to 6 percent slopes	Metea	100	115	40	46	3.8	7.6
MeC	Metea loamy sand, 6 to 12 percent slopes	Metea	100	100	35	40	3.3	6.6
MrB2	Glynwood loam, 2 to 6 percent slopes, eroded	Glynwood	85	125	44	56	4.1	8.2
MsC3	Morley clay loam, 6 to 12 percent slopes, severely eroded	Morley, severely eroded	90	105	37	47	3.5	7.0
Mu	Morocco loamy sand	Morocco	85	100	28	40	3.3	6.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Mx	Muskego muck, drained	Muskego, drained	75	135	33	54	4.5	9.0
Ne	Newton fine sandy loam	Newton	100	115	30	46	3.8	7.6
OmA	Ormas loamy sand, 0 to 2 percent slopes	Ormas	90	100	35	50	3.3	6.6
OmB	Ormas loamy sand, 2 to 6 percent slopes	Ormas	90	100	35	50	3.3	6.6
Pe	Pewamo clay loam, 0 to 2 percent slopes	Pewamo	85	160	46	64	5.3	10.6
Pk	Pits, gravel	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PlA	Plainfield sand, 0 to 2 percent slopes	Plainfield	95	75	26	30	2.5	5.0
PlB	Plainfield sand, 2 to 6 percent slopes	Plainfield	95	75	26	30	2.5	5.0
PlC	Plainfield sand, 6 to 12 percent slopes	Plainfield	95	65	23	26	2.1	4.2
R1A	Riddles fine sandy loam, 0 to 2 percent slopes	Riddles	100	140	49	56	4.6	9.2
R1B2	Riddles fine sandy loam, 2 to 6 percent slopes, eroded	Riddles	90	135	47	54	4.5	9.0
R1C2	Riddles fine sandy loam, 6 to 12 percent slopes, eroded	Riddles	90	125	44	50	4.1	8.2
Se	Sebewa sandy clay loam	Sebewa	100	160	46	64	5.3	10.6
Us1	Udorthents, rubbish	Udorthents, Rubbish	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Wa	Wallkill silt loam	Wallkill	100	175	51	70	5.8	11.6
Wh	Washtenaw silt loam	Washtenaw	100	145	40	58	4.8	9.6
WkB	Wawasee fine sandy loam, 2 to 6 percent slopes	Wawasee	90	140	49	56	4.6	9.2
WkC2	Wawasee fine sandy loam, 6 to 12 percent slopes, eroded	Wawasee	90	125	44	50	4.1	8.2
WkD	Wawasee fine sandy loam, 12 to 18 percent slopes	Wawasee	90	115	40	46	3.8	7.6

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.