

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Gibson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ad	Adrian-Rensselaer complex, drained	Adrian, drained	60	145	44	58	4.8	9.6
		Rensselaer	40	175	51	70	5.8	11.6
AlA	Alford silt loam, 0 to 2 percent slopes	Alford	90	160	56	64	5.3	10.6
AlB2	Alford silt loam, 2 to 5 percent slopes, eroded	Alford, eroded	95	155	54	62	5.1	10.2
AlB3	Alford silt loam, 2 to 5 percent slopes, severely eroded	Alford, severely eroded	95	150	53	60	5.0	10.0
AlC2	Alford silt loam, 5 to 10 percent slopes, eroded	Alford, eroded	90	145	51	58	4.8	9.6
AlC3	Alford silt loam, 5 to 10 percent slopes, severely eroded	Alford, severely eroded	90	140	49	56	4.6	9.2
AlD2	Alford silt loam, 10 to 18 percent slopes, eroded	Alford, eroded	95	130	46	52	4.3	8.6
AlD3	Alford silt loam, 10 to 18 percent slopes, severely eroded	Alford, severely eroded	90	125	44	50	4.1	8.2
AlE	Alford silt loam, 18 to 35 percent slopes	Alford	95	---	---	---	0.0	0.0
AmF	Alford-Parke silt loams, 18 to 50 percent slopes	Alford	60	---	---	---	0.0	0.0
		Parke	40	---	---	---	0.0	0.0
AnB	Alvin fine sandy loam, 2 to 6 percent slopes	Alvin	97	115	40	46	3.8	7.6
AnC2	Alvin fine sandy loam, 6 to 12 percent slopes, eroded	Alvin	100	105	37	42	3.5	7.0
AnC3	Alvin fine sandy loam, 6 to 12 percent slopes, severely eroded	Alvin, severely eroded	100	100	35	40	3.3	6.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Gibson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AnD2	Alvin fine sandy loam, 12 to 18 percent slopes, eroded	Alvin	100	90	32	36	3.0	6.0
AnD3	Alvin fine sandy loam, 12 to 18 percent slopes, severely eroded	Alvin, severely eroded	100	85	30	34	2.8	5.6
Ao	Aquents, frequently flooded	Aquents, frequently flooded	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ar	Armiesburg silt loam, occasionally flooded	Armiesburg	97	135	47	19	4.5	9.0
As	Armiesburg silt loam, protected	Armiesburg	97	155	54	62	5.1	10.2
Ay	Ayrshire fine sandy loam	Ayrshire	97	155	47	62	5.1	10.2
Bd	Birds silt loam, frequently flooded	Birds	100	130	35	0	0.0	0.0
BlA	Bloomfield sand, 0 to 2 percent slopes	Bloomfield	97	85	30	34	2.8	5.6
BlB	Bloomfield sand, 2 to 6 percent slopes	Bloomfield	97	95	33	38	3.1	6.2
BlC	Bloomfield sand, 6 to 12 percent slopes	Bloomfield	100	85	30	34	2.8	5.6
BlD	Bloomfield sand, 12 to 18 percent slopes	Bloomfield	100	70	25	28	2.3	4.6
BlF	Bloomfield sand, 18 to 50 percent slopes	Bloomfield	100	---	---	---	0.0	0.0
Bo	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	Bonnie, frequently flooded	90	130	35	0	0.0	0.0
Bp	Bonnie silt loam, ponded	Bonnie, ponded, undrained	100	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Gibson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Cg	Chagrín silt loam, frequently flooded	Chagrín	97	120	42	0	0.0	0.0
Cr	Crawleyville loam	Crawleyville	97	150	49	60	5.0	10.0
Du	Dumps, mine	Dumps	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EkA	Elkinsville silt loam, 0 to 2 percent slopes	Elkinsville	97	150	53	60	5.0	10.0
EkB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	100	150	53	60	5.0	10.0
Ev	Evansville silt loam	Evansville	100	165	47	66	5.4	10.8
FaG	Fairpoint shaly silt loam, 15 to 60 percent slopes	Fairpoint	100	---	---	---	0.0	0.0
GnF	Gilpin variant silt loam, 18 to 50 percent slopes	Gilpin variant	100	---	---	---	0.0	0.0
GuC3	Gudgel silt loam, 6 to 12 percent slopes, severely eroded	Gudgel, severely eroded	100	110	39	50	3.6	7.2
GuD3	Gudgel silt loam, 12 to 18 percent slopes, severely eroded	Gudgel, severely eroded	100	95	33	43	3.1	6.2
Hd	Haymond silt loam, frequently flooded	Haymond	100	120	42	0	0.0	0.0
HhA	Henshaw silt loam, 0 to 2 percent slopes, frequently flooded	Henshaw	97	130	42	0	0.0	0.0
HoB2	Hosmer silt loam, 2 to 5 percent slopes, eroded	Hosmer, eroded	90	135	47	61	4.5	9.0
HoB3	Hosmer silt loam, 2 to 5 percent slopes, severely eroded	Hosmer, severely eroded	90	130	46	59	4.3	8.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Gibson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HoC	Hosmer silt loam, 5 to 10 percent slopes, eroded	Hosmer, eroded	95	125	44	56	4.1	8.2
HoC3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded	Hosmer, severely eroded	95	105	37	47	3.5	7.0
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	97	165	54	66	5.4	10.8
IvB	Iva silt loam, 2 to 4 percent slopes	Iva	100	165	54	66	5.4	10.8
Ju	Junius variant loamy sand	Junius variant	100	135	37	54	4.5	9.0
La	Landes sandy loam, occasionally flooded	Landes	100	115	40	16	3.8	7.6
Ln	Lindside silt loam, frequently flooded	Lindside	94	120	42	0	0.0	0.0
Ly	Lyles fine sandy loam	Lyles	100	150	42	60	5.0	10.0
Lz	Lyles sandy loam, loamy substratum	Lyles	100	150	42	60	5.0	10.0
Ma	Maplehill silt loam, frequently flooded	Maplehill	97	140	42	20	4.6	9.2
Md	Medway loam, occasionally flooded	Medway	97	135	47	19	4.5	9.0
Me	Medway loam, protected	Medway	100	155	54	62	5.1	10.2
Mg	Montgomery silty clay loam	Montgomery	100	160	46	64	5.3	10.6
Mh	Moundhaven fine sandy loam, frequently flooded	Moundhaven	100	70	25	0	0.0	0.0
MuA	Muren silt loam, 0 to 2 percent slopes	Muren	100	160	56	64	5.3	10.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Gibson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MuB2	Muren silt loam, 2 to 6 percent slopes, eroded	Muren	100	155	54	62	5.1	10.2
Nk	Newark silty clay loam, frequently flooded	Newark	94	125	40	0	0.0	0.0
Nn	Nolin silt loam, protected	Nolin	97	145	51	58	4.8	9.6
No	Nolin silt loam, frequently flooded	Nolin	94	120	42	0	0.0	0.0
Pn	Patton silty clay loam	Patton	100	175	51	70	5.8	11.6
Po	Peoga silt loam	Peoga	100	155	47	62	5.1	10.2
Pp	Petrolia silt loam, frequently flooded	Petrolia	100	140	39	0	0.0	0.0
Pv	Petrolia silty clay loam, frequently flooded, very long duration	Petrolia	100	80	18	0	0.0	0.0
Pw	Pits, sand	Pits	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ra	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
Rb	Ragsdale silt loam, overwash	Ragsdale	100	190	56	76	6.3	12.6
RIa	Reesville silt loam, 0 to 2 percent slopes	Reesville	97	170	56	68	5.6	11.2
Rr	Rensselaer fine sandy loam, loamy substratum	Rensselaer	100	170	49	68	5.6	11.2
SbA	Skelton loam, 0 to 2 percent slopes	Skelton	100	140	49	56	4.6	9.2
ScA	Skelton silt loam, 0 to 2 percent slopes, frequently flooded	Skelton	100	115	40	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Gibson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Sf	Steff silt loam, frequently flooded	Steff	97	110	39	0	0.0	0.0
Sr	Stendal silt loam, frequently flooded	Stendal	97	125	40	0	0.0	0.0
SvC	Swanwick variant silt loam, 1 to 15 percent slopes	Swanwick variant	100	135	47	54	4.5	9.0
SyB2	Sylvan silt loam, 2 to 6 percent slopes, eroded	Sylvan	100	155	54	62	5.1	10.2
SyC3	Sylvan silt loam, 6 to 12 percent slopes, severely eroded	Sylvan, severely eroded	100	140	49	56	4.6	9.2
SyD	Sylvan silt loam, 12 to 18 percent slopes	Sylvan	100	135	47	54	4.5	9.0
SyF	Sylvan silt loam, 18 to 50 percent slopes	Sylvan	100	---	---	---	0.0	0.0
TaD3	Taftown silt loam, 12 to 18 percent slopes, severely eroded	Taftown, severely eroded	100	105	37	42	3.5	7.0
TaE	Taftown silt loam, 18 to 25 percent slopes	Taftown	100	---	---	---	3.6	7.2
Ud	Udorthents, cut and filled	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UmD3	Udorthents-Sylvan complex, 12 to 18 percent slopes, severely eroded	Udorthents, very severely eroded	55	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Sylvan, severely eroded	45	125	44	50	4.1	8.2
UnA	Uniontown silt loam, 0 to 2 percent slopes	Uniontown	94	145	51	58	4.8	9.6
UnB2	Uniontown silt loam, 2 to 6 percent slopes, eroded	Uniontown	94	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Gibson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UnB3	Uniontown silt loam, 2 to 6 percent slopes, severely eroded	Uniontown, severely eroded	94	135	47	54	4.5	9.0
UnC3	Uniontown silt loam, 6 to 12 percent slopes, severely eroded	Uniontown, severely eroded	100	125	44	50	4.1	8.2
Vn	Vincennes loam	Vincennes	100	160	46	64	5.3	10.6
Vo	Vincennes silt loam, frequently flooded	Vincennes	100	135	37	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	Wakeland, frequently flooded	95	130	39	0	0.0	0.0
Wk	Wilbur silt loam, frequently flooded	Wilbur	97	125	44	0	0.0	0.0
Wo	Wilhite silty clay, frequently flooded	Wilhite	100	115	30	0	0.0	0.0
Wr	Wirt silt loam, sandy substratum, frequently flooded	Wirt	100	105	37	0	0.0	0.0
Zp	Zipp silty clay, 0 to 2 percent slopes	Zipp	95	140	39	63	4.6	9.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.