

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Gibson County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
Ad	Adrian-Rensselaer complex, drained	157	47	60	5.0	9.9
AIA	Alford silt loam, 0 to 2 percent slopes	161	56	64	5.3	10.6
AIB2	Alford silt loam, 2 to 5 percent slopes, eroded	153	54	62	5.1	10.2
AIB3	Alford silt loam, 2 to 5 percent slopes, severely eroded	149	52	60	5.0	10.0
AIC2	Alford silt loam, 5 to 10 percent slopes, eroded	137	48	57	4.7	9.4
AIC3	Alford silt loam, 5 to 10 percent slopes, severely eroded	133	47	55	4.5	9.0
AID2	Alford silt loam, 10 to 18 percent slopes, eroded	124	43	50	4.2	8.3
AID3	Alford silt loam, 10 to 18 percent slopes, severely eroded	113	39	47	3.8	7.7
AIE	Alford silt loam, 18 to 35 percent slopes	0	0	0	0.0	0.0
AmF	Alford-Parke silt loams, 18 to 50 percent slopes	0	0	0	0.0	0.0
AnB	Alvin fine sandy loam, 2 to 6 percent slopes	115	40	46	3.8	7.6
AnC2	Alvin fine sandy loam, 6 to 12 percent slopes, eroded	105	37	42	3.5	7.0
AnC3	Alvin fine sandy loam, 6 to 12 percent slopes, severely eroded	100	35	40	3.3	6.6
AnD2	Alvin fine sandy loam, 12 to 18 percent slopes, eroded	90	32	36	3.0	6.0
AnD3	Alvin fine sandy loam, 12 to 18 percent slopes, severely eroded	85	30	34	2.8	5.6
Ao	Aquents, frequently flooded	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Gibson County, Indiana

Ar	Armiesburg silt loam, occasionally flooded	135	47	19	0.0	0.0
As	Armiesburg silt loam, protected	155	54	62	5.1	10.2
Ay	Ayrshire fine sandy loam	155	47	62	5.1	10.2
Bd	Birds silt loam, frequently flooded	130	35	0	0.0	0.0
BIA	Bloomfield sand, 0 to 2 percent slopes	85	30	34	2.8	5.6
BIB	Bloomfield sand, 2 to 6 percent slopes	95	33	38	3.1	6.2
BIC	Bloomfield sand, 6 to 12 percent slopes	85	30	34	2.8	5.6
BID	Bloomfield sand, 12 to 18 percent slopes	70	25	28	2.3	4.6
BIF	Bloomfield sand, 18 to 50 percent slopes	0	0	0	0.0	0.0
Bo	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	117	32	5	0.4	0.8
Bp	Bonnie silt loam, ponded	0	0	0	0.0	0.0
Cg	Chagrin silt loam, frequently flooded	120	42	0	0.0	0.0
Cr	Crawleyville loam	150	49	60	5.0	10.0
Du	Dumps, mine	0	0	0	0.0	0.0
EkA	Elkinsville silt loam, 0 to 2 percent slopes	150	53	60	5.0	10.0
EkB	Elkinsville silt loam, 2 to 6 percent slopes	150	53	60	5.0	10.0
Ev	Evansville silt loam	165	47	66	5.4	10.8
FaG	Fairpoint shaly silt loam, 15 to 60 percent slopes	0	0	0	0.0	0.0
GnF	Gilpin variant silt loam, 18 to 50 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Gibson County, Indiana

GuC3	Gudgel silt loam, 6 to 12 percent slopes, severely eroded	110	39	50	3.6	7.2
GuD3	Gudgel silt loam, 12 to 18 percent slopes, severely eroded	95	33	43	3.1	6.2
Hd	Haymond silt loam, frequently flooded	120	42	0	0.0	0.0
HhA	Henshaw silt loam, 0 to 2 percent slopes, frequently flooded	130	42	0	0.0	0.0
HoB2	Hosmer silt loam, 2 to 5 percent slopes, eroded	137	48	60	4.5	9.0
HoB3	Hosmer silt loam, 2 to 5 percent slopes, severely eroded	132	46	58	4.3	8.6
HoC	Hosmer silt loam, 5 to 10 percent slopes, eroded	125	44	56	4.1	8.2
HoC3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded	106	37	47	3.5	7.0
IvA	Iva silt loam, 0 to 2 percent slopes	164	54	66	5.4	10.8
IvB	Iva silt loam, 2 to 4 percent slopes	165	54	66	5.4	10.8
Ju	Junius variant loamy sand	135	37	54	4.5	9.0
La	Landes sandy loam, occasionally flooded	115	40	16	0.0	0.0
Ln	Lindside silt loam, frequently flooded	120	42	0	0.0	0.0
Ly	Lyles fine sandy loam	150	42	60	5.0	10.0
Lz	Lyles sandy loam, loamy substratum	150	42	60	5.0	10.0
Ma	Maplehill silt loam, frequently flooded	140	42	20	0.0	0.0
Md	Medway loam, occasionally flooded	135	47	19	0.0	0.0
Me	Medway loam, protected	155	54	62	5.1	10.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Gibson County, Indiana

Mg	Montgomery silty clay loam	160	46	64	5.3	10.6
Mh	Moundhaven fine sandy loam, frequently flooded	70	25	0	0.0	0.0
MuA	Muren silt loam, 0 to 2 percent slopes	160	56	64	5.3	10.6
MuB2	Muren silt loam, 2 to 6 percent slopes, eroded	155	54	62	5.1	10.2
Nk	Newark silty clay loam, frequently flooded	125	40	0	0.0	0.0
Nn	Nolin silt loam, protected	145	51	58	4.8	9.6
No	Nolin silt loam, frequently flooded	120	42	0	0.0	0.0
Pn	Patton silty clay loam	175	51	70	5.8	11.6
Po	Peoga silt loam	155	47	62	5.1	10.2
Pp	Petrolia silt loam, frequently flooded	140	39	0	0.0	0.0
Pv	Petrolia silty clay loam, frequently flooded, very long duration	80	18	0	0.0	0.0
Pw	Pits, sand	0	0	0	0.0	0.0
Ra	Ragsdale silt loam	190	56	76	6.3	12.6
Rb	Ragsdale silt loam, overwash	190	56	76	6.3	12.6
RIA	Reesville silt loam, 0 to 2 percent slopes	170	56	68	5.6	11.2
Rr	Rensselaer fine sandy loam, loamy substratum	170	49	68	5.6	11.2
SbA	Skelton loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
ScA	Skelton silt loam, 0 to 2 percent slopes, frequently flooded	115	40	0	0.0	0.0
Sf	Steff silt loam, frequently flooded	110	39	0	0.0	0.0
Sr	Stendal silt loam, frequently flooded	125	40	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Gibson County, Indiana

SvC	Swanwick variant silt loam, 1 to 15 percent slopes	135	47	54	4.5	9.0
SyB2	Sylvan silt loam, 2 to 6 percent slopes, eroded	155	54	62	5.1	10.2
SyC3	Sylvan silt loam, 6 to 12 percent slopes, severely eroded	140	49	56	4.6	9.2
SyD	Sylvan silt loam, 12 to 18 percent slopes	135	47	54	4.5	9.0
SyF	Sylvan silt loam, 18 to 50 percent slopes	0	0	0	0.0	0.0
TaD3	Taftown silt loam, 12 to 18 percent slopes, severely eroded	105	37	42	3.5	7.0
TaE	Taftown silt loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
Ud	Udorthents, cut and filled	0	0	0	0.0	0.0
UmD3	Udorthents-Sylvan complex, 12 to 18 percent slopes, severely eroded	56	20	10	0.8	1.6
UnA	Uniontown silt loam, 0 to 2 percent slopes	145	51	58	4.8	9.6
UnB2	Uniontown silt loam, 2 to 6 percent slopes, eroded	140	49	56	4.6	9.2
UnB3	Uniontown silt loam, 2 to 6 percent slopes, severely eroded	135	47	54	4.5	9.0
UnC3	Uniontown silt loam, 6 to 12 percent slopes, severely eroded	125	44	50	4.1	8.2
Vn	Vincennes loam	160	46	64	5.3	10.6
Vo	Vincennes silt loam, frequently flooded	135	37	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	124	37	0	0.0	0.0
Wk	Wilbur silt loam, frequently flooded	125	44	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
Gibson County, Indiana

Wo	Wilhite silty clay, frequently flooded	115	30	0	0.0	0.0
Wr	Wirt silt loam, sandy substratum, frequently flooded	105	37	0	0.0	0.0
Zp	Zipp silty clay, 0 to 2 percent slopes	140	39	63	4.6	9.2