

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AIB2—Alford silt loam, 2 to 6 percent slopes, eroded					
Alford	100	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AIC2—Alford silt loam, 6 to 12 percent slopes, eroded					
Alford	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AnB—Alvin-Bloomfield complex, 2 to 6 percent slopes					
Alvin	60	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.68	Sand content	0.68
		Unstable excavation walls	0.18	Unstable excavation walls	0.18
Bloomfield	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Sand content	0.96	Sand content	0.96

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AnC—Alvin-Bloomfield complex, 6 to 12 percent slopes					
Alvin	55	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.68	Sand content	0.68
		Slope	0.63	Unstable excavation walls	0.18
		Unstable excavation walls	0.18	Slope	0.04
Bloomfield	45	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Sand content	0.96	Sand content	0.96
		Slope	0.63	Slope	0.04
Ao—Ambraw sandy clay loam, rarely flooded					
Ambraw	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.02	Dusty	0.02
Ar—Armiesburg silt loam, occasionally flooded					
Armiesburg	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AvB2—Ava silt loam, 2 to 6 percent slopes, eroded					
Ava	100	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ay--Ayrshire sandy loam					
Ayrshire	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	0.88	Seepage	0.88
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Bb--Bartle silt loam					
Bartle	98	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BcF--Berks-Ebal complex, 15 to 60 percent slopes					
Berks	65	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ebal	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.26	Unstable excavation walls	0.26
		Dusty	0.07	Dusty	0.07
BfG--Berks-Rock outcrop complex, 45 to 70 percent slopes					
Berks	75	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
Rock outcrop	25	Not rated		Not rated	

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BIE—Bloomfield sand, 15 to 25 percent slopes					
Bloomfield	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Sand content	0.96	Sand content	0.96
BIG—Bloomfield sand, 35 to 60 percent slopes					
Bloomfield	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Sand content	0.96	Sand content	0.96
Bo—Bonnie silt loam, frequently flooded					
Bonnie	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
Br—Booker clay					
Booker	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.07	Dusty	0.07
Bs—Booker mucky clay					
Booker	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CcE2—Chetwynd silt loam, 18 to 25 percent slopes, eroded					
Chetwynd	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CcF—Chetwynd silt loam, 25 to 60 percent slopes					
Chetwynd	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CfC2—Cincinnati silt loam, 6 to 12 percent slopes, eroded					
Cincinnati	100	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CfC3—Cincinnati silt loam, 6 to 12 percent slopes, severely eroded					
Cincinnati, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CfD2—Cincinnati silt loam, 12 to 18 percent slopes, eroded					
Cincinnati	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CfD3—Cincinnati silt loam, 12 to 18 percent slopes, severely eroded					
Cincinnati, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ChC2—Cincinnati silt loam, channery substratum, 6 to 12 percent slopes, eroded					
Cincinnati, channery substratum	100	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Cu—Cuba silt loam, frequently flooded					
Cuba	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EcD—Ebal-Gilpin silt loams, 12 to 18 percent slopes					
Ebal	70	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.07	Dusty	0.07
Gilpin	30	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EfD2—Ebal-Wellston silt loams, 10 to 18 percent slopes, eroded					
Ebal	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.08	Dusty	0.08
Wellston	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EnA—Elston loam, 0 to 2 percent slopes					
Elston	97	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ev—Evansville silt loam, rarely flooded					
Evansville	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
FaB—Fairpoint silt loam, reclaimed, 2 to 6 percent slopes					
Fairpoint	100	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FcC—Fairpoint parachannery clay loam, 2 to 12 percent slopes					
Fairpoint	100	Somewhat limited		Somewhat limited	
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	0.37	Dusty	0.06
		Dusty	0.06		
FcE—Fairpoint parachannery clay loam, 18 to 35 percent slopes					
Fairpoint	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Dusty	0.06	Dusty	0.06
FcG—Fairpoint very parachannery loam, 35 to 90 percent slopes					
Fairpoint	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Seepage	0.53	Seepage	0.53
		Dusty	0.05	Dusty	0.05
GcE2—Gilpin silt loam, 18 to 25 percent slopes, eroded					
Gilpin	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GfF—Gilpin-Berks complex 30 to 60 percent slopes					
Gilpin	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Berks	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GgE—Gilpin-Ebal silt loams, 18 to 30 percent slopes					
Gilpin	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ebal	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GmE—Gilpin-Wellston silt loams, 18 to 25 percent slopes					
Gilpin	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellston	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HaE2—Hagerstown silt loam, 18 to 25 percent slopes, eroded					
Hagerstown	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Unstable excavation walls	0.08	Unstable excavation walls	0.08
		Dusty	0.07	Dusty	0.07
Hb—Haymond silt loam, frequently flooded					
Haymond	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hc—Haymond silt loam, rarely flooded					
Haymond	100	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HdA—Henshaw silt loam, 1 to 3 percent slopes					
Henshaw	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HeD2—Hickory silt loam, 12 to 18 percent slopes, eroded					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HeE—Hickory silt loam, 18 to 25 percent slopes					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HeG—Hickory loam, 30 to 60 percent slopes					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MbB2—Markland silty clay loam, 2 to 6 percent slopes, eroded					
Markland	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MgA—McGary silt loam, 0 to 2 percent slopes					
McGary	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.18	Unstable excavation walls	0.18
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mo—Montgomery silty clay loam					
Montgomery	82	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.08	Unstable excavation walls	0.08
		Dusty	0.07	Dusty	0.07
Mu—Muskego muck					
Muskego, drained	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Adsorption	0.25	Adsorption	0.25
Ne—Newark loam, frequently flooded					
Newark	94	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
No—Nolin silt loam, occasionally flooded					
Nolin	94	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Nr—Nolin silt loam, rarely flooded					
Nolin	94	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PbC2--Parke silt loam, 6 to 12 percent slopes, eroded					
Parke	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PbD2--Parke silt loam, 12 to 18 percent slopes, eroded					
Parke	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pc--Patton silty clay loam					
Patton	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PdB2--Pekin silt loam, 2 to 6 percent slopes, eroded					
Pekin	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pf--Peoga silt loam					
Peoga	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pg—Piankeshaw silt loam, frequently flooded					
Piankeshaw	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PkB2—Pike silt loam, 2 to 6 percent slopes, eroded					
Pike	100	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PkC2—Pike silt loam, 6 to 12 percent slopes, eroded					
Pike	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PrB—Princeton fine sandy loam, 2 to 6 percent slopes					
Princeton	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
PrC—Princeton fine sandy loam, 6 to 12 percent slopes					
Princeton	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
RaA—Reesville silt loam, 0 to 2 percent slopes					
Reesville	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rb—Rensselaer sandy loam					
Rensselaer	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rd—Rensselaer loam					
Rensselaer	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RmA—Roby sandy loam, 0 to 2 percent slopes					
Roby	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
ScA—Shakamak silt loam, 1 to 3 percent slopes					
Shakamak	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
So—Steff silt loam, rarely flooded					
Steff	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Seepage	0.22	Seepage	0.22
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.02	Unstable excavation walls	0.02

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Sr—Steff silt loam, frequently flooded					
Steff	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
St—Stendal silt loam, frequently flooded					
Stendal	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ud—Udorthents, loamy					
Udorthents	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UnE—Uniontown silt loam, 18 to 30 percent slopes					
Uniontown	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
VgA—Vigo silt loam, 0 to 2 percent slopes					
Vigo	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
W—Water					
Water	100	Not rated		Not rated	

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WcA--Waupecan silt loam, 0 to 2 percent slopes, rarely flooded					
Waupecan	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeD2--Wellston silt loam, 12 to 18 percent slopes, eroded					
Wellston	85	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeD3--Wellston silt loam, 12 to 18 percent slopes, severely eroded					
Wellston, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WgD2--Wellston silt loam, karst, 6 to 18 percent slopes, eroded					
Wellston	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wm--Wilhite silty clay, frequently flooded					
Wilhite	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Wt—Wirt very fine sandy loam, frequently flooded					
Wirt	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.52	Seepage	0.52
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
ZaA—Zanesville silt loam, 1 to 3 percent slopes					
Zanesville	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ZaB2—Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded					
Apalona, eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zanesville, eroded	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.99	Wetness	0.99
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Greene County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ZaC2—Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded					
Apalona, eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zanesville, eroded	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ZaC3—Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded					
Apalona, severely eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zanesville, severely eroded	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zp—Zipp silty clay					
Zipp	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07

Data Source Information

Soil Survey Area: Greene County, Indiana
Survey Area Data: Version 17, Sep 9, 2014