

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 Greene County, Indiana

| Map Unit Symbol | Map unit name                                       | Component      | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|----------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| AlB2            | Alford silt loam, 2 to 5 percent slopes, eroded     | Alford, eroded | 95         | 155        | 54             | 62                 | 5.1                      | 10.2        |
| AlC2            | Alford silt loam, 5 to 10 percent slopes, eroded    | Alford, eroded | 90         | 145        | 51             | 58                 | 4.8                      | 9.6         |
| AnB             | Alvin-Bloomfield complex, 2 to 6 percent slopes     | Alvin          | 60         | 105        | 37             | 42                 | 3.5                      | 7.0         |
|                 |   | Bloomfield     | 40         | 90         | 32             | 36                 | 3.0                      | 6.0         |
| AnC             | Alvin-Bloomfield complex, 6 to 12 percent slopes    | Alvin          | 55         | 95         | 33             | 38                 | 3.1                      | 6.2         |
|                 |   | Bloomfield     | 45         | 85         | 30             | 34                 | 2.8                      | 5.6         |
| Ao              | Ambraw sandy clay loam, rarely flooded              | Ambraw         | 100        | 170        | 49             | 68                 | 5.6                      | 11.2        |
| Ar              | Armiesburg silt loam, occasionally flooded          | Armiesburg     | 100        | 135        | 47             | 19                 | 4.5                      | 9.0         |
| AvB2            | Ava silt loam, 2 to 6 percent slopes, eroded        | Ava, eroded    | 95         | 115        | 40             | 52                 | 3.8                      | 7.6         |
| Ay              | Ayrshire sandy loam                                 | Ayrshire       | 97         | 150        | 49             | 60                 | 5.0                      | 10.0        |
| Bb              | Bartle silt loam, 0 to 2 percent slopes             | Bartle         | 95         | 135        | 46             | 61                 | 4.5                      | 9.0         |
| BcF             | Berks-Ebal complex, 15 to 60 percent slopes         | Berks          | 65         | ---        | ---            | ---                | 0.0                      | 0.0         |
|                 |   | Ebal           | 35         | ---        | ---            | ---                | 2.8                      | 5.6         |
| BfG             | Berks-Rock outcrop complex, 45 to 70 percent slopes | Berks          | 75         | 0          | 0              | 0                  | 0.0                      | 0.0         |
|                 |   | Rock outcrop   | 25         | Not Rated  | Not Rated      | Not Rated          | Not Rated                | Not Rated   |
| BlE             | Bloomfield sand, 15 to 25 percent slopes            | Bloomfield     | 100        | ---        | ---            | ---                | 1.8                      | 3.6         |
| BlG             | Bloomfield sand, 35 to 60 percent slopes            | Bloomfield     | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Greene County, Indiana

| Map Unit Symbol | Map unit name   | Component                       | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|---------------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| Bo              | Bonnie silt loam, frequently flooded  | Bonnie                          | 100        | 125        | 33             | 0                  | 0.0                      | 0.0         |
| Br              | Booker clay   | Booker                          | 100        | 150        | 42             | 68                 | 5.0                      | 10.0        |
| Bs              | Booker mucky clay   | Booker                          | 100        | 150        | 42             | 68                 | 5.0                      | 10.0        |
| CcE2            | Chetwynd silt loam, 18 to 25 percent slopes, eroded                           | Chetwynd                        | 100        | ---        | ---            | ---                | 3.1                      | 6.2         |
| CcF             | Chetwynd silt loam, 25 to 60 percent slopes                                   | Chetwynd                        | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |
| CfC2            | Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded          | Cincinnati, eroded              | 90         | 105        | 37             | 47                 | 3.5                      | 7.0         |
| CfC3            | Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded | Cincinnati, severely eroded     | 95         | 100        | 35             | 45                 | 3.3                      | 6.6         |
| CfD2            | Cincinnati silt loam, 12 to 18 percent slopes, eroded                         | Cincinnati                      | 100        | 110        | 39             | 44                 | 3.6                      | 7.2         |
| CfD3            | Cincinnati silt loam, 12 to 18 percent slopes, severely eroded                | Cincinnati, severely eroded     | 85         | 100        | 35             | 45                 | 3.3                      | 6.6         |
| ChC2            | Cincinnati silt loam, channery substratum, 6 to 12 percent slopes, eroded     | Cincinnati, channery substratum | 100        | 115        | 40             | 52                 | 3.8                      | 7.6         |
| Cu              | Cuba silt loam, frequently flooded  | Cuba                            | 100        | 110        | 39             | 0                  | 0.0                      | 0.0         |
| EcD             | Ebal-Gilpin silt loams, 12 to 18 percent slopes                               | Ebal                            | 70         | 100        | 35             | 40                 | 3.3                      | 6.6         |
|                 |   | Gilpin                          | 30         | 100        | 35             | 40                 | 3.3                      | 6.6         |
| EfD2            | Ebal-Wellston silt loams, 10 to 18 percent slopes, eroded                     | Ebal                            | 60         | 90         | 32             | 36                 | 3.0                      | 6.0         |
|                 |   | Wellston                        | 40         | 105        | 37             | 42                 | 3.5                      | 7.0         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Greene County, Indiana

| Map Unit Symbol | Map unit name   | Component  | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| EnA             | Elston loam, 0 to 2 percent slopes                        | Elston     | 97         | 130        | 46             | 65                 | 4.3                      | 8.6         |
| Ev              | Evansville silt loam, rarely flooded                      | Evansville | 100        | 160        | 46             | 64                 | 5.3                      | 10.6        |
| FaB             | Fairpoint silt loam, reclaimed, 2 to 6 percent slopes     | Fairpoint  | 100        | 145        | 51             | 58                 | 4.8                      | 9.6         |
| FcC             | Fairpoint parachannery clay loam, 2 to 12 percent slopes  | Fairpoint  | 100        | 100        | 35             | 40                 | 3.3                      | 6.6         |
| FcE             | Fairpoint parachannery clay loam, 18 to 35 percent slopes | Fairpoint  | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |
| FcG             | Fairpoint very parachannery loam, 35 to 90 percent slopes | Fairpoint  | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |
| GcE2            | Gilpin silt loam, 18 to 25 percent slopes, eroded         | Gilpin     | 100        | ---        | ---            | ---                | 2.0                      | 4.0         |
| GfF             | Gilpin-Berks complex 30 to 60 percent slopes              | Gilpin     | 60         | ---        | ---            | ---                | 0.0                      | 0.0         |
|                 |   | Berks      | 40         | ---        | ---            | ---                | 0.0                      | 0.0         |
| GgE             | Gilpin-Ebal silt loams, 18 to 30 percent slopes           | Gilpin     | 60         | ---        | ---            | ---                | 0.0                      | 0.0         |
|                 |   | Ebal       | 40         | ---        | ---            | ---                | 2.8                      | 5.6         |
| GmE             | Gilpin-Wellston silt loams, 18 to 25 percent slopes       | Gilpin     | 60         | ---        | ---            | ---                | 2.8                      | 5.6         |
|                 |   | Wellston   | 40         | ---        | ---            | ---                | 3.1                      | 6.2         |
| HaE2            | Hagerstown silt loam, 18 to 25 percent slopes, eroded     | Hagerstown | 100        | ---        | ---            | ---                | 2.6                      | 5.2         |
| Hb              | Haymond silt loam, frequently flooded                     | Haymond    | 100        | 120        | 42             | 0                  | 0.0                      | 0.0         |
| Hc              | Haymond silt loam, rarely flooded                         | Haymond    | 100        | 145        | 51             | 58                 | 4.8                      | 9.6         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Greene County, Indiana

| Map Unit Symbol | Map unit name   | Component        | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| HdA             | Henshaw silt loam, 1 to 3 percent slopes                | Henshaw          | 97         | 155        | 51             | 62                 | 5.1                      | 10.2        |
| HeD2            | Hickory silt loam, 12 to 18 percent slopes, eroded      | Hickory          | 100        | 110        | 39             | 44                 | 3.6                      | 7.2         |
| HeE             | Hickory silt loam, 18 to 25 percent slopes              | Hickory          | 100        | ---        | ---            | ---                | 3.3                      | 6.6         |
| HeG             | Hickory loam, 30 to 60 percent slopes                   | Hickory          | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |
| MbB2            | Markland silty clay loam, 2 to 6 percent slopes, eroded | Markland         | 100        | 125        | 44             | 50                 | 4.1                      | 8.2         |
| MgA             | McGary silt loam, 0 to 2 percent slopes                 | McGary           | 90         | 140        | 46             | 56                 | 4.6                      | 9.2         |
| Mo              | Montgomery silty clay loam                              | Montgomery       | 82         | 160        | 46             | 64                 | 5.3                      | 10.6        |
| Mu              | Muskego muck  | Muskego, drained | 100        | 135        | 33             | 54                 | 4.5                      | 9.0         |
| Ne              | Newark loam, frequently flooded                         | Newark           | 94         | 130        | 42             | 0                  | 0.0                      | 0.0         |
| No              | Nolin silt loam, occasionally flooded                   | Nolin            | 94         | 125        | 44             | 18                 | 4.1                      | 8.2         |
| Nr              | Nolin silt loam, rarely flooded                         | Nolin            | 94         | 145        | 51             | 58                 | 4.8                      | 9.6         |
| PbC2            | Parke silt loam, 6 to 12 percent slopes, eroded         | Parke            | 100        | 130        | 46             | 52                 | 4.3                      | 8.6         |
| PbD2            | Parke silt loam, 12 to 18 percent slopes, eroded        | Parke            | 100        | 115        | 40             | 46                 | 3.8                      | 7.6         |
| Pc              | Patton silty clay loam, 0 to 1 percent slopes           | Patton, drained  | 90         | 160        | 46             | 64                 | 5.3                      | 10.6        |
| PdB2            | Pekin silt loam, 2 to 6 percent slopes, eroded          | Pekin            | 100        | 125        | 44             | 56                 | 4.1                      | 8.2         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Greene County, Indiana

| Map Unit Symbol | Map unit name                                     | Component  | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| Pf              | Peoga silt loam                                   | Peoga      | 100        | 155        | 47             | 62                 | 5.1                      | 10.2        |
| Pg              | Piankeshaw silt loam, frequently flooded          | Piankeshaw | 100        | 130        | 46             | 18                 | 4.3                      | 8.6         |
| PkB2            | Pike silt loam, 2 to 6 percent slopes, eroded     | Pike       | 100        | 130        | 46             | 52                 | 4.3                      | 8.6         |
| PkC2            | Pike silt loam, 6 to 12 percent slopes, eroded    | Pike       | 100        | 120        | 42             | 48                 | 4.0                      | 8.0         |
| PrB             | Princeton fine sandy loam, 2 to 6 percent slopes  | Princeton  | 100        | 135        | 47             | 54                 | 4.5                      | 9.0         |
| PrC             | Princeton fine sandy loam, 6 to 12 percent slopes | Princeton  | 100        | 125        | 44             | 50                 | 4.1                      | 8.2         |
| RaA             | Reesville silt loam, 0 to 2 percent slopes        | Reesville  | 100        | 170        | 56             | 68                 | 5.6                      | 11.2        |
| Rb              | Rensselaer sandy loam                             | Rensselaer | 100        | 170        | 49             | 68                 | 5.6                      | 11.2        |
| Rd              | Rensselaer loam                                   | Rensselaer | 100        | 175        | 51             | 70                 | 5.8                      | 11.6        |
| RmA             | Roby sandy loam, 0 to 2 percent slopes            | Roby       | 97         | 125        | 37             | 50                 | 4.1                      | 8.2         |
| ScA             | Shakamak silt loam, 1 to 3 percent slopes         | Shakamak   | 100        | 130        | 46             | 59                 | 4.3                      | 8.6         |
| So              | Steff silt loam, rarely flooded                   | Steff      | 100        | 145        | 51             | 58                 | 4.8                      | 9.6         |
| Sr              | Steff silt loam, frequently flooded               | Steff      | 100        | 120        | 42             | 0                  | 0.0                      | 0.0         |
| St              | Stendal silt loam, frequently flooded             | Stendal    | 97         | 125        | 37             | 0                  | 0.0                      | 0.0         |
| Ud              | Udorthents, loamy                                 | Udorthents | 100        | Not Rated  | Not Rated      | Not Rated          | Not Rated                | Not Rated   |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Greene County, Indiana

| Map Unit Symbol | Map unit name   | Component                 | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|---------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| UnE             | Uniontown silt loam, 18 to 30 percent slopes                  | Uniontown                 | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |
| VgA             | Vigo silt loam, 0 to 2 percent slopes                         | Vigo                      | 97         | 155        | 51             | 62                 | 5.1                      | 10.2        |
| W               | Water   | Water                     | 100        | Not Rated  | Not Rated      | Not Rated          | Not Rated                | Not Rated   |
| WcA             | Waupecan silt loam, 0 to 2 percent slopes, rarely flooded     | Waupecan                  | 100        | 160        | 56             | 64                 | 5.3                      | 10.6        |
| WeD2            | Wellston silt loam, 12 to 18 percent slopes, eroded           | Wellston                  | 85         | 105        | 37             | 42                 | 3.5                      | 7.0         |
| WeD3            | Wellston silt loam, 12 to 18 percent slopes, severely eroded  | Wellston, severely eroded | 90         | 105        | 37             | 42                 | 3.5                      | 7.0         |
| WgD2            | Wellston silt loam, karst, 6 to 18 percent slopes, eroded     | Wellston                  | 100        | 115        | 40             | 46                 | 3.8                      | 7.6         |
| Wm              | Wilhite silty clay, frequently flooded                        | Wilhite                   | 100        | 110        | 28             | 0                  | 0.0                      | 0.0         |
| Wt              | Wirt very fine sandy loam, frequently flooded                 | Wirt                      | 100        | 105        | 37             | 0                  | 0.0                      | 0.0         |
| ZaA             | Zanesville silt loam, 1 to 3 percent slopes                   | Zanesville                | 100        | 140        | 49             | 63                 | 4.6                      | 9.2         |
| ZaB2            | Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded  | Apalona, eroded           | 45         | 135        | 47             | 61                 | 4.5                      | 9.0         |
|                 |   | Zanesville, eroded        | 40         | 130        | 46             | 59                 | 4.3                      | 8.6         |
| ZaC2            | Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded | Apalona, eroded           | 45         | 125        | 44             | 56                 | 4.1                      | 8.2         |
|                 |   | Zanesville, eroded        | 40         | 110        | 39             | 50                 | 3.6                      | 7.2         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Greene County, Indiana

| Map Unit Symbol | Map unit name  | Component                   | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|-----------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| ZaC3            | Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded | Apalona, severely eroded    | 45         | 115        | 40             | 52                 | 3.8                      | 7.6         |
|                 |  | Zanesville, severely eroded | 40         | 110        | 39             | 50                 | 3.6                      | 7.2         |
| Zp              | Zipp silty clay  | Zipp                        | 100        | 135        | 37             | 61                 | 4.5                      | 9.0         |

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.