

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Greene County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AIB2	Alford silt loam, 2 to 5 percent slopes, eroded	153	54	62	5.1	10.2
AIC2	Alford silt loam, 5 to 10 percent slopes, eroded	137	48	57	4.7	9.4
AnB	Alvin-Bloomfield complex, 2 to 6 percent slopes	99	35	41	3.4	6.8
AnC	Alvin-Bloomfield complex, 6 to 12 percent slopes	91	32	37	3.1	6.1
Ao	Ambraw sandy clay loam, rarely flooded	170	49	68	5.6	11.2
Ar	Armiesburg silt loam, occasionally flooded	135	47	19	0.0	0.0
AvB2	Ava silt loam, 2 to 6 percent slopes, eroded	117	41	52	3.8	7.6
Ay	Ayrshire sandy loam	150	49	60	5.0	10.0
Bb	Bartle silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
BcF	Berks-Ebal complex, 15 to 60 percent slopes	0	0	0	0.0	0.0
BfG	Berks-Rock outcrop complex, 45 to 70 percent slopes	0	0	0	0.0	0.0
BIE	Bloomfield sand, 15 to 25 percent slopes	0	0	0	0.0	0.0
BIG	Bloomfield sand, 35 to 60 percent slopes	0	0	0	0.0	0.0
Bo	Bonnie silt loam, frequently flooded	125	33	0	0.0	0.0
Br	Booker clay	150	42	68	5.0	10.0
Bs	Booker mucky clay	150	42	68	5.0	10.0
CcE2	Chetwynd silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
CcF	Chetwynd silt loam, 25 to 60 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Greene County, Indiana

CfC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	107	37	47	3.5	7.0
CfC3	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded	102	36	43	3.1	6.3
CfD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	110	39	44	3.6	7.2
CfD3	Cincinnati silt loam, 12 to 18 percent slopes, severely eroded	97	34	43	3.1	6.3
ChC2	Cincinnati silt loam, channery substratum, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
Cu	Cuba silt loam, frequently flooded	110	39	0	0.0	0.0
EcD	Ebal-Gilpin silt loams, 12 to 18 percent slopes	100	35	40	3.3	6.6
EfD2	Ebal-Wellston silt loams, 10 to 18 percent slopes, eroded	96	34	37	3.1	6.2
EnA	Elston loam, 0 to 2 percent slopes	130	46	65	4.3	8.6
Ev	Evansville silt loam, rarely flooded	160	46	64	5.3	10.6
FaB	Fairpoint silt loam, reclaimed, 2 to 6 percent slopes	145	51	58	4.8	9.6
FcC	Fairpoint parachannery clay loam, 2 to 12 percent slopes	100	35	40	3.3	6.6
FcE	Fairpoint parachannery clay loam, 18 to 35 percent slopes	0	0	0	0.0	0.0
FcG	Fairpoint very parachannery loam, 35 to 90 percent slopes	0	0	0	0.0	0.0
GcE2	Gilpin silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
GfF	Gilpin-Berks complex 30 to 60 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Greene County, Indiana

GgE	Gilpin-Ebal silt loams, 18 to 30 percent slopes	0	0	0	0.0	0.0
GmE	Gilpin-Wellston silt loams, 18 to 25 percent slopes	0	0	0	0.0	0.0
HaE2	Hagerstown silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
Hb	Haymond silt loam, frequently flooded	120	42	0	0.0	0.0
Hc	Haymond silt loam, rarely flooded	145	51	58	4.8	9.6
HdA	Henshaw silt loam, 1 to 3 percent slopes	155	51	62	5.1	10.2
HeD2	Hickory silt loam, 12 to 18 percent slopes, eroded	110	39	44	3.6	7.2
HeE	Hickory silt loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
HeG	Hickory loam, 30 to 60 percent slopes	0	0	0	0.0	0.0
MbB2	Markland silty clay loam, 2 to 6 percent slopes, eroded	125	44	50	4.1	8.2
MgA	McGary silt loam, 0 to 2 percent slopes	140	46	56	4.6	9.2
Mo	Montgomery silty clay loam	160	46	64	5.3	10.6
Mu	Muskego muck	135	33	54	4.5	9.0
Ne	Newark loam, frequently flooded	130	42	0	0.0	0.0
No	Nolin silt loam, occasionally flooded	125	44	18	0.0	0.0
Nr	Nolin silt loam, rarely flooded	145	51	58	4.8	9.6
PbC2	Parke silt loam, 6 to 12 percent slopes, eroded	130	46	52	4.3	8.6
PbD2	Parke silt loam, 12 to 18 percent slopes, eroded	115	40	46	3.8	7.6
Pc	Patton silty clay loam, 0 to 1 percent slopes	160	46	64	5.3	10.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Greene County, Indiana

PdB2	Pekin silt loam, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
Pf	Peoga silt loam	155	47	62	5.1	10.2
Pg	Piankeshaw silt loam, frequently flooded	130	46	18	0.0	0.0
PkB2	Pike silt loam, 2 to 6 percent slopes, eroded	130	46	52	4.3	8.6
PkC2	Pike silt loam, 6 to 12 percent slopes, eroded	120	42	48	4.0	8.0
PrB	Princeton fine sandy loam, 2 to 6 percent slopes	135	47	54	4.5	9.0
PrC	Princeton fine sandy loam, 6 to 12 percent slopes	125	44	50	4.1	8.2
RaA	Reesville silt loam, 0 to 2 percent slopes	170	56	68	5.6	11.2
Rb	Rensselaer sandy loam	170	49	68	5.6	11.2
Rd	Rensselaer loam	175	51	70	5.8	11.6
RmA	Roby sandy loam, 0 to 2 percent slopes	125	37	50	4.1	8.2
ScA	Shakamak silt loam, 1 to 3 percent slopes	130	46	59	4.3	8.6
So	Steff silt loam, rarely flooded	145	51	58	4.8	9.6
Sr	Steff silt loam, frequently flooded	120	42	0	0.0	0.0
St	Stendal silt loam, frequently flooded	125	37	0	0.0	0.0
Ud	Udorthents, loamy	0	0	0	0.0	0.0
UnE	Uniontown silt loam, 18 to 30 percent slopes	0	0	0	0.0	0.0
VgA	Vigo silt loam, 0 to 2 percent slopes	155	51	62	5.1	10.2
W	Water	0	0	0	0.0	0.0
WcA	Waupecan silt loam, 0 to 2 percent slopes, rarely flooded	160	56	64	5.3	10.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Greene County, Indiana

WeD2	Wellston silt loam, 12 to 18 percent slopes, eroded	105	37	42	3.5	7.0
WeD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	102	36	42	3.5	7.0
WgD2	Wellston silt loam, karst, 6 to 18 percent slopes, eroded	115	40	46	3.8	7.6
Wm	Wilhite silty clay, frequently flooded	110	28	0	0.0	0.0
Wt	Wirt very fine sandy loam, frequently flooded	105	37	0	0.0	0.0
ZaA	Zanesville silt loam, 1 to 3 percent slopes	140	49	63	4.6	9.2
ZaB2	Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded	134	47	60	4.4	8.9
ZaC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	121	42	54	4.0	8.0
ZaC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	114	40	50	3.8	7.5
Zp	Zipp silty clay	135	37	61	4.5	9.0