

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Hancock County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Br	Brookston silty clay loam, 0 to 2 percent slopes	Brookston	95	175	51	70	5.8	11.6
CrA	Crosby silt loam, 0 to 2 percent slopes	Crosby	85	140	46	63	4.6	9.2
Ee	Eel silt loam	Eel, frequent, very brief	100	130	46	18	4.3	8.6
Ge	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Genesee, frequent, very brief	90	130	46	18	4.3	8.6
Gp	Pits, gravel	Pits, gravel	98	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ko	Kokomo silty clay loam, 0 to 2 percent slopes	Kokomo	90	170	49	68	5.6	11.2
MaA	Martinsville loam, 0 to 2 percent slopes	Martinsville	100	145	51	58	4.8	9.6
MaB2	Martinsville loam, 2 to 6 percent slopes, eroded	Martinsville	100	140	49	56	4.6	9.2
MmA	Miami silt loam, 0 to 2 percent slopes	Miami	100	145	51	58	4.8	9.6
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
MmC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami, eroded	85	130	46	59	4.3	8.6
MmD2	Miami silt loam, 12 to 18 percent slopes, eroded	Miami, eroded	85	115	40	52	3.8	7.6
MpC3	Miami complex, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	55	125	44	56	4.1	8.2
		Miami, shallow, severely eroded	35	125	44	56	4.1	8.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Hancock County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MpD3	Miami complex, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	55	110	39	50	3.6	7.2
		Miami, shallow, severely eroded	40	110	39	50	3.6	7.2
Mr	Milford silty clay loam	Milford	100	160	46	64	5.3	10.6
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley, eroded	85	130	46	65	4.3	8.6
OkC2	Ockley complex, 6 to 12 percent slopes, eroded	Ockley	50	120	42	60	4.0	8.0
		Ockley, shallow	35	100	35	50	3.3	6.6
Or	Orthents	Orthents	98	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ps	Palms muck	Palms, undrained	100	0	0	0	0.0	0.0
Re	Rensselaer silty clay loam	Rensselaer	100	175	51	70	5.8	11.6
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Shoals	84	140	46	20	4.6	9.2
So	Sloan silty clay loam	Sloan, frequently flooded, brief duration	100	140	39	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
We	Westland clay loam	Westland	100	165	47	83	5.4	10.8

COMPONENT CROP YIELDS (Majors Only)--Continued
 Hancock County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Wh	Whitaker loam	Whitaker	90	155	51	62	5.1	10.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.