

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Hancock County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
Br	Brookston silty clay loam, 0 to 2 percent slopes	173	50	70	5.8	11.6
CrA	Crosby silt loam, 0 to 2 percent slopes	143	46	63	4.6	9.2
Ee	Eel silt loam	130	46	18	0.0	0.0
Ge	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	130	45	18	0.0	0.0
Gp	Pits, gravel	0	0	0	0.0	0.0
Ko	Kokomo silty clay loam, 0 to 2 percent slopes	167	49	69	5.6	11.2
MaA	Martinsville loam, 0 to 2 percent slopes	145	51	58	4.8	9.6
MaB2	Martinsville loam, 2 to 6 percent slopes, eroded	140	49	56	4.6	9.2
MmA	Miami silt loam, 0 to 2 percent slopes	145	51	58	4.8	9.6
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	142	49	63	4.6	9.2
MmC2	Miami silt loam, 6 to 12 percent slopes, eroded	132	46	58	4.3	8.6
MmD2	Miami silt loam, 12 to 18 percent slopes, eroded	116	41	52	3.8	7.6
MpC3	Miami complex, 6 to 12 percent slopes, severely eroded	125	44	56	4.1	8.2
MpD3	Miami complex, 12 to 18 percent slopes, severely eroded	110	39	50	3.6	7.2
Mr	Milford silty clay loam	160	46	64	5.3	10.6
OcA	Ockley silt loam, 0 to 2 percent slopes	134	47	66	4.5	9.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Hancock County, Indiana

OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	133	46	65	4.3	8.6
OkC2	Ockley complex, 6 to 12 percent slopes, eroded	112	39	58	3.9	7.8
Or	Orthents	0	0	0	0.0	0.0
Ps	Palms muck	0	0	0	0.0	0.0
Re	Rensselaer silty clay loam	175	51	70	5.8	11.6
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	139	45	19	0.0	0.0
So	Sloan silty clay loam	140	39	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
We	Westland clay loam	165	47	83	5.4	10.8
Wh	Whitaker loam	155	51	62	5.1	10.2