

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AeoB2—Alford silt loam, 2 to 6 percent slopes, eroded					
Alford	86	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AeoC2—Alford silt loam, 6 to 12 percent slopes, eroded					
Alford	90	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AgzB—Apalona-Zanesville silt loams, 2 to 6 percent slopes					
Apalona	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zanesville	40	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BbhA—Bartle silt loam, 0 to 2 percent slopes					
Bartle	83	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BcrAW—Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration					
Beanblossom	89	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.06	Dusty	0.06
BdoA—Bedford silt loam, 0 to 2 percent slopes					
Bedford	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BdoB—Bedford silt loam, 2 to 6 percent slopes					
Bedford	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BkeC2--Bloomfield-Alvin complex, 6 to 15 percent slopes, eroded					
Bloomfield	55	Very limited		Very limited	
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Seepage	1.00	Seepage	1.00
		Slope	0.84	Sand content	0.56
		Sand content	0.56	Slope	0.16
Alvin	40	Somewhat limited		Somewhat limited	
		Slope	0.84	Seepage	0.52
		Seepage	0.52	Slope	0.16
		Sand content	0.14	Sand content	0.14
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BuoA--Bromer silt loam, 0 to 2 percent slopes					
Bromer	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BvsG--Brussels-Rock outcrop complex, 35 to 90 percent slopes, rubbly					
Brussels	65	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Large stones	1.00	Large stones	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Stoniness	0.18	Stoniness	0.18
		Dusty	0.06	Dusty	0.06
Rock outcrop	25	Not rated		Not rated	

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CbrD2--Caneyville-Haggatt-Knobcreek silt loams, karst, hilly, eroded					
Caneyville, karst	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.33	Unstable excavation walls	0.33
		Dusty	0.06	Dusty	0.06
Haggatt, karst	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.06	Dusty	0.06
Knobcreek, karst	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.35	Unstable excavation walls	0.35
		Dusty	0.06	Dusty	0.06
CbsD3--Caneyville-Haggatt-Knobcreek complex, karst, hilly, severely eroded					
Caneyville, karst, severely eroded	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Haggatt, karst, severely eroded	26	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Knobcreek, karst, severely eroded	17	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.48	Unstable excavation walls	0.48
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CbxD4--Caneyville-Haggatt silty clay loams, karst, rolling, very severely eroded, very rocky					
Caneyville, karst, very severely eroded	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Rock outcrop	0.70	Rock outcrop	0.70
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Haggatt, karst, very severely eroded	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Rock outcrop	0.70	Rock outcrop	0.70
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
CcaG--Caneyville-Rock outcrop complex, 25 to 60 percent slopes					
Caneyville	53	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Unstable excavation walls	0.31	Unstable excavation walls	0.31
		Dusty	0.06	Dusty	0.06
Rock outcrop	15	Not rated		Not rated	
CtaB--Crider silt loam, karst, undulating					
Crider, karst	75	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CteC2—Crider-Vertrees silt loams, karst, rolling, eroded					
Crider, karst	50	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Vertrees, karst	25	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04
CtwB—Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes					
Crider	39	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.12	Unstable excavation walls	0.12
		Dusty	0.06	Dusty	0.06
Bedford	29	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Navilleton	28	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.06	Unstable excavation walls	0.06
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DeaC2—Deuchars-Apalona-Wellston silt loams, 6 to 12 percent slopes, eroded					
Deuchars	28	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.05
		Unstable excavation walls	0.05	Slope	0.04
Apalona	23	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellston	23	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DeaC3—Deuchars-Apalona-Wellston silt loams, 6 to 12 percent slopes, severely eroded					
Deuchars, severely eroded	28	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.05
		Unstable excavation walls	0.05	Slope	0.04
Apalona, severely eroded	23	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellston, severely eroded	23	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EbhD2—Ebal-Gilpin-Wellston silt loams, 10 to 22 percent slopes, eroded					
Ebal	25	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.06	Dusty	0.06
Gilpin	20	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellston	20	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EbhD3—Ebal-Gilpin-Wellston silt loams, 10 to 22 percent slopes, severely eroded					
Ebal, severely eroded	25	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.34	Unstable excavation walls	0.34
		Dusty	0.06	Dusty	0.06
Gilpin, severely eroded	22	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellston, severely eroded	21	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EepA—Elkinsville silt loam, 0 to 2 percent slopes					
Elkinsville	95	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EepB2—Elkinsville silt loam, 2 to 6 percent slopes, eroded					
Elkinsville	95	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EepC2—Elkinsville silt loam, 6 to 12 percent slopes, eroded					
Elkinsville	90	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EepGQ—Elkinsville silt loam, 25 to 60 percent slopes, rarely flooded					
Elkinsville	86	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EesA—Elkinsville-Millstone complex, 0 to 2 percent slopes					
Elkinsville	52	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Millstone	43	Somewhat limited		Somewhat limited	
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EesB—Elkinsville-Millstone complex, 2 to 6 percent slopes					
Elkinsville	55	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Millstone	40	Somewhat limited		Somewhat limited	
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EesC2—Elkinsville-Millstone complex, 6 to 12 percent slopes, eroded					
Elkinsville	50	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Millstone	40	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EesFQ—Elkinsville-Millstone complex, 18 to 40 percent slopes, rarely flooded					
Elkinsville	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Millstone	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GacAW—Gatchel loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Gatchel	88	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GbgB2—Gatton silt loam, 2 to 6 percent slopes, eroded					
Gatton	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GbgC2—Gatton silt loam, 6 to 12 percent slopes, eroded					
Gatton	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GbgC3—Gatton silt loam, 6 to 12 percent slopes, severely eroded					
Gatton, severely eroded	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GfcF--Gilpin-Tipsaw-Ebal complex, 18 to 35 percent slopes, stony					
Gilpin	27	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Tipsaw	22	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.22	Seepage	0.22
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
		Dusty	0.01	Dusty	0.01
Ebal	20	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.26	Unstable excavation walls	0.26
		Dusty	0.06	Dusty	0.06
GgbG--Gilwood-Brownstown silt loams, 25 to 75 percent slopes					
Gilwood	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Brownstown	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.18	Large stones	0.18
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GmaG—Gnawbone-Kurtz silt loams, 20 to 60 percent slopes					
Gnawbone	55	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Kurtz	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcaA—Hatfield silt loam, 0 to 2 percent slopes					
Hatfield	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcgAH—Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Haymond	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcgAW—Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Haymond	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HcpAP—Haymond silt loam, depression, 0 to 2 percent slopes, frequently ponded, very brief duration					
Haymond, frequently ponded, depression	86	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Water gathering surface	0.40	Water gathering surface	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HufAH—Huntington silt loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Huntington	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HufAK—Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Huntington	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
JoaA—Johnsburg silt loam, 0 to 2 percent slopes					
Johnsburg	92	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
KunAW—Kintner loam, 1 to 3 percent slopes, occasionally flooded, very brief duration					
Kintner	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.05	Dusty	0.05

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxkC2—Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded					
Knobcreek	37	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.35
		Unstable excavation walls	0.35	Dusty	0.06
		Dusty	0.06	Slope	0.04
Navilleton	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.04	Unstable excavation walls	0.04
KxlC3—Knobcreek-Haggatt-Caneyville complex, 6 to 12 percent slopes, severely eroded					
Knobcreek, severely eroded	33	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.48
		Unstable excavation walls	0.48	Dusty	0.06
		Dusty	0.06	Slope	0.04
Haggatt, severely eroded	26	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04
Caneyville, severely eroded	24	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxIE3—Knobcreek-Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded					
Knobcreek, severely eroded	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.48	Unstable excavation walls	0.48
		Dusty	0.06	Dusty	0.06
Haggatt, severely eroded	22	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Caneyville, severely eroded	21	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
KxmE2—Knobcreek-Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded					
Knobcreek	33	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.35	Unstable excavation walls	0.35
		Dusty	0.06	Dusty	0.06
Haggatt	22	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.06	Dusty	0.06
Caneyville	20	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxoC2—Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded					
Knobcreek, karst	29	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.35
		Unstable excavation walls	0.35	Dusty	0.06
		Dusty	0.06	Slope	0.04
Navilleton, karst	28	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.18	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.04
		Unstable excavation walls	0.04		
Haggatt, karst	27	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.28
		Unstable excavation walls	0.28	Dusty	0.06
		Dusty	0.06	Slope	0.04
KxpD2—Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded					
Knobcreek, karst	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.35	Unstable excavation walls	0.35
		Dusty	0.06	Dusty	0.06
Haggatt, karst	31	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.06	Dusty	0.06
Caneyville, karst	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxrC3—Knobcreek-Navilleton-Haggatt complex, karst, rolling, severely eroded					
Knobcreek, karst, severely eroded	29	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.35
		Unstable excavation walls	0.35	Dusty	0.06
		Dusty	0.06	Slope	0.04
Navilleton, karst, severely eroded	28	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.18	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.04
		Unstable excavation walls	0.04		
Haggatt, karst, severely eroded	27	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.28
		Unstable excavation walls	0.28	Dusty	0.06
		Dusty	0.06	Slope	0.04
KxsD3—Knobcreek-Haggatt-Caneyville complex, karst, hilly, severely eroded					
Knobcreek, karst, severely eroded	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.35	Unstable excavation walls	0.35
		Dusty	0.06	Dusty	0.06
Haggatt, karst, severely eroded	31	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.06	Dusty	0.06
Caneyville, karst, severely eroded	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KxtC2—Knobcreek-Haggatt-Caneyville silt loams, karst, rolling, eroded					
Knobcreek, karst	23	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.35
		Unstable excavation walls	0.35	Dusty	0.06
		Dusty	0.06	Slope	0.04
Haggatt, karst	22	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.28
		Unstable excavation walls	0.28	Dusty	0.06
		Dusty	0.06	Slope	0.04
Caneyville, karst	18	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04
KxtC3—Knobcreek-Haggatt-Caneyville complex, karst, rolling, severely eroded					
Knobcreek, karst, severely eroded	25	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.48
		Unstable excavation walls	0.48	Dusty	0.06
		Dusty	0.06	Slope	0.04
Haggatt, karst, severely eroded	22	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04
Caneyville, karst, severely eroded	20	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LaaA—Laconia silt loam, 0 to 1 percent slopes					
Laconia	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.03	Unstable excavation walls	0.03
LpoAK—Lindside silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Lindside	82	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LpoAQ—Lindside silt loam, 0 to 2 percent slopes, rarely flooded					
Lindside	86	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
McnGQ—Markland silt loam, 18 to 50 percent slopes, rarely flooded					
Markland, rarely flooded	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Flooding	0.40	Flooding	0.40
		Unstable excavation walls	0.10	Unstable excavation walls	0.10
		Dusty	0.06	Dusty	0.06
MdID2—Markland silt loam, 6 to 18 percent slopes, eroded					
Markland	80	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MdwD3--Markland silty clay loam, 6 to 18 percent slopes, severely eroded					
Markland, severely eroded	80	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MhuA--McGary silt loam, 0 to 2 percent slopes					
Mcgary	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.18	Unstable excavation walls	0.18
		Dusty	0.06	Dusty	0.06
NbhAK--Newark silt loam, 0 to 2 percent slopes, occasionally flooded					
Newark, occasionally flooded	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Seepage	0.21	Seepage	0.21
		Dusty	0.07	Dusty	0.07
NbhAQ--Newark silt loam, 0 to 2 percent slopes, rarely flooded					
Newark	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NprAQ--Nolin silt loam, 0 to 2 percent slopes, rarely flooded					
Nolin	80	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Seepage	0.22	Seepage	0.22
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Omz--Orthents, earthen dam					
Orthents	100	Not rated		Not rated	

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PcrA--Pekin silt loam, 0 to 2 percent slopes					
Pekin	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PcrB2--Pekin silt loam, 2 to 6 percent slopes, eroded					
Pekin	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PhwB2--Percell silt loam, 2 to 6 percent slopes, eroded					
Percell	92	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pml--Pits, quarry					
Pits, quarry	85	Not rated		Not rated	
Ppu--Pits, sand and gravel					
Pits, sand and gravel	80	Not rated		Not rated	
RmcE--Riney loam, 12 to 35 percent slopes					
Riney	86	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ScbA--Sciotoville silt loam, 0 to 2 percent slopes					
Sciotoville	88	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ScbB2--Sciotoville silt loam, 2 to 6 percent slopes, eroded					
Sciotoville	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SfyB--Shircliff silt loam, 0 to 2 percent slopes					
Shircliff	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Uaa--Udorthents, cut and filled					
Udorthents	90	Not rated		Not rated	
UekAQ--Urban land-Elkinsville-Haymond complex, 0 to 6 percent slopes, rarely flooded					
Urban land	60	Not rated		Not rated	
Elkinsville, rarely flooded	20	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Haymond, rarely flooded	15	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Uf1C—Urban land-Crider-Vertrees complex, karst, rolling					
Urban land, karst	60	Not rated		Not rated	
Crider, karst	20	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Vertrees, karst	15	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04
UnsB—Urban land-Udarents, clayey substratum complex, hills, 2 to 12 percent slopes					
Urban land, karst	50	Not rated		Not rated	
Udarents, karst, clayey substratum	30	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.46	Unstable excavation walls	0.46
		Dusty	0.06	Dusty	0.06
		Slope	0.05		
Us1—Udorthents, rubbish					
Udorthents, rubbish	100	Not rated		Not rated	

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
VcaC3--Vertrees-Crider-Caneyville complex, karst, rolling, severely eroded					
Vertrees, karst, severely eroded	40	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04
Crider, karst, severely eroded	30	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.12
		Unstable excavation walls	0.12	Dusty	0.06
		Dusty	0.06	Slope	0.04
Caneyville, karst, severely eroded	20	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
VcbD2--Vertrees-Crider-Caneyville silt loams, karst, hilly, eroded					
Vertrees, karst	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Crider, karst	25	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Caneyville, karst	15	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
VccD3--Vertrees-Haggatt-Caneyville complex, karst, hilly, severely eroded					
Vertrees, karst, severely eroded	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Haggatt, karst, severely eroded	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Caneyville, karst, severely eroded	20	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
W--Water					
Water	100	Not rated		Not rated	
WbkAP--Wilbur-Newark silt loams, depression, 0 to 2 percent slopes, frequently ponded, very brief duration					
Wilbur, frequently ponded, depression	50	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.40	Water gathering surface	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Newark, frequently ponded, depression	40	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Harrison County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WycAQ—Woodmere silt loam, 0 to 3 percent slopes, rarely flooded					
Woodmere	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Harrison County, Indiana
 Survey Area Data: Version 18, Sep 9, 2014