

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AeoB2	Alford silt loam, 2 to 6 percent slopes, eroded	Alford	86	150	53	60	5.0	10.0
		Alford	14	140	49	56	4.6	9.2
AeoC2	Alford silt loam, 6 to 12 percent slopes, eroded	Alford	90	140	49	56	4.6	9.2
		Alford	10	150	53	60	5.0	10.0
AgzB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	Apalona	45	140	49	63	4.6	9.2
		Zanesville	40	135	47	61	4.5	9.0
		Wellston	10	145	51	58	4.8	9.6
		Johnsburg	5	150	51	68	5.0	10.0
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	95	145	49	58	4.8	9.6
		Peoga	3	150	46	60	5.0	10.0
		Pekin	2	140	49	56	4.6	9.2
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	89	105	37	15	3.5	7.0
		Beanblossom, frequently flooded	6	100	35	14	3.3	6.6
		Wilbur, occasionally flooded	5	140	49	20	4.6	9.2
BdoA	Bedford silt loam, 0 to 2 percent slopes	Bedford	85	130	46	59	4.3	8.6
		Bedford	5	130	46	59	4.3	8.6
		Bromer	5	145	49	58	4.8	9.6
		Crider	5	150	53	60	5.0	10.0
BdoB	Bedford silt loam, 2 to 6 percent slopes	Bedford	85	135	47	61	4.5	9.0
		Crider	10	145	51	58	4.8	9.6
		Lawrence	5	130	44	59	4.3	8.6

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BkeC2	Bloomfield-Alvin complex, 6 to 15 percent slopes, eroded	Bloomfield	55	85	30	34	2.8	5.6
		Alvin	40	95	33	38	3.1	6.2
		Alford	5	150	53	60	5.0	10.0
BuoA	Bromer silt loam, 0 to 2 percent slopes	Bromer	85	145	49	58	4.8	9.6
		Bedford	10	130	46	59	4.3	8.6
		Laconia, frequently ponded	5	160	46	64	5.3	10.6
BvsG	Brussels-Rock outcrop complex, 35 to 90 percent slopes, rubbly	Brussels	65	0	0	0	0.0	0.0
		Rock outcrop	25	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Caneyville	10	0	0	0	0.0	0.0
CbrD2	Caneyville-Haggatt-Knobcreek silt loams, karst, hilly, eroded	Caneyville, karst	35	55	19	25	1.8	3.6
		Haggatt, karst	30	75	26	34	2.5	5.0
		Knobcreek, karst	15	110	39	44	3.6	7.2
		Caneyville, karst, severely eroded	10	45	16	20	1.5	3.0
		Crider, karst	5	140	49	56	4.6	9.2
		Haymond, frequently ponded, depression	5	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CbsD3	Caneyville-Haggatt-Knobcreek complex, karst, hilly, severely eroded	Caneyville, karst, severely eroded	40	45	16	20	1.5	3.0
		Haggatt, karst, severely eroded	26	65	23	29	2.1	4.2
		Knobcreek, karst, severely eroded	17	105	37	42	3.5	7.0
		Caneyville, karst, eroded	5	55	19	25	1.8	3.6
		Crider, karst	5	130	46	52	4.3	8.6
		Haymond, frequently ponded, depression	5	145	51	58	4.8	9.6
		Rock outcrop	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CbxD4	Caneyville-Haggatt silty clay loams, karst, rolling, very severely eroded, very rocky	Caneyville, karst, very severely eroded	35	0	0	0	0.0	0.0
		Haggatt, karst, very severely eroded	30	0	0	0	0.0	0.0
		Knobcreek, karst, severely eroded	15	105	37	42	3.5	7.0
		Crider, karst, severely eroded	10	130	46	52	4.3	8.6
		Haymond, frequently ponded, depression	5	145	51	58	4.8	9.6
		Rock outcrop	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	Caneyville	53	0	0	0	0.0	0.0
		Rock outcrop	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Crider	12	0	0	0	0.0	0.0
		Haggatt	10	0	0	0	0.0	0.0
		Corydon	5	0	0	0	0.0	0.0
		Knobcreek	5	0	0	0	0.0	0.0
CtaB	Crider silt loam, karst, undulating	Crider, karst	75	155	54	62	5.1	10.2
		Knobcreek, karst, eroded	10	125	44	50	4.1	8.2
		Vertrees, karst, eroded	10	105	37	47	3.5	7.0
		Bedford	5	130	46	59	4.3	8.6
CteC2	Crider-Vertrees silt loams, karst, rolling, eroded	Crider, karst	50	140	49	56	4.6	9.2
		Vertrees, karst	25	100	35	45	3.3	6.6
		Caneyville, karst	10	85	30	38	2.8	5.6
		Haggatt, karst, severely eroded	10	80	28	36	2.6	5.2
		Haymond, frequently ponded, depression	5	145	51	58	4.8	9.6
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	Crider	39	150	53	60	5.0	10.0
		Bedford	29	130	46	59	4.3	8.6
		Navilleton	28	150	53	60	5.0	10.0
		Knobcreek, eroded	4	125	44	50	4.1	8.2

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
DeaC2	Deuchars-Apalona-Wellston silt loams, 6 to 12 percent slopes, eroded	Deuchars	28	130	46	52	4.3	8.6
		Apalona	23	120	42	54	4.0	8.0
		Wellston	23	120	42	48	4.0	8.0
		Zanesville	10	115	40	52	3.8	7.6
		Ebal, eroded	5	90	32	36	3.0	6.0
		Apalona, severely eroded	4	115	40	52	3.8	7.6
		Deuchars, severely eroded	4	125	44	50	4.1	8.2
		Wellston, severely eroded	3	115	40	46	3.8	7.6
DeaC3	Deuchars-Apalona-Wellston silt loams, 6 to 12 percent slopes, severely eroded	Deuchars, severely eroded	28	125	44	50	4.1	8.2
		Apalona, severely eroded	23	115	40	52	3.8	7.6
		Wellston, severely eroded	23	115	40	46	3.8	7.6
		Zanesville, severely eroded	10	110	39	50	3.6	7.2
		Ebal, severely eroded	5	75	26	34	2.5	5.0
		Apalona, eroded	4	115	40	52	3.8	7.6
		Deuchars, eroded	4	130	46	52	4.3	8.6
		Wellston, eroded	3	120	42	48	4.0	8.0

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EbhD2	Ebal-Gilpin-Wellston silt loams, 10 to 22 percent slopes, eroded	Ebal	25	90	32	36	3.0	6.0
		Gilpin	20	75	26	30	2.5	5.0
		Wellston	20	105	37	42	3.5	7.0
		Deuchars	15	115	40	46	3.8	7.6
		Ebal, severely eroded	7	75	26	34	2.5	5.0
		Kitterman	6	75	26	34	2.5	5.0
		Apalona	4	115	40	52	3.8	7.6
		Haggatt, severely eroded	3	65	23	29	2.1	4.2
EbhD3	Ebal-Gilpin-Wellston silt loams, 10 to 22 percent slopes, severely eroded	Ebal, severely eroded	25	75	26	34	2.5	5.0
		Gilpin, severely eroded	22	70	25	28	2.3	4.6
		Wellston, severely eroded	21	100	35	40	3.3	6.6
		Deuchars	14	110	39	44	3.6	7.2
		Kitterman	6	65	23	29	2.1	4.2
		Ebal, eroded	5	90	32	36	3.0	6.0
		Haggatt, severely eroded	4	65	23	29	2.1	4.2
		Apalona, eroded	3	115	40	52	3.8	7.6
EepA	Elkinsville silt loam, 0 to 2 percent slopes	Elkinsville	90	145	51	58	4.8	9.6
		Bartle	5	135	46	61	4.5	9.0
		Pekin	5	130	46	59	4.3	8.6
EepB2	Elkinsville silt loam, 2 to 6 percent slopes, eroded	Elkinsville	95	145	51	58	4.8	9.6
		Pekin	5	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EepC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	90	135	47	54	4.5	9.0
		Elkinsville, severely eroded	10	130	46	52	4.3	8.6
EepGQ	Elkinsville silt loam, 25 to 60 percent slopes, rarely flooded	Elkinsville	86	---	---	---	0.0	0.0
		Millstone	14	---	---	---	0.0	0.0
EesA	Elkinsville-Millstone complex, 0 to 2 percent slopes	Elkinsville	52	145	51	58	4.8	9.6
		Millstone	43	135	47	54	4.5	9.0
		Sciotoville	5	135	47	54	4.5	9.0
EesB	Elkinsville-Millstone complex, 2 to 6 percent slopes	Elkinsville	55	145	51	58	4.8	9.6
		Millstone	40	140	49	56	4.6	9.2
		Sciotoville, eroded	5	135	47	54	4.5	9.0
EesC2	Elkinsville-Millstone complex, 6 to 12 percent slopes, eroded	Elkinsville	50	130	46	52	4.3	8.6
		Millstone	40	120	42	48	4.0	8.0
		Sciotoville	10	135	47	54	4.5	9.0
EesFQ	Elkinsville-Millstone complex, 18 to 40 percent slopes, rarely flooded	Elkinsville	60	---	---	---	0.0	0.0
		Millstone	40	---	---	---	0.0	0.0
GacAW	Gatchel loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Gatchel	88	115	40	16	3.8	7.6
		Haymond, occasionally flooded	12	135	47	19	4.5	9.0
GbgB2	Gatton silt loam, 2 to 6 percent slopes, eroded	Gatton	90	125	44	56	4.1	8.2
		Sonora	10	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GbgC2	Gatton silt loam, 6 to 12 percent slopes, eroded	Gatton	85	115	40	52	3.8	7.6
		Sonora	10	135	47	54	4.5	9.0
		Gatton, severely eroded	5	120	42	54	4.0	8.0
GbgC3	Gatton silt loam, 6 to 12 percent slopes, severely eroded	Gatton, severely eroded	85	110	39	50	3.6	7.2
		Sonora, severely eroded	10	130	46	52	4.3	8.6
		Gatton, eroded	5	125	44	56	4.1	8.2
GfcF	Gilpin-Tipsaw-Ebal complex, 18 to 35 percent slopes, stony	Gilpin	27	---	---	---	0.0	0.0
		Tipsaw	22	---	---	---	0.0	0.0
		Ebal	20	---	---	---	0.0	0.0
		Wellston, eroded	14	105	37	42	3.5	7.0
		Gatchel, occasionally flooded	9	115	40	16	3.8	7.6
		Deuchars, eroded	4	115	40	46	3.8	7.6
		Rock outcrop	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	Gilwood	45	---	---	---	0.0	0.0
		Brownstown	35	---	---	---	0.0	0.0
		Wrays	10	100	35	40	3.3	6.6
		Brownstown, shallow	3	---	---	---	0.0	0.0
		Gilwood	3	80	28	32	2.6	5.2
		Beanblossom, occasionally flooded	2	105	37	15	3.5	7.0
		Rock outcrop	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes	Gnawbone	55	---	---	---	0.0	0.0
		Kurtz	35	---	---	---	0.0	0.0
		Wellrock	5	110	39	44	3.6	7.2
		Beanblossom, occasionally flooded	5	105	37	15	3.5	7.0
HcaA	Hatfield silt loam, 0 to 2 percent slopes	Hatfield	90	145	49	58	4.8	9.6
		Sciotoville	10	135	47	54	4.5	9.0
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	85	120	42	0	0.0	0.0
		Kintner, occasionally flooded	10	115	40	16	3.8	7.6
		Wilbur, frequently flooded	5	125	44	0	0.0	0.0
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Haymond	80	135	47	19	4.5	9.0
		Kintner, occasionally flooded	14	115	40	16	3.8	7.6
		Wilbur, occasionally flooded	4	140	49	20	4.6	9.2
		Haymond, frequently flooded	2	120	42	0	0.0	0.0
HcpAP	Haymond silt loam, depression, 0 to 2 percent slopes, frequently ponded, very brief duration	Haymond, frequently ponded, depression	86	140	49	56	4.6	9.2
		Wilbur, frequently ponded, depression	14	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HufAH	Huntington silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Huntington	90	130	46	0	0.0	0.0
		Lindside, frequently flooded	10	120	42	0	0.0	0.0
HufAK	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Huntington	90	135	47	19	4.5	9.0
		Lindside, occasionally flooded	10	125	44	18	4.1	8.2
JoaA	Johnsburg silt loam, 0 to 2 percent slopes	Johnsburg	88	145	49	58	4.8	9.6
		Apalona	5	135	47	61	4.5	9.0
		Zanesville	5	130	46	59	4.3	8.6
		Peoga	2	155	47	62	5.1	10.2
KunAW	Kintner loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Kintner	95	115	40	16	3.8	7.6
		Kintner, frequently flooded	5	110	39	15	3.6	7.2
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	Knobcreek	37	125	44	50	4.1	8.2
		Navilleton	35	135	47	54	4.5	9.0
		Haggatt	10	75	26	34	2.5	5.0
		Crider	8	135	47	54	4.5	9.0
		Bedford	5	110	39	50	3.6	7.2
		Caneyville	3	55	19	25	1.8	3.6
		Kintner, occasionally flooded	2	115	40	16	3.8	7.6

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Kx1C3	Knobcreek-Haggatt-Caneyville complex, 6 to 12 percent slopes, severely eroded	Knobcreek, severely eroded	33	120	42	48	4.0	8.0
		Haggatt, severely eroded	26	80	28	36	2.6	5.2
		Caneyville, severely eroded	24	60	21	24	2.0	4.0
		Navilleton	10	130	46	52	4.3	8.6
		Crider	5	130	46	52	4.3	8.6
		Kintner, occasionally flooded	2	115	40	16	3.8	7.6
Kx1E3	Knobcreek-Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded	Knobcreek, severely eroded	35	105	37	42	3.5	7.0
		Haggatt, severely eroded	22	65	23	29	2.1	4.2
		Caneyville, severely eroded	21	45	16	18	1.5	3.0
		Crider	10	115	40	46	3.8	7.6
		Navilleton	10	130	46	52	4.3	8.6
		Kintner, occasionally flooded	2	115	40	16	3.8	7.6
KxmE2	Knobcreek-Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	Knobcreek	33	110	39	44	3.6	7.2
		Haggatt	22	75	26	34	2.5	5.0
		Caneyville	20	55	19	25	1.8	3.6
		Crider	15	135	47	54	4.5	9.0
		Kintner, occasionally flooded	10	115	40	16	3.8	7.6

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
KxoC2	Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded	Knobcreek, karst	29	125	44	50	4.1	8.2
		Navilleton, karst	28	135	47	54	4.5	9.0
		Haggatt, karst	27	90	32	41	3.0	6.0
		Caneyville, karst	9	70	25	32	2.3	4.6
		Crider, karst	5	145	51	58	4.8	9.6
		Haymond, frequently ponded, depression	2	145	51	58	4.8	9.6
KxpD2	Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded	Knobcreek, karst	35	110	39	44	3.6	7.2
		Haggatt, karst	31	75	26	34	2.5	5.0
		Caneyville, karst	30	55	19	25	1.8	3.6
		Haymond, frequently ponded, depression	4	145	51	58	4.8	9.6
KxrC3	Knobcreek-Navilleton-Haggatt complex, karst, rolling, severely eroded	Knobcreek, karst, severely eroded	29	120	42	48	4.0	8.0
		Navilleton, karst, severely eroded	28	130	46	52	4.3	8.6
		Haggatt, karst, severely eroded	27	80	28	36	2.6	5.2
		Caneyville, karst, eroded	9	70	25	32	2.3	4.6
		Crider, karst, eroded	5	145	51	58	4.8	9.6
		Haymond, frequently ponded, depression	2	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
KxsD3	Knobcreek-Haggatt-Caneyville complex, karst, hilly, severely eroded	Knobcreek, karst, severely eroded	35	105	37	42	3.5	7.0
		Haggatt, karst, severely eroded	31	65	23	29	2.1	4.2
		Caneyville, karst, severely eroded	30	45	16	20	1.5	3.0
		Haymond, frequently ponded, depression	4	145	51	58	4.8	9.6
KxtC2	Knobcreek-Haggatt-Caneyville silt loams, karst, rolling, eroded	Knobcreek, karst	23	125	44	50	4.1	8.2
		Haggatt, karst	22	90	32	41	3.0	6.0
		Caneyville, karst	18	70	25	32	2.3	4.6
		Crider, karst	14	145	51	58	4.8	9.6
		Navilleton, karst	10	135	47	54	4.5	9.0
		Crider, karst, severely eroded	5	140	49	56	4.6	9.2
		Haggatt, karst, severely eroded	5	80	28	36	2.6	5.2
		Haymond, frequently ponded, depression	3	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
KxtC3	Knobcreek-Haggatt-Caneyville complex, karst, rolling, severely eroded	Knobcreek, karst, severely eroded	25	120	42	48	4.0	8.0
		Haggatt, karst, severely eroded	22	80	28	36	2.6	5.2
		Caneyville, karst, severely eroded	20	45	16	20	1.5	3.0
		Crider, karst	18	130	46	52	4.3	8.6
		Haggatt, karst, eroded	10	90	32	41	3.0	6.0
		Haymond, frequently ponded, depression	5	145	51	58	4.8	9.6
LaaA	Laconia silt loam, 0 to 1 percent slopes	Laconia	75	160	46	64	5.3	10.6
		Bromer	15	145	49	58	4.8	9.6
		Zipp, frequently ponded, depression	10	145	40	65	4.8	9.6
LpoAK	Lindside silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Lindside	82	125	44	18	4.1	8.2
		Newark, occasionally flooded	10	135	44	19	4.5	9.0
		Huntington, occasionally flooded	8	135	47	19	4.5	9.0
LpoAQ	Lindside silt loam, 0 to 2 percent slopes, rarely flooded	Lindside	86	140	49	56	4.6	9.2
		Newark, rarely flooded	12	155	51	62	5.1	10.2
		Nolin, rarely flooded	2	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
McnGQ	Markland silt loam, 18 to 50 percent slopes, rarely flooded	Markland, rarely flooded	90	---	---	---	0.0	0.0
		Markland, severely eroded, rarely flooded	10	90	32	36	3.0	6.0
Md1D2	Markland silt loam, 6 to 18 percent slopes, eroded	Markland	80	100	35	40	3.3	6.6
		Markland, severely eroded	10	90	32	36	3.0	6.0
		Markland, severely eroded, rarely flooded	10	90	32	36	3.0	6.0
MdWd3	Markland silty clay loam, 6 to 18 percent slopes, severely eroded	Markland, severely eroded	80	90	32	36	3.0	6.0
		Markland, rarely flooded	10	90	32	36	3.0	6.0
		Markland, eroded	10	100	35	40	3.3	6.6
MhuA	McGary silt loam, 0 to 2 percent slopes	McGary	90	140	46	56	4.6	9.2
		Shircliff, eroded	7	120	42	48	4.0	8.0
		Zipp, frequently ponded, depression	3	150	42	60	5.0	10.0
NbhAK	Newark silt loam, 0 to 2 percent slopes, occasionally flooded	Newark, occasionally flooded	90	135	44	19	4.5	9.0
		Nolin, occasionally flooded	5	125	44	18	4.1	8.2
		Lindsay, occasionally flooded	3	125	44	18	4.1	8.2
		Melvin, occasionally flooded	2	135	37	19	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
NbhAQ	Newark silt loam, 0 to 2 percent slopes, rarely flooded	Newark	90	155	51	62	5.1	10.2
		Lindside, rarely flooded	5	135	47	54	4.5	9.0
		Nolin, rarely flooded	5	140	49	56	4.6	9.2
NprAQ	Nolin silt loam, 0 to 2 percent slopes, rarely flooded	Nolin	80	140	49	56	4.6	9.2
		Haymond, occasionally flooded	10	135	47	19	4.5	9.0
		Lindside, rarely flooded	10	135	47	54	4.5	9.0
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PcrA	Pekin silt loam, 0 to 2 percent slopes	Pekin	95	140	49	56	4.6	9.2
		Bartle	3	145	49	58	4.8	9.6
		Peoga	2	150	46	60	5.0	10.0
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	85	135	47	54	4.5	9.0
		Bartle	5	145	49	58	4.8	9.6
		Elkinsville	5	140	49	56	4.6	9.2
		Pekin	5	140	49	56	4.6	9.2
PhwB2	Percell silt loam, 2 to 6 percent slopes, eroded	Percell	92	135	47	54	4.5	9.0
		Shircliff	6	120	42	48	4.0	8.0
		Markland	2	100	35	40	3.3	6.6
Pml	Pits, quarry	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ppu	Pits, sand and gravel	Pits, sand and gravel	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, loamy	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RmcE	Riney loam, 12 to 35 percent slopes	Riney	86	---	---	---	0.0	0.0
		Sonora	14	125	44	50	4.1	8.2
ScbA	Sciotoville silt loam, 0 to 2 percent slopes	Sciotoville	88	135	47	54	4.5	9.0
		Elkinsville	5	145	51	58	4.8	9.6
		Hatfield	4	145	49	58	4.8	9.6
		Elkinsville	3	145	51	58	4.8	9.6
ScbB2	Sciotoville silt loam, 2 to 6 percent slopes, eroded	Sciotoville	75	135	47	54	4.5	9.0
		Elkinsville	10	140	49	56	4.6	9.2
		Elkinsville	10	130	46	52	4.3	8.6
		Millstone	5	135	47	54	4.5	9.0
SfyB	Shircliff silt loam, 0 to 2 percent slopes	Shircliff	90	125	44	50	4.1	8.2
		McGary	6	140	46	56	4.6	9.2
		Markland, eroded	4	100	35	40	3.3	6.6
Uaa	Udorthents, cut and filled	Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Urban land	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UekAQ	Urban land-Elkinsville-Haymond complex, 0 to 6 percent slopes, rarely flooded	Urban land	60	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Elkinsville, rarely flooded	20	0	0	0	0.0	0.0
		Haymond, rarely flooded	15	0	0	0	0.0	0.0
		Kintner, occasionally flooded	5	0	0	0	0.0	0.0
Uf1C	Urban land-Crider-Vertrees complex, karst, rolling	Urban land, karst	60	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Crider, karst	20	0	0	0	0.0	0.0
		Vertrees, karst	15	0	0	0	0.0	0.0
		Haymond, frequently ponded, depression	5	0	0	0	0.0	0.0
UnsB	Urban land-Udarents, clayey substratum complex, hills, 2 to 12 percent slopes	Urban land, karst	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udarents, karst, clayey substratum	30	0	0	0	0.0	0.0
		Crider, karst, eroded	10	0	0	0	0.0	0.0
		Haggatt, karst, eroded	5	0	0	0	0.0	0.0
		Haymond, frequently ponded, depression	5	0	0	0	0.0	0.0
Us1	Udorthents, rubbish	Udorthents, rubbish	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
VcaC3	Vertrees-Crider-Caneyville complex, karst, rolling, severely eroded	Vertrees, karst, severely eroded	40	85	30	38	2.8	5.6
		Crider, karst, severely eroded	30	130	46	52	4.3	8.6
		Caneyville, karst, severely eroded	20	80	28	36	2.6	5.2
		Haggatt, karst, eroded	5	90	32	41	3.0	6.0
		Haymond, frequently ponded, depression	5	145	51	58	4.8	9.6
VcbD2	Vertrees-Crider-Caneyville silt loams, karst, hilly, eroded	Vertrees, karst	35	85	30	38	2.8	5.6
		Crider, karst	25	125	44	50	4.1	8.2
		Caneyville, karst	15	90	32	41	3.0	6.0
		Haggatt, karst, severely eroded	10	65	23	29	2.1	4.2
		Vertrees, karst, severely eroded	10	70	25	32	2.3	4.6
		Haymond, frequently ponded, depression	5	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
VccD3	Vertrees-Haggatt-Caneyville complex, karst, hilly, severely eroded	Vertrees, karst, severely eroded	35	70	25	32	2.3	4.6
		Haggatt, karst, severely eroded	25	65	23	29	2.1	4.2
		Caneyville, karst, severely eroded	20	80	28	36	2.6	5.2
		Haggatt, karst, eroded	15	75	26	34	2.5	5.0
		Haymond, frequently ponded, depression	5	145	51	58	4.8	9.6
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WbkAP	Wilbur-Newark silt loams, depression, 0 to 2 percent slopes, frequently ponded, very brief duration	Wilbur, frequently ponded, depression	50	140	49	56	4.6	9.2
		Newark, frequently ponded, depression	40	140	42	56	4.6	9.2
		Haymond, frequently ponded, depression	10	140	49	56	4.6	9.2
WycAQ	Woodmere silt loam, 0 to 3 percent slopes, rarely flooded	Woodmere	90	135	47	54	4.5	9.0
		Newark, rarely flooded	10	155	51	62	5.1	10.2