

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Harrison County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AeoB2	Alford silt loam, 2 to 6 percent slopes, eroded	149	52	60	5.0	10.0
AeoC2	Alford silt loam, 6 to 12 percent slopes, eroded	141	49	56	4.6	9.2
AgzB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	139	49	62	4.6	9.2
BbhA	Bartle silt loam, 0 to 2 percent slopes	145	49	58	4.8	9.6
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	106	37	15	0.0	0.0
BdoA	Bedford silt loam, 0 to 2 percent slopes	132	46	58	4.3	8.6
BdoB	Bedford silt loam, 2 to 6 percent slopes	136	47	60	4.5	9.0
BkeC2	Bloomfield-Alvin complex, 6 to 15 percent slopes, eroded	92	32	35	2.9	5.7
BuoA	Bromer silt loam, 0 to 2 percent slopes	144	48	59	4.8	9.6
BvsG	Brussels-Rock outcrop complex, 35 to 90 percent slopes, rubbly	0	0	0	0.0	0.0
CbrD2	Caneyville-Haggatt-Knobcreek silt loams, karst, hilly, eroded	77	27	28	2.1	4.2
CbsD3	Caneyville-Haggatt-Knobcreek complex, karst, hilly, severely eroded	69	24	23	1.7	3.5
CbxD4	Caneyville-Haggatt silty clay loams, karst, rolling, very severely eroded, very rocky	36	13	3	0.3	0.6
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	0	0	0	0.0	0.0
CtaB	Crider silt loam, karst, undulating	146	51	62	5.1	10.1
CteC2	Crider-Vertrees silt loams, karst, rolling, eroded	119	42	55	4.3	8.7

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Harrison County, Indiana

CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	143	50	60	4.8	9.7
DeaC2	Deuchars-Apalona-Wellston silt loams, 6 to 12 percent slopes, eroded	121	42	52	4.1	8.3
DeaC3	Deuchars-Apalona-Wellston silt loams, 6 to 12 percent slopes, severely eroded	116	41	51	4.0	7.9
EbhD2	Ebal-Gilpin-Wellston silt loams, 10 to 22 percent slopes, eroded	92	32	37	3.0	5.9
EbhD3	Ebal-Gilpin-Wellston silt loams, 10 to 22 percent slopes, severely eroded	85	30	33	2.6	5.2
EepA	Elkinsville silt loam, 0 to 2 percent slopes	144	50	59	4.8	9.6
EepB2	Elkinsville silt loam, 2 to 6 percent slopes, eroded	145	51	58	4.8	9.6
EepC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	135	47	54	4.5	9.0
EepGQ	Elkinsville silt loam, 25 to 60 percent slopes, rarely flooded	0	0	0	0.0	0.0
EesA	Elkinsville-Millstone complex, 0 to 2 percent slopes	140	49	57	4.7	9.4
EesB	Elkinsville-Millstone complex, 2 to 6 percent slopes	143	50	58	4.8	9.5
EesC2	Elkinsville-Millstone complex, 6 to 12 percent slopes, eroded	127	44	51	4.3	8.5
EesFQ	Elkinsville-Millstone complex, 18 to 40 percent slopes, rarely flooded	0	0	0	0.0	0.0
GacAW	Gatchel loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	117	41	16	0.0	0.0
GbgB2	Gatton silt loam, 2 to 6 percent slopes, eroded	127	44	56	4.1	8.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Harrison County, Indiana

GbgC2	Gatton silt loam, 6 to 12 percent slopes, eroded	117	41	51	3.8	7.6
GbgC3	Gatton silt loam, 6 to 12 percent slopes, severely eroded	113	39	49	3.6	7.2
GfcF	Gilpin-Tipsaw-Ebal complex, 18 to 35 percent slopes, stony	---	---	---	0.1	0.2
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	---	---	---	0.1	0.1
GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes	---	---	---	0.0	0.0
HcaA	Hatfield silt loam, 0 to 2 percent slopes	144	49	58	4.8	9.6
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	2	0.0	0.0
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	132	46	18	0.0	0.0
HcpAP	Haymond silt loam, depression, 0 to 2 percent slopes, frequently ponded, very brief duration	140	49	56	4.6	9.2
HufAH	Huntington silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	129	45	0	0.0	0.0
HufAK	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	134	47	19	0.0	0.0
JoaA	Johnsburg silt loam, 0 to 2 percent slopes	144	49	59	4.8	9.6
KunAW	Kintner loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	115	40	16	0.0	0.0
KxcC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	121	42	51	4.1	8.2
KxlC3	Knobcreek-Haggatt-Caneyville complex, 6 to 12 percent slopes, severely eroded	97	34	42	3.4	6.8

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Harrison County, Indiana

KxlE3	Knobcreek-Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded	87	31	37	3.0	6.0
KxmE2	Knobcreek-Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	96	33	39	2.9	5.8
KxoC2	Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded	115	40	51	4.0	8.1
KxpD2	Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded	84	29	41	3.1	6.3
KxrC3	Knobcreek-Navilleton-Haggatt complex, karst, rolling, severely eroded	109	38	49	3.8	7.7
KxsD3	Knobcreek-Haggatt-Caneyville complex, karst, hilly, severely eroded	76	27	38	2.9	5.8
KxtC2	Knobcreek-Haggatt-Caneyville silt loams, karst, rolling, eroded	110	39	46	3.6	7.3
KxtC3	Knobcreek-Haggatt-Caneyville complex, karst, rolling, severely eroded	96	34	42	3.3	6.6
LaaA	Laconia silt loam, 0 to 1 percent slopes	156	46	65	5.3	10.5
LpoAK	Lindside silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	127	44	18	0.0	0.0
LpoAQ	Lindside silt loam, 0 to 2 percent slopes, rarely flooded	142	49	56	4.6	9.2
McnGQ	Markland silt loam, 18 to 50 percent slopes, rarely flooded	---	---	---	0.0	0.1
MdlD2	Markland silt loam, 6 to 18 percent slopes, eroded	98	34	40	3.3	6.6
Mdwd3	Markland silty clay loam, 6 to 18 percent slopes, severely eroded	91	32	36	3.0	6.0
MhuA	McGary silt loam, 0 to 2 percent slopes	139	45	56	4.6	9.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Harrison County, Indiana

NbhAK	Newark silt loam, 0 to 2 percent slopes, occasionally flooded	134	44	19	0.0	0.0
NbhAQ	Newark silt loam, 0 to 2 percent slopes, rarely flooded	153	50	62	5.1	10.2
NprAQ	Nolin silt loam, 0 to 2 percent slopes, rarely flooded	139	49	52	4.1	8.3
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
PcrA	Pekin silt loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	136	48	54	4.5	9.0
PhwB2	Percell silt loam, 2 to 6 percent slopes, eroded	133	47	54	4.5	9.0
Pml	Pits, quarry	0	0	0	0.0	0.0
Ppu	Pits, sand and gravel	0	0	0	0.0	0.0
RmcE	Riney loam, 12 to 35 percent slopes	---	---	---	0.1	0.2
ScbA	Sciotoville silt loam, 0 to 2 percent slopes	136	48	54	4.5	9.0
ScbB2	Sciotoville silt loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
SfyB	Shircliff silt loam, 0 to 2 percent slopes	125	44	50	4.1	8.2
Uaa	Udorthents, cut and filled	0	0	0	0.0	0.0
UekAQ	Urban land-Elkinsville-Haymond complex, 0 to 6 percent slopes, rarely flooded	0	0	0	0.0	0.0
UflC	Urban land-Crider-Vertrees complex, karst, rolling	0	0	0	0.0	0.0
Unsb	Urban land-Udarents, clayey substratum complex, hills, 2 to 12 percent slopes	0	0	0	0.0	0.0
Usl	Udorthents, rubbish	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Harrison County, Indiana

VcaC3	Vertrees-Crider-Caneyville complex, karst, rolling, severely eroded	101	35	41	3.1	6.3
VcbD2	Vertrees-Crider-Caneyville silt loams, karst, hilly, eroded	95	33	41	3.1	6.2
VccD3	Vertrees-Haggatt-Caneyville complex, karst, hilly, severely eroded	75	26	31	2.3	4.6
W	Water	0	0	0	0.0	0.0
WbkAP	Wilbur-Newark silt loams, depression, 0 to 2 percent slopes, frequently ponded, very brief duration	140	46	56	4.6	9.2
WycAQ	Woodmere silt loam, 0 to 3 percent slopes, rarely flooded	137	48	54	4.5	9.0