

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Hendricks County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Br—Brookston silt loam, overwash					
Brookston, overwash	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Bs—Brookston silty clay loam, 0 to 2 percent slopes					
Brookston	95	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CrA—Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes					
Crosby	93	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Hendricks County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CsB2—Crosby-Miami silt loams, 2 to 6 percent slopes, eroded					
Crosby, eroded	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Miami, eroded	30	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FcA—Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes					
Fincastle	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FoA—Fox loam, 0 to 2 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FoB2—Fox loam, 2 to 6 percent slopes, eroded					
Fox, eroded	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Hendricks County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FoC2--Fox loam, 6 to 12 percent slopes, eroded					
Fox, eroded	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.37	Dusty	0.04
		Dusty	0.04	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
FxC3--Fox clay loam, 6 to 12 percent slopes, severely eroded					
Fox, severely eroded	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.37	Dusty	0.04
		Dusty	0.04	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
Gn--Genesee silt loam					
Genesee	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gs--Genesee sandy loam, sandy substratum					
Genesee	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.09	Unstable excavation walls	0.09
		Dusty	0.02	Dusty	0.02
HeF--Hennepin loam, 25 to 50 percent slopes					
Hennepin	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Hendricks County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mc--Mahalasville silty clay loam, clayey subsoil					
Mahalasville, clayey subsoil variant	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MeA--Martinsville loam, 0 to 2 percent slopes					
Martinsville	100	Somewhat limited		Somewhat limited	
		Seepage	0.22	Seepage	0.22
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MeB2--Martinsville loam, 2 to 6 percent slopes, eroded					
Martinsville, eroded	100	Somewhat limited		Somewhat limited	
		Seepage	0.22	Seepage	0.22
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MmB2--Miami silt loam, 2 to 6 percent slopes, eroded					
Miami, eroded	85	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MmC2--Miami silt loam, 6 to 12 percent slopes, eroded					
Miami, eroded	85	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.37	Dusty	0.05
		Dusty	0.05	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		

Selected Soil Interpretations--Hendricks County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MmD2--Miami silt loam, 12 to 18 percent slopes, eroded					
Miami, eroded	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MmE2--Miami silt loam, 18 to 25 percent slopes, eroded					
Miami, eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MsB3--Miami clay loam, 2 to 6 percent slopes, severely eroded					
Miami, severely eroded	100	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MsC3--Miami clay loam, 6 to 12 percent slopes, severely eroded					
Miami, severely eroded	97	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MsD3--Miami clay loam, 12 to 18 percent slopes, severely eroded					
Miami, severely eroded	100	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Wetness	0.94	Wetness	0.94
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Hendricks County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OcA—Ockley silt loam, 0 to 2 percent slopes					
Ockley	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OcB2—Ockley silt loam, 2 to 6 percent slopes, eroded					
Ockley, eroded	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OsA—Ockley silt loam, loamy substratum, 0 to 2 percent slopes					
Ockley, loamy substratum	100	Somewhat limited		Somewhat limited	
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OsB2—Ockley silt loam, loamy substratum, 2 to 6 percent slopes, eroded					
Ockley, loamy substratum, eroded	100	Somewhat limited		Somewhat limited	
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pmg—Pits, gravel					
Pits, gravel	90	Not rated		Not rated	
Ra—Ragsdale silty clay loam					
Ragsdale	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Hendricks County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rn--Rensselaer clay loam					
Rensselaer	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06
RuB2--Russell silt loam, 2 to 6 percent slopes, eroded					
Russell	76	Somewhat limited		Somewhat limited	
		Wetness	0.31	Wetness	0.31
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RuC2--Russell silt loam, 6 to 12 percent slopes, eroded					
Russell, eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.37	Wetness	0.31
		Wetness	0.31	Dusty	0.08
		Dusty	0.08	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
Sh--Shoals silt loam					
Shoals	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
W--Water					
Water	100	Not rated		Not rated	
Wh--Whitaker silt loam					
Whitaker	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Hendricks County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
XeA--Xenia silt loam, 0 to 2 percent slopes					
Xenia	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
XeB2--Xenia silt loam, 2 to 6 percent slopes, eroded					
Xenia	95	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Hendricks County, Indiana
 Survey Area Data: Version 18, Sep 9, 2014