

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Hendricks County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Br	Brookston silt loam, overwash	Brookston, overwash	100	175	51	70	5.8	11.6
Bs	Brookston silty clay loam, 0 to 2 percent slopes	Brookston	95	175	51	70	5.8	11.6
		Crosby	5	140	46	63	4.6	9.2
CrA	Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes	Crosby	93	155	51	70	5.1	10.2
		Williamstown, eroded	5	140	49	63	4.6	9.2
		Treaty, drained	2	185	54	83	6.1	12.2
CsB2	Crosby-Miami silt loams, 2 to 4 percent slopes, eroded	Crosby, eroded	64	150	49	68	5.0	10.0
		Miami, eroded	33	140	49	63	4.6	9.2
		Treaty, drained	3	185	54	83	6.1	12.2
FcA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
		Cyclone	10	190	56	76	6.3	12.6
		Mahalasville	5	175	51	70	5.8	11.6
FoA	Fox loam, 0 to 2 percent slopes	Fox	80	100	35	50	3.3	6.6
		Ockley	14	135	47	68	4.5	9.0
		Westland, drained	4	175	51	88	5.8	11.6
		Whitaker	2	155	51	62	5.1	10.2
FoB2	Fox loam, 2 to 6 percent slopes, eroded	Fox, eroded	80	95	33	48	3.1	6.2
		Ockley	8	135	47	68	4.5	9.0
		Fox, till substratum	6	100	35	50	3.3	6.6
		Westland, drained	6	160	46	80	5.3	10.6

COMPONENT CROP YIELDS (RV)--Continued
 Hendricks County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FoC2	Fox loam, 6 to 12 percent slopes, eroded	Fox, eroded	100	85	30	43	2.8	5.6
FxC3	Fox clay loam, 6 to 12 percent slopes, severely eroded	Fox, severely eroded	100	80	28	40	2.6	5.2
Gn	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Genesee, frequent, very brief	90	130	46	18	4.3	8.6
		Eel, occasional, very brief	3	135	47	19	4.5	9.0
		Shoals, frequent, very brief	3	140	46	20	4.6	9.2
		Sloan, frequent, very brief	2	160	46	22	5.3	10.6
		Stonelick, frequent, very brief	2	100	35	14	3.3	6.6
Gs	Genesee sandy loam, sandy substratum	Genesee	100	140	49	20	4.6	9.2
HeF	Hennepin loam, 25 to 50 percent slopes	Hennepin	100	---	---	---	0.0	0.0
Mc	Mahalasville silty clay loam, clayey subsoil	Mahalasville, clayey subsoil variant	100	160	46	64	5.3	10.6
MeA	Martinsville loam, 0 to 2 percent slopes	Martinsville	100	145	51	58	4.8	9.6
MeB2	Martinsville loam, 2 to 6 percent slopes, eroded	Martinsville, eroded	100	140	49	56	4.6	9.2
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
		Crosby	5	140	46	63	4.6	9.2
		Treaty	5	185	54	74	6.1	12.2
		Williamstown	5	140	49	63	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Hendricks County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MmC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami, eroded	85	130	46	59	4.3	8.6
		Rainsville, eroded	10	130	46	59	4.3	8.6
		Treaty	3	185	54	74	6.1	12.2
		Crosby	2	140	46	63	4.6	9.2
MmD2	Miami silt loam, 12 to 18 percent slopes, eroded	Miami, eroded	85	115	40	52	3.8	7.6
		Rainsville, eroded	10	115	40	52	3.8	7.6
		Crosby	5	140	46	63	4.6	9.2
MmE2	Miami silt loam, 18 to 25 percent slopes, eroded	Miami, eroded	100	---	---	---	3.3	6.6
MsB3	Miami clay loam, 2 to 6 percent slopes, severely eroded	Miami, severely eroded	100	135	47	61	4.5	9.0
MsC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
		Crosby	3	140	46	63	4.6	9.2
MsD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	100	110	39	50	3.6	7.2
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
		Fox	5	95	33	48	3.1	6.2
		Wawaka	5	145	51	58	4.8	9.6
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Hendricks County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley, eroded	85	130	46	65	4.3	8.6
		Ockley, eroded, till substratum	5	130	46	65	4.3	8.6
		Sleeth	5	145	47	73	4.8	9.6
		Westland	5	175	51	88	5.8	11.6
OsA	Ockley silt loam, loamy substratum, 0 to 2 percent slopes	Ockley, loamy substratum	100	135	47	68	4.5	9.0
OsB2	Ockley silt loam, loamy substratum, 2 to 6 percent slopes, eroded	Ockley, loamy substratum, eroded	100	130	46	65	4.3	8.6
Pmg	Pits, gravel	Pits, gravel	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ra	Ragsdale silty clay loam, 0 to 2 percent slopes	Ragsdale	90	190	56	76	6.3	12.6
		Fincastle	5	165	54	74	5.4	10.8
		Reesville	5	170	56	77	5.6	11.2
Rn	Rensselaer clay loam	Rensselaer	100	175	51	70	5.8	11.6
RuB2	Russell silt loam, 2 to 6 percent slopes, eroded	Russell, eroded	85	150	53	68	5.0	10.0
		Williamstown, eroded	10	140	49	63	4.6	9.2
		Fincastle	3	165	54	74	5.4	10.8
		Treaty	2	185	54	74	6.1	12.2
RuC2	Russell silt loam, 6 to 12 percent slopes, eroded	Russell, eroded	100	140	49	63	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Hendricks County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Sloan	4	145	40	20	4.8	9.6
		Genesee	2	120	42	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wh	Whitaker silt loam, 0 to 2 percent slopes	Whitaker	90	155	51	62	5.1	10.2
		Rensselaer	5	175	51	70	5.8	11.6
		Sleeth	3	145	47	73	4.8	9.6
		Martinsville, till substratum	2	145	51	58	4.8	9.6
XeA	Xenia silt loam, 0 to 2 percent slopes	Xenia	90	150	53	68	5.0	10.0
		Ragsdale	5	190	56	76	6.3	12.6
		Treaty	5	185	54	74	6.1	12.2
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0
		Fincastle	5	165	54	74	5.4	10.8
		Russell, eroded	5	150	53	68	5.0	10.0
		Treaty	5	185	54	74	6.1	12.2