

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Hendricks County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
Br	Brookston silt loam, overwash	175	51	70	5.8	11.6
Bs	Brookston silty clay loam, 0 to 2 percent slopes	173	50	70	5.8	11.6
CrA	Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes	155	51	70	5.1	10.2
CsB2	Crosby-Miami silt loams, 2 to 4 percent slopes, eroded	148	49	67	5.0	9.9
FcA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	168	54	73	5.4	10.8
FoA	Fox loam, 0 to 2 percent slopes	109	38	50	3.3	6.7
FoB2	Fox loam, 2 to 6 percent slopes, eroded	102	35	48	3.1	6.3
FoC2	Fox loam, 6 to 12 percent slopes, eroded	85	30	43	2.8	5.6
FxC3	Fox clay loam, 6 to 12 percent slopes, severely eroded	80	28	40	2.6	5.2
Gn	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	130	45	18	0.0	0.0
Gs	Genesee sandy loam, sandy substratum	140	49	20	0.0	0.0
HeF	Hennepin loam, 25 to 50 percent slopes	0	0	0	0.0	0.0
Mc	Mahalasville silty clay loam, clayey subsoil	160	46	64	5.3	10.6
MeA	Martinsville loam, 0 to 2 percent slopes	145	51	58	4.8	9.6
MeB2	Martinsville loam, 2 to 6 percent slopes, eroded	140	49	56	4.6	9.2
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	142	49	63	4.6	9.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Hendricks County, Indiana

MmC2	Miami silt loam, 6 to 12 percent slopes, eroded	132	46	58	4.3	8.6
MmD2	Miami silt loam, 12 to 18 percent slopes, eroded	116	41	52	3.8	7.6
MmE2	Miami silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
MsB3	Miami clay loam, 2 to 6 percent slopes, severely eroded	135	47	61	4.5	9.0
MsC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	121	42	54	4.0	8.0
MsD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	110	39	50	3.6	7.2
OcA	Ockley silt loam, 0 to 2 percent slopes	134	47	66	4.5	9.0
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	133	46	65	4.3	8.6
OsA	Ockley silt loam, loamy substratum, 0 to 2 percent slopes	135	47	68	4.5	9.0
OsB2	Ockley silt loam, loamy substratum, 2 to 6 percent slopes, eroded	130	46	65	4.3	8.6
Pmg	Pits, gravel	0	0	0	0.0	0.0
Ra	Ragsdale silty clay loam, 0 to 2 percent slopes	188	56	77	6.3	12.6
Rn	Rensselaer clay loam	175	51	70	5.8	11.6
RuB2	Russell silt loam, 2 to 6 percent slopes, eroded	150	52	67	5.0	10.0
RuC2	Russell silt loam, 6 to 12 percent slopes, eroded	140	49	63	4.6	9.2
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	42	1	0.0	0.0
W	Water	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
Hendricks County, Indiana

Wh	Whitaker silt loam, 0 to 2 percent slopes	156	51	63	5.1	10.2
XeA	Xenia silt loam, 0 to 2 percent slopes	154	53	67	5.0	10.0
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	153	53	67	5.0	10.0