

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Henry County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
CeB2	Celina silt loam, 2 to 6 percent slopes, eroded	128	44	56	4.1	8.2
CfB2	Celina silt loam, stony subsoil, 2 to 6 percent slopes, eroded	129	44	56	4.1	8.2
CrA	Crosby silt loam, 0 to 2 percent slopes	143	46	63	4.6	9.2
CsA	Crosby silt loam, stony subsoil, 0 to 3 percent slopes	140	46	63	4.6	9.2
Cy	Cyclone silty clay loam, 0 to 2 percent slopes	185	56	77	6.3	12.6
EdA	Eldean silt loam, 0 to 2 percent slopes	108	37	50	3.3	6.7
EdB2	Eldean silt loam, 2 to 6 percent slopes, eroded	95	33	48	3.1	6.2
EdC2	Eldean silt loam, 6 to 12 percent slopes, eroded	85	30	43	2.8	5.6
EdD2	Eldean silt loam, 12 to 18 percent slopes, eroded	70	25	35	2.3	4.6
EdE2	Eldean silt loam, 18 to 35 percent slopes, eroded	0	0	0	0.0	0.0
ExC3	Eldean clay loam, 6 to 12 percent slopes, severely eroded	75	26	38	2.5	5.0
ExD3	Eldean clay loam, 12 to 18 percent slopes, severely eroded	60	21	30	2.0	4.0
Ge	Genesee loam, occasionally flooded	125	44	18	0.0	0.0
La	Landes loam, rarely flooded	140	49	56	4.6	9.2
LeB2	Losantville silt loam, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
LeC2	Losantville silt loam, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Henry County, Indiana

LeD2	Losantville silt loam, 12 to 18 percent slopes, eroded	100	35	45	3.3	6.6
LeE2	Losantville silt loam, 18 to 30 percent slopes, eroded	0	0	0	0.0	0.0
LhC3	Losantville clay loam, 6 to 12 percent slopes, severely eroded	111	38	47	3.5	7.0
LhD3	Losantville clay loam, 12 to 18 percent slopes, severely eroded	90	32	41	3.0	6.0
LsB2	Losantville silt loam, stony subsoil, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
LsC2	Losantville silt loam, stony subsoil, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
LsD2	Losantville silt loam, stony subsoil, 12 to 18 percent slopes, eroded	100	35	45	3.3	6.6
LsE2	Losantville silt loam, stony subsoil, 18 to 30 percent slopes, eroded	0	0	0	0.0	0.0
LxC3	Losantville clay loam, stony subsoil, 6 to 12 percent slopes, severely eroded	105	37	47	3.5	7.0
LxD3	Losantville clay loam, stony subsoil, 12 to 18 percent slopes, severely eroded	90	32	41	3.0	6.0
Ma	Martisco muck, drained, loamy substratum	75	16	30	2.5	5.0
MIA	Miami silt loam, gravelly substratum, 0 to 2 percent slopes	135	47	68	4.5	9.0
MIB2	Miami silt loam, gravelly substratum, 2 to 6 percent slopes, eroded	130	46	65	4.3	8.6
MmB2	Miamian silt loam, New Castle Till Plain, 2 to 6 percent slopes, eroded	129	44	56	4.1	8.2
MoB2	Miamian silt loam, stony subsoil, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Henry County, Indiana

Mx	Millgrove loam	175	51	70	5.8	11.6
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
Ot	Orthents and aquents, loamy	0	0	0	0.0	0.0
Pt	Pits, gravel	0	0	0	0.0	0.0
Sg	Shoals loam, occasionally flooded	135	44	19	0.0	0.0
Sk	Sleeth silt loam	145	47	73	4.8	9.6
Sn	Sloan silty clay loam, occasionally flooded	145	40	20	0.0	0.0
Ts	Treaty silt loam, stony subsoil	185	54	74	6.1	12.2
W	Water	0	0	0	0.0	0.0
Wb	Washtenaw silt loam	165	47	66	5.4	10.8
We	Westland silt loam	165	47	83	5.4	10.8