

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 Huntington County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ApA	Aptakisic silt loam, 0 to 2 percent slopes	Aptakisic	90	155	51	62	5.1	10.2
BcB2	Blount silt loam, 1 to 4 percent slopes, eroded	Blount	85	135	44	61	4.5	9.0
BgmB2	Blount silt loam, ground moraine, 1 to 4 percent slopes, eroded	Blount, ground moraine	85	135	44	61	4.5	9.0
BleB2	Blount silt loam, end moraine, 1 to 4 percent slopes, eroded	Blount, end moraine	85	135	44	61	4.5	9.0
ChB	Chelsea loamy sand, 3 to 12 percent slopes	Chelsea	90	80	28	32	2.6	5.2
Ee	Eel silt loam, occasionally flooded	Eel	90	125	44	18	4.1	8.2
FoA	Fox loam, till plain, 0 to 2 percent slopes	Fox	90	100	35	50	3.3	6.6
FoB	Fox loam, till plain, 2 to 6 percent slopes	Fox	90	100	35	50	3.3	6.6
FoC2	Fox loam, till plain, 6 to 12 percent slopes, eroded	Fox	90	85	30	43	2.8	5.6
Ge	Genesee silt loam, occasionally flooded	Genesee	90	125	44	18	4.1	8.2
G1B2	Glynwood silt loam, 2 to 6 percent slopes, eroded	Glynwood	85	125	44	56	4.1	8.2
G1pC2	Glynwood clay loam, 6 to 12 percent slopes, eroded	Glynwood	85	115	40	52	3.8	7.6
G1pC3	Glynwood clay loam, 6 to 12 percent slopes, severely eroded	Glynwood	85	105	37	47	3.5	7.0
G1qC2	Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded	Glynwood	85	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Huntington County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GlrB2	Glynwood silt loam, end moraine, 2 to 6 percent slopes, eroded	Glynwood, end moraine	85	125	44	56	4.1	8.2
GlsB2	Glynwood silt loam, ground moraine, 2 to 6 percent slopes, eroded	Glynwood, ground moraine	85	125	44	56	4.1	8.2
GlyC3	Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded	Glynwood	70	105	37	47	3.5	7.0
		Mississinewa	15	120	42	54	4.0	8.0
HcA	Haskins fine sandy loam, 1 to 4 percent slopes	Haskins	90	155	51	70	5.1	10.2
HeG	Hennepin loam, 30 to 70 percent slopes	Hennepin	100	---	---	---	0.0	0.0
Ho	Houghton muck, drained	Houghton, drained	75	165	44	66	5.4	10.8
McA	Martinsville silt loam, 0 to 2 percent slopes	Martinsville	95	140	49	56	4.6	9.2
McB	Martinsville silt loam, 2 to 8 percent slopes	Martinsville	100	140	49	56	4.6	9.2
Ms	Millsdale silty clay loam	Millsdale	100	130	35	52	4.3	8.6
MtA	Milton silt loam, 0 to 2 percent slopes	Milton	90	100	35	40	3.3	6.6
MtB	Milton silt loam, 2 to 6 percent slopes	Milton	90	100	35	40	3.3	6.6
MtC	Milton silt loam, 6 to 15 percent slopes	Milton	90	90	32	36	3.0	6.0
MxC2	Morley silt loam, 6 to 12 percent slopes, eroded	Morley	100	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Huntington County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MxD2	Morley silt loam, 12 to 18 percent slopes, eroded	Morley	100	100	35	45	3.3	6.6
MxE2	Morley silt loam, 18 to 30 percent slopes, eroded	Morley	100	---	---	---	0.0	0.0
MzC3	Morley clay loam, 6 to 12 percent slopes, severely eroded	Morley, severely eroded	100	105	37	47	3.5	7.0
MzD3	Morley clay loam, 12 to 18 percent slopes, severely eroded	Morley, severely eroded	100	90	32	41	3.0	6.0
OcA	Ockley loam, 0 to 2 percent slopes	Ockley	90	115	40	58	3.8	7.6
OcB	Ockley loam, 2 to 6 percent slopes	Ockley	90	115	40	58	3.8	7.6
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pa	Patton silty clay loam	Patton	100	170	49	68	5.6	11.2
Pe	Patton silty clay loam, sandy substratum	Patton	100	175	51	70	5.8	11.6
Pg	Pewamo silty clay loam, 0 to 1 percent slopes	Pewamo	85	160	46	64	5.3	10.6
Px	Pits, gravel	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Py	Pits, quarry	Pits, quarries, limestone	95	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RcA	Randolph loam, 0 to 2 percent slopes	Randolph	90	110	35	44	3.6	7.2
RgB	Rawson fine sandy loam, 2 to 6 percent slopes	Rawson	90	155	54	70	5.1	10.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Huntington County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RgC	Rawson fine sandy loam, 6 to 12 percent slopes	Rawson	100	145	51	65	4.8	9.6
Rk	Rensselaer loam	Rensselaer	75	175	51	70	5.8	11.6
Sh	Shoals silt loam, 0 to 2 percent slopes, occasionally flooded	Shoals	85	135	44	19	4.5	9.0
Sm	Sloan silt loam, frequently flooded	Sloan	100	140	39	0	0.0	0.0
Ud	Udorthents, loamy	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wo	Whitaker loam	Whitaker	70	155	51	62	5.1	10.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.