

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jackson County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AddA	Avonburg silt loam, 0 to 2 percent slopes	145	48	65	4.8	9.6
AddB2	Avonburg silt loam, 2 to 4 percent slopes, eroded	140	47	60	4.4	8.8
AsuAH	Armiesburg silty clay loam, sandy substratum, 0 to 2 percent slopes, frequently flooded, brief duration	130	45	0	0.0	0.0
AzoA	Ayrshire fine sandy loam, sandy substratum, 0 to 2 percent slopes	149	49	60	5.0	10.0
BbhA	Bartle silt loam, 0 to 2 percent slopes	145	49	59	4.8	9.6
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	106	37	15	0.0	0.0
BdhAH	Bellcreek silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	127	35	0	0.0	0.0
BdoB	Bedford silt loam, 2 to 6 percent slopes	133	46	58	4.3	8.6
BgeAH	Birds silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	130	35	0	0.0	0.0
BgeAHU	Birds silt loam, undrained, 0 to 1 percent slopes, frequently flooded, brief duration	0	0	0	0.0	0.0
BkeB	Bloomfield-Alvin complex, 1 to 6 percent slopes	104	36	39	3.3	6.5
BkeC2	Bloomfield-Alvin complex, 6 to 15 percent slopes, eroded	92	32	35	2.9	5.8
BlfF	Bloomfield fine sand, 15 to 45 percent slopes	---	---	---	0.0	0.0
BlgC2	Blocher-Cincinnati silt loams, 6 to 12 percent slopes, eroded	127	44	55	4.3	8.6
BlgC3	Blocher-Cincinnati silt loams, 6 to 12 percent slopes, severely eroded	118	41	49	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jackson County, Indiana

BlhD2	Blocher-Bonnell silt loams, 12 to 25 percent slopes, eroded	66	23	35	2.8	5.7
BnjA	Bobtown loamy fine sand, 0 to 3 percent slopes	135	47	54	4.5	9.0
BnuD3	Bonnell-Hickory-Blocher complex, 12 to 20 percent slopes, severely eroded	69	24	27	2.2	4.4
BnwD2	Bonnell silt loam, 10 to 18 percent slopes, eroded	93	33	38	3.1	6.2
BocD3	Bonnell silty clay loam, 10 to 18 percent slopes, severely eroded	87	30	36	3.0	6.0
BodAV	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, very brief duration	130	36	20	0.0	0.0
BvmG	Brownstown channery silt loam, 25 to 75 percent slopes	---	---	---	0.0	0.0
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	0	0	0	0.0	0.0
CkkB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	116	41	51	3.8	7.6
CkkC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	106	37	47	3.5	7.0
CkkC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	99	35	44	3.3	6.6
CldB2	Cincinnati-Blocher silt loams, 2 to 6 percent slopes, eroded	136	48	57	4.5	8.9
ClfA	Cobbsfork silt loam, 0 to 1 percent slopes	139	43	61	5.0	10.1
ComD	Coolville silt loam, 12 to 20 percent slopes	80	28	34	2.8	5.6
ConC3	Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded	79	28	32	2.6	5.3
CspB	Crider silt loam, 2 to 6 percent slopes	144	50	61	5.0	9.9

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jackson County, Indiana

CspC2	Crider silt loam, 6 to 12 percent slopes, eroded	125	44	54	4.4	8.9
DfnA	Dubois silt loam, 0 to 2 percent slopes	137	46	60	4.5	9.0
DfnB2	Dubois silt loam, 2 to 6 percent slopes, eroded	131	44	56	4.1	8.2
DosAH	Driftwood clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	111	28	0	0.0	0.0
FhxA	Fox-Ockley sandy loams, sandy substratums, 0 to 2 percent slopes	114	40	50	3.2	6.5
GccAH	Genesee loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	0	0.0	0.0
GcpAH	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	1	0.0	0.0
GghD	Gilwood-Wrays silt loams, 10 to 25 percent slopes	84	29	30	2.5	4.9
GmrD3	Gnawbone silt loam, 12 to 18 percent slopes, severely eroded	73	25	28	2.3	4.6
GmrF	Gnawbone silt loam, 25 to 55 percent slopes	---	---	---	0.0	0.1
GmsF	Greybrook silt loam, 15 to 40 percent slopes	---	---	---	0.0	0.0
HccA	Haubstadt silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	117	40	50	3.7	7.3
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	119	42	0	0.0	0.0
HeoF	Hickory silt loam, 25 to 50 percent slopes	---	---	---	0.0	0.0
HheF	Hickory loam, 15 to 45 percent slopes	---	---	---	0.0	0.0
KugG	Kurtz-Gnawbone silt loams, 20 to 60 percent slopes	---	---	---	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jackson County, Indiana

KxvD2	Knobcreek-Crider-Gilwood silt loams, 6 to 18 percent slopes, eroded	112	39	46	3.8	7.5
KxzG	Kurtz silt loam, 20 to 55 percent slopes	---	---	---	0.0	0.0
LvlA	Lyles fine sandy loam, 0 to 1 percent slopes	150	42	60	5.0	10.0
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	110	39	42	3.4	6.9
MfxA	Martinsville sandy loam, sandy substratum, 0 to 2 percent slopes	126	44	62	4.1	8.2
MhyB2	Medora silt loam, 2 to 6 percent slopes, eroded	122	43	54	4.0	8.0
MhyC2	Medora silt loam, 6 to 12 percent slopes, eroded	111	39	49	3.6	7.2
MikA	McGary silty clay loam, 0 to 2 percent slopes	138	45	54	4.5	8.9
NaaA	Nabb silt loam, 0 to 2 percent slopes	132	46	59	4.3	8.6
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded	117	41	50	3.6	7.3
NehF	Negley loam, 18 to 35 percent slopes	---	---	---	0.1	0.1
NerD2	Negley silt loam, 12 to 18 percent slopes, eroded	108	38	44	3.6	7.2
NpeAK	Nineveh sandy loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	103	36	17	0.0	0.0
OmKc2	Otwell silt loam, 6 to 12 percent slopes, eroded	110	39	47	3.5	7.0
OmKc3	Otwell silt loam, 6 to 12 percent slopes, severely eroded	105	37	45	3.3	6.6
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
PbbB2	Parke silt loam, 2 to 6 percent slopes, eroded	143	50	58	4.8	9.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jackson County, Indiana

PbbC2	Parke silt loam, 6 to 12 percent slopes, eroded	134	47	54	4.5	9.0
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	136	48	54	4.5	9.0
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	124	43	49	3.9	7.9
PcrC3	Pekin silt loam, 6 to 12 percent slopes, severely eroded	121	42	47	3.8	7.7
PhaA	Peoga silt loam, 0 to 1 percent slopes	134	41	59	4.9	9.8
PlpAH	Piopolis silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	125	33	0	0.0	0.0
PlpAHU	Piopolis silty clay loam, undrained, 0 to 1 percent slopes, frequently flooded, brief duration	0	0	0	0.0	0.0
PlpAV	Piopolis silty clay loam, 0 to 1 percent slopes, frequently flooded, very brief duration	135	37	19	0.0	0.0
Ppu	Pits, sand	0	0	0	0.0	0.0
RbID3	Rarden silty clay loam, 12 to 18 percent slopes, severely eroded	49	17	20	1.7	3.4
RcsC3	Rarden silt loam, 6 to 12 percent slopes, severely eroded	66	23	26	2.1	4.2
RnpAQ	Roby sandy loam, 0 to 2 percent slopes, rarely flooded	136	47	54	4.5	9.0
RptG	Rohan-Jessietown complex, 25 to 60 percent slopes, rocky	---	---	---	0.0	0.0
RtxAH	Rosburg silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	131	45	0	0.0	0.0
SfyB2	Shircliff silt loam, 2 to 6 percent slopes, eroded	120	42	48	4.0	8.0
SldAH	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	42	1	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jackson County, Indiana

SoaB2	Spickert silt loam, 2 to 6 percent slopes, eroded	120	42	54	4.0	8.0
SoaC2	Spickert silt loam, 6 to 12 percent slopes, eroded	100	35	44	3.3	6.6
StaAH	Steff silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	121	42	0	0.0	0.0
StaAQ	Steff silt loam, 0 to 2 percent slopes, rarely flooded	145	50	57	4.7	9.4
StaAV	Steff silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	130	45	18	0.0	0.0
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	125	40	0	0.0	0.0
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded	149	49	59	4.9	9.7
StdAV	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	135	43	19	0.0	0.0
SucC2	Stonehead-Coolville silt loams, 6 to 12 percent slopes, eroded	116	41	50	4.1	8.3
SukC2	Stonehead silt loam, 4 to 12 percent slopes, eroded	128	45	52	4.3	8.6
SuoAH	Stonelick fine sandy loam, 0 to 2 percent slopes, frequently flooded, brief duration	92	32	0	0.0	0.0
SvgA	Stoy silt loam, 0 to 2 percent slopes	144	49	58	4.8	9.6
ThcD3	Trappist-Rohan complex, 12 to 25 percent slopes, severely eroded	41	14	16	1.3	2.7
ThdD2	Trappist-Rohan silt loams, 12 to 25 percent slopes, eroded	46	16	20	1.6	3.2
Uby	Udorthents, loamy	0	0	0	0.0	0.0
UcvA	Udorthents-Aquents complex	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jackson County, Indiana

UegA	Urban land-Bobtown complex, 0 to 3 percent slopes	0	0	0	0.0	0.0
UevA	Urban land-Dubois complex, 0 to 2 percent slopes	0	0	0	0.0	0.0
UevB	Urban land-Dubois complex, 2 to 6 percent slopes	0	0	0	0.0	0.0
UexA	Urban land-Fox, sandy substratum-Ockley, sandy substratum, complex, 0 to 2 percent slopes	0	0	0	0.0	0.0
UezA	Urban land-Ayrshire, sandy substratum, complex, 0 to 2 percent slopes	0	0	0	0.0	0.0
UfaB	Urban land-Bloomfield-Alvin complex, 1 to 6 percent slopes	0	0	0	0.0	0.0
UfaC	Urban land-Bloomfield-Alvin complex, 6 to 15 percent slopes	0	0	0	0.0	0.0
UggA	Urban land-Peoga complex, 0 to 1 percent slopes	0	0	0	0.0	0.0
UghAQ	Urban land-Steff complex, 0 to 2 percent slopes, rarely flooded	0	0	0	0.0	0.0
UgmAQ	Urban land-Stendal complex, 0 to 2 percent slopes, rarely flooded	0	0	0	0.0	0.0
UhyA	Urban land-Martinsville, sandy substratum, complex, 0 to 2 percent slopes	0	0	0	0.0	0.0
UlaB	Urban land-Parke-Medora complex, 2 to 6 percent slopes	0	0	0	0.0	0.0
UlbC	Urban land-Parke-Medora-Negley complex, 6 to 18 percent slopes	0	0	0	0.0	0.0
UlfA	Urban land-Lyles complex, 0 to 1 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jackson County, Indiana

UloC	Urban land-Otwell complex, 6 to 12 percent slopes	0	0	0	0.0	0.0
UsgC	Urban land-Stonehead complex, 6 to 12 percent slopes	0	0	0	0.0	0.0
Usl	Udorthents, rubbish	0	0	0	0.0	0.0
UusB	Urban land-Haubstadt complex, 2 to 6 percent slopes	0	0	0	0.0	0.0
ValAH	Vallonia loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	0	0.0	0.0
VnvAW	Vincennes sandy loam, sandy substratum, 0 to 2 percent slopes, occasionally flooded, very brief duration	136	37	21	0.2	0.5
W	Water	0	0	0	0.0	0.0
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	131	39	2	0.0	0.0
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	146	44	20	0.0	0.0
WgwD2	Wellrock silt loam, 12 to 18 percent slopes, eroded	104	36	42	3.5	7.0
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	125	43	0	0.0	0.0
WolAH	Wilhite silty clay, 0 to 1 percent slopes, frequently flooded, brief duration	112	29	0	0.0	0.0
WolAHU	Wilhite silty clay, undrained, 0 to 1 percent slopes, frequently flooded, brief duration	0	0	0	0.0	0.0
WolAV	Wilhite silty clay, 0 to 1 percent slopes, frequently flooded, very brief duration	121	32	17	0.0	0.0
WprAV	Wirt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	117	41	16	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jackson County, Indiana

WsyAH	Whitaker sandy loam, 0 to 2 percent slopes, frequently flooded, brief duration	125	40	0	0.0	0.0
WsyAQ	Whitaker sandy loam, 0 to 2 percent slopes, rarely flooded	149	49	59	4.8	9.7
ZcaAH	Zipp silty clay, 0 to 1 percent slopes, frequently flooded, brief duration	120	32	1	0.0	0.0