

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Jasper County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ab	Ackerman muck, drained	Ackerman, drained	85	145	40	58	4.8	9.6
As	Adrian muck, drained	Adrian, drained	75	145	44	58	4.8	9.6
AtA	Andres silt loam, 0 to 2 percent slopes	Andres	91	165	54	66	5.4	10.8
AyB	Ayr loamy fine sand, 1 to 4 percent slopes	Ayr	90	120	42	48	4.0	8.0
BeB	Brems loamy sand, 1 to 3 percent slopes	Brems	80	95	33	38	3.1	6.2
Br	Brookston loam	Brookston	80	175	51	70	5.8	11.6
ChB	Chelsea sand, 2 to 6 percent slopes	Chelsea	90	90	32	36	3.0	6.0
CoB	Corwin loam, moderately permeable, 1 to 3 percent slopes	Corwin	90	155	54	70	5.1	10.2
Cp	Craigmile sandy loam, frequently flooded	Craigmile	100	135	37	0	0.0	0.0
Dc	Darroch loam	Darroch	90	165	54	66	5.4	10.8
Dg	Darroch, till substratum-Odell complex	Darroch	60	175	58	70	5.8	11.6
		Odell	30	165	54	74	5.4	10.8
Ed	Edwards muck, drained	Edwards, drained	80	135	33	54	4.5	9.0
Fa	Faxon loam	Faxon	100	145	40	58	4.8	9.6
Gf	Gilford fine sandy loam	Gilford	85	150	42	60	5.0	10.0
GzB	Grovecity fine sandy loam, 1 to 3 percent slopes	Grovecity	90	135	40	54	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Jasper County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ho	Houghton muck, drained	Houghton, drained	75	165	44	66	5.4	10.8
Hp	Houghton muck, disintegration moraine, 0 to 2 percent slopes	Houghton, undrained	85	0	0	0	0.0	0.0
Ir	Iroquois fine sandy loam	Iroquois	100	170	49	68	5.6	11.2
LuB2	Lucas silty clay loam, 2 to 6 percent slopes, eroded	Lucas	90	115	40	52	3.8	7.6
MaB	Markton-Aubbeenaubbee complex, 1 to 3 percent slopes	Markton	55	135	40	54	4.5	9.0
		Aubbeenaubbee	35	155	51	62	5.1	10.2
McB	Martinsville fine sandy loam, 2 to 6 percent slopes	Martinsville	90	140	49	56	4.6	9.2
MeA	Metamora fine sandy loam, moderately permeable, 0 to 1 percent slopes	Metamora	90	160	53	64	5.3	10.6
MeB	Metamora fine sandy loam, moderately permeable, 1 to 4 percent slopes	Metamora	90	160	53	64	5.3	10.6
MkB	Metea loamy sand, moderately permeable, 2 to 6 percent slopes	Metea	90	110	39	44	3.6	7.2
Mp	Montgomery silty clay loam	Montgomery	100	160	46	72	5.3	10.6
Mu	Morocco loamy sand	Morocco	85	100	28	40	3.3	6.6
Mw	Muskego muck, drained	Muskego, drained	75	135	33	54	4.5	9.0
Mz	Mussey mucky sandy loam	Mussey	100	160	46	64	5.3	10.6
NaB	Nesius fine sand, 1 to 3 percent slopes	Nesius	90	105	37	42	3.5	7.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Jasper County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ne	Newton loamy fine sand, undrained	Newton, undrained	100	0	0	0	0.0	0.0
OaB	Oakville fine sand, 2 to 6 percent slopes	Oakville	90	80	28	32	2.6	5.2
OaC	Oakville fine sand, 6 to 15 percent slopes	Oakville	90	70	25	28	2.3	4.6
ObB	Oakville sand, moderately wet, 1 to 3 percent slopes	Oakville	90	90	32	36	3.0	6.0
OcC2	Octagon fine sandy loam, 6 to 12 percent slopes, eroded	Octagon	90	130	46	59	4.3	8.6
OrB	Ormas loamy fine sand, 2 to 6 percent slopes	Ormas	90	110	39	44	3.6	7.2
OtB	Ormas variant loamy sand, 2 to 6 percent slopes	Ormas variant	90	95	33	38	3.1	6.2
Pa	Papineau sandy loam	Papineau	90	160	53	64	5.3	10.6
PaB	Parr fine sandy loam, 2 to 6 percent slopes	Parr	90	150	53	68	5.0	10.0
PdB	Parr-Ayr complex, 2 to 6 percent slopes	Parr	60	150	53	68	5.0	10.0
		Ayr	30	120	42	54	4.0	8.0
Pf	Pits, quarries	Pits	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pmg	Pits, gravel	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Px	Prochaska loamy sand, frequently flooded	Prochaska	100	120	32	0	0.0	0.0
Rd	Reddick clay loam, 0 to 2 percent slopes	Reddick, drained	99	180	53	72	5.9	11.8
Re	Rensselaer loam	Rensselaer	75	175	51	70	5.8	11.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Jasper County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Rs	Rensselaer fine sandy loam, till substratum	Rensselaer	100	180	53	72	5.9	11.8
Rw	Rensselaer, till substratum-Wolcott complex	Rensselaer	70	185	54	74	6.1	12.2
		Wolcott	30	175	51	70	5.8	11.6
RxB	Rockton fine sandy loam, 1 to 3 percent slopes	Rockton	90	120	42	48	4.0	8.0
SmA	Simonin loamy sand, 0 to 2 percent slopes	Simonin	90	140	49	63	4.6	9.2
So	Sloan silt loam, frequently flooded, undrained	Sloan, undrained	100	0	0	0	0.0	0.0
SpB	Sparta sand, 2 to 6 percent slopes	Sparta	90	90	32	36	3.0	6.0
SsB	Sparta loamy sand, loamy substratum, 1 to 3 percent slopes	Sparta	90	90	32	36	3.0	6.0
St	Strole clay loam	Strole	90	145	47	58	4.8	9.6
Sx	Suman loam, frequently flooded	Suman	100	125	33	0	0.0	0.0
Us1	Udorthents, rubbish	Udorthents, Rubbish	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wb	Warners fine sandy loam	Warners	100	120	32	48	4.0	8.0
We	Watseka loamy fine sand	Watseka	90	115	33	46	3.8	7.6
Wm	Watseka-Maumee loamy sands	Maumee	50	135	37	54	4.5	9.0
		Watseka	50	115	33	46	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Jasper County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WsB2	Wawasee loam, 2 to 6 percent slopes, eroded	Wawasee	90	140	49	56	4.6	9.2
Wt	Whitaker fine sandy loam	Whitaker	90	150	49	60	5.0	10.0
Za	Zadog-Maumee loamy sands	Zadog	55	155	44	62	5.1	10.2
		Maumee	45	135	37	54	4.5	9.0

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.