

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Jay County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BIA—Blount-Glynwood, thin solum complex, 0 to 3 percent slopes					
Blount	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Glynwood	20	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Bo—Bono silty clay					
Bono	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.02	Unstable excavation walls	0.02

Selected Soil Interpretations—Jay County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Bs—Bono variant mucky silty clay					
Bono variant	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ee—Eel clay loam, frequently flooded					
Eel	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ef—Eel variant silty clay, occasionally flooded					
Eel variant	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EIA—Eldean silt loam, 0 to 2 percent slopes					
Eldean	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.78	Sand content	0.78
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EnB3—Eldean clay loam, 2 to 6 percent slopes, severely eroded					
Eldean, severely eroded	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations—Jay County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EnC3—Eldean clay loam, 6 to 12 percent slopes, severely eroded					
Eldean, severely eroded	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.16	Dusty	0.03
		Dusty	0.03	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
GlpB3—Glynwood clay loam, end moraine, 2 to 6 percent slopes, severely eroded					
Glynwood, end moraine; severely eroded	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GlpC2—Glynwood clay loam, 6 to 12 percent slopes, eroded					
Glynwood	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GlpC3—Glynwood clay loam, 6 to 12 percent slopes, severely eroded					
Glynwood	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations—Jay County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GlqB3—Glynwood clay loam, ground moraine, 2 to 6 percent slopes, severely eroded					
Glynwood, ground moraine; severely eroded	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GlqC2—Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded					
Glynwood	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GlyC3—Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded					
Glynwood	70	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mississinewa	15	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Water gathering surface	0.40
		Water gathering surface	0.40	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ho—Houghton muck, drained					
Houghton, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16

Selected Soil Interpretations—Jay County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MaA—Martinsville loam, 0 to 2 percent slopes					
Martinsville	80	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MaB2—Martinsville loam, 2 to 6 percent slopes, eroded					
Martinsville	100	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MoD3—Morley clay loam, 12 to 20 percent slopes, severely eroded					
Morley, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.94	Wetness	0.94
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pm—Pewamo silty clay					
Pewamo	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SarA—Saranac silty clay loam, 0 to 1 percent slopes, frequently flooded					
Saranac, brief duration	90	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations—Jay County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SgnA—Shoals silty clay loam, 0 to 1 percent slopes, frequently flooded					
Shoals	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SgoA—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded					
Shoals	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
So—Saranac clay loam, stratified substratum, occasionally flooded					
Saranac	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SocA—Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded					
Sloan, brief duration	90	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations—Jay County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
St—Saranac clay, frequently flooded					
Saranac	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
TfsA—Tice silty clay loam, 0 to 1 percent slopes, frequently flooded					
Tice	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ud—Udorthents, loamy					
Udorthents, loamy	100	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	
Wa—Walkkill variant silty clay, frequently flooded					
Walkkill variant	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
Wh—Whitaker silt loam					
Whitaker	95	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

## Data Source Information

Soil Survey Area: Jay County, Indiana  
Survey Area Data: Version 15, Sep 16, 2014