

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 Jay County, Indiana

| Map Unit Symbol | Map unit name  | Component                                 | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|---|------------|------------|----------------|--------------------|--------------------------|-------------|
| BlA             | Blount-Glynwood, thin solum complex, 0 to 3 percent slopes                 | Blount                                    | 75         | 140        | 46             | 63                 | 4.6                      | 9.2         |
|                 |  | Glynwood                                  | 20         | 130        | 46             | 59                 | 4.3                      | 8.6         |
| Bo              | Bono silty clay  | Bono                                      | 100        | 150        | 42             | 60                 | 5.0                      | 10.0        |
| Bs              | Bono variant mucky silty clay  | Bono variant                              | 100        | 150        | 42             | 68                 | 5.0                      | 10.0        |
| Ee              | Eel clay loam, frequently flooded  | Eel                                       | 95         | 120        | 42             | 0                  | 0.0                      | 0.0         |
| Ef              | Eel variant silty clay, occasionally flooded                               | Eel variant                               | 95         | 105        | 37             | 15                 | 3.5                      | 7.0         |
| ElA             | Eldean silt loam, 0 to 2 percent slopes                                    | Eldean                                    | 80         | 100        | 35             | 50                 | 3.3                      | 6.6         |
| EnB3            | Eldean clay loam, 2 to 6 percent slopes, severely eroded                   | Eldean, severely eroded                   | 100        | 110        | 39             | 55                 | 3.6                      | 7.2         |
| EnC3            | Eldean clay loam, 6 to 12 percent slopes, severely eroded                  | Eldean, severely eroded                   | 100        | 100        | 35             | 50                 | 3.3                      | 6.6         |
| GlpB3           | Glynwood clay loam, end moraine, 2 to 6 percent slopes, severely eroded    | Glynwood, end moraine; severely eroded    | 85         | 115        | 40             | 52                 | 3.8                      | 7.6         |
| GlpC2           | Glynwood clay loam, 6 to 12 percent slopes, eroded                         | Glynwood                                  | 85         | 115        | 40             | 52                 | 3.8                      | 7.6         |
| GlpC3           | Glynwood clay loam, 6 to 12 percent slopes, severely eroded                | Glynwood                                  | 85         | 105        | 37             | 47                 | 3.5                      | 7.0         |
| GlpqB3          | Glynwood clay loam, ground moraine, 2 to 6 percent slopes, severely eroded | Glynwood, ground moraine; severely eroded | 85         | 115        | 40             | 52                 | 3.8                      | 7.6         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Jay County, Indiana

| Map Unit Symbol | Map unit name   | Component               | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|-------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| GlgC2           | Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded        | Glynwood                | 85         | 115        | 40             | 52                 | 3.8                      | 7.6         |
| GlyC3           | Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded | Glynwood                | 70         | 105        | 37             | 47                 | 3.5                      | 7.0         |
|                 |   | Mississinewa            | 15         | 120        | 42             | 54                 | 4.0                      | 8.0         |
| Ho              | Houghton muck, drained  | Houghton, drained       | 75         | 165        | 44             | 66                 | 5.4                      | 10.8        |
| MaA             | Martinsville loam, 0 to 2 percent slopes                                  | Martinsville            | 80         | 145        | 51             | 58                 | 4.8                      | 9.6         |
| MaB2            | Martinsville loam, 2 to 6 percent slopes, eroded                          | Martinsville            | 100        | 140        | 49             | 56                 | 4.6                      | 9.2         |
| MoD3            | Morley clay loam, 12 to 20 percent slopes, severely eroded                | Morley, severely eroded | 100        | 90         | 32             | 41                 | 3.0                      | 6.0         |
| Pm              | Pewamo silty clay, 0 to 2 percent slopes                                  | Pewamo                  | 85         | 155        | 44             | 62                 | 5.1                      | 10.2        |
| SarA            | Saranac silty clay loam, 0 to 1 percent slopes, frequently flooded        | Saranac, brief duration | 90         | 125        | 33             | 0                  | 0.0                      | 0.0         |
| SgnA            | Shoals silty clay loam, 0 to 1 percent slopes, frequently flooded         | Shoals                  | 85         | 130        | 42             | 0                  | 0.0                      | 0.0         |
| SgoA            | Shoals silt loam, 0 to 2 percent slopes, occasionally flooded             | Shoals                  | 85         | 135        | 44             | 19                 | 4.5                      | 9.0         |
| So              | Saranac clay loam, stratified substratum, occasionally flooded            | Saranac                 | 100        | 115        | 30             | 16                 | 3.8                      | 7.6         |
| SocA            | Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded          | Sloan, brief duration   | 90         | 140        | 39             | 0                  | 0.0                      | 0.0         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Jay County, Indiana

| Map Unit Symbol | Map unit name   | Component         | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|-------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| St              | Saranac clay, frequently flooded                                | Saranac           | 100        | 120        | 32             | 0                  | 0.0                      | 0.0         |
| TfsA            | Tice silty clay loam, 0 to 1 percent slopes, frequently flooded | Tice              | 90         | 140        | 46             | 0                  | 0.0                      | 0.0         |
| Ud              | Udorthents, loamy   | Udorthents, loamy | 100        | Not Rated  | Not Rated      | Not Rated          | Not Rated                | Not Rated   |
| W               | Water   | Water             | 100        | Not Rated  | Not Rated      | Not Rated          | Not Rated                | Not Rated   |
| Wa              | Wallkill variant silty clay, frequently flooded                 | Wallkill variant  | 100        | 145        | 40             | 58                 | 4.8                      | 9.6         |
| Wh              | Whitaker silt loam  | Whitaker          | 95         | 155        | 51             | 62                 | 5.1                      | 10.2        |

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.